7524 8335 Cambrian Mountains ESA 5625\5619 Garn Ewy Standing S , m,

CAMBRIAN MOUNTAINS ESA, HISTORIC MONITORING

BASELINE 1995

A

OS 1:1000 SHEET: SM/SN 78	GRID REF: SMISN 7524 8335
PRN: 5625/SITE NAME:	
AIR PHOTO No	LANDSCAPE TYPE:
No GROUND PHOTOS: 6	
DATE SURVEYED: 25/10/95	SURVEYED BY:
ACCESS:	

B

LAND COVER:

SITE: Semi-improved grans with Junas + navolus.

HALO: snra. Navolus / nuclinea / Junais

CAMBRIAN MOUNTAINS ESA, HISTORIC MONITORING

BASELINE 1995

PRN

 \mathbf{C}

LAND MANAGEMENT:

SITE: Graning (novgh). conthe on the when

wisited.

HALO:

DESCRIPTION/CONDITION OF MONUMENT:

A single standing shore - 60 cm high. Adjacent to very green - almost improved booking patch of dishurbed nocky ground. No easily recognizable features although there is a circular deprension ~ 1.5 m in diameter which may have been a caire. Area grazed more more halo and There is probably und on a Nobing point.

E

POTENTIALLY THREATENING FACTORS: (see Table 1) Definate nick of damage by live both through poaching and the of stone on whing point. Fairly exposed location. Park of land improvement?

RATE OF DECAY:

STABLE

(SLOW)

RAPID

CONTINUED? YES

NO

CAMBRIAN MOUNTAINS ESA, HISTORIC MONITORING

BASELINE 1995

SUPPLEMENTARY NOTES TO FIELD SURVEYS PAGE.... OF.... PRN:




TABLE 1

CAMBRIAN MOUNTAINS ESA, HISTORIC MONITORING, BASELINE 1995

PRN

AGENT	PRESE	NT ACTION	SIGNIFICANCE
ANIMALS	Y N	Burrowing - badgers, foxes, rabbits	Damage/disturbance to underground artefacts
	\bigcirc N	Overgrazing - cattle, horses, sheep	Loss of vegetation cover/soil
	(A) N	Poaching - cattle, horses, sheep	Damage to vegetation cover, leading to crosion
	N (C)	Rubbing point 'erosion focus point - cattle.	As above, plus possible damage to upstanding features
		horses, sheep	
HUMAN	Y N	Demolition or removal of monument	Active removal of artefacts/monument
	Y N	Rubbish dumping	Infilling/contamination
	Y N	Trampling/poaching - on footpaths/desire lines	Loss of vegetation cover/soil damage resulting
	1		in erosion
	Y N	Mountain bikes/Motorcross etc	As above
	Y N	Deep ploughing/Drainage works/Building	Damage/disturbance of artefacts
	Y N	Shallow cultivation/reseeds	As above
	Y N	Tree/Scrub removal by uprooting	As above
	Y N	Scrub burning in bonfires	Intense heat at point source, damage to artefacts and
			alteration of soil profile
VEGETATION	Y N	Root damage - trees and scrub (especially where deep rooted - heavy crowns)	Damage/disturbance of artefacts
	Y N	Tree windthrow	Potential massive damage/disturbance
	Y N	Scrub encroachment - bracken, gorse,	Root or rhizome damage/disturbance
		rhodedendron, thorn	(bracken least significant)
WEATHER/SITE	(Y) N	High rainfall/windspeeds - exposure	Greater erosion risk than level, non exposed site
FACTORS	Y N	High gradient	

CAMBRIAN MOUNTAINS ESA HISTORIC MONITORING RESURVEY 1999

A

OS 1:10,000 SHEET: SN/ SO/SH つる	GRID REF: SN/ SO/SH 7524 8335			
PRN: 5625/569 SITE NAME:				
AIR PHOTO No:	LANDSCAPE TYPE: I ~			
No GROUND PHOTOS: 6				
DATE RESURVEYED: 7 / 6 / 99	RESURVEYED BY: W. SOMERFIELD.			

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A:CHANGES TO ACCESS?

B:CHANGES TO LANDCOVER

C:CHANGES TO LAND MANAGEMENT

D:CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E:CHANGES IN POTENTIALLY THREATENING FACTORS

F:CHANGE IN RATE OF DECAY

/	
NO /	YES
NO /	YES
NO	YES
NO .	YES
NO /	YES
NO /	YES

A: ACCESS		
,		

Checked + QC'd Suttopwood 15/6/99

CAMBRIAN MOUNTAINS ESA HISTORIC MONITORING RESURVEY 1999

PRN

	TAT
B:LANDCOVER	
SITE:	
SITE:	
HALO:	
nado.	
C:LAND MANAGEMENT	
C:LAND MANAGEMENT	
	,
SITE: No significant hange were present, rather	. Horse's and sheep
2,0	101
were present, rather	than certile.
, ,	
,	
HALO:	
D DESCRIPTION/CONDITION OF MONUMENT	
D:DESCRIPTION/CONDITION OF MONUMENT	
'	

E:POTENTIALLY THREATENING FACTORS (see table 1)	
	* .
F	

SLOW

STABLE

RATE OF DECAY:

RAPID

CAMBRIAN MOUNTAINS ESA, HISTORIC MONITORING RESURVEY 1999

SUPPLEMENTARY NOTES TO FIELD SURVEYS	PAGE OF PRN	

POTENTIALLY THREATENING FACTOR	PC	OTEN	TIALLY	THREATENING	FACTORS
--------------------------------	----	------	--------	--------------------	----------------

AGENT	PRESENT	ACTION	SIGNIFICANCE
ANIMALS	Y N	Burrowing - badgers, foxes, rabbits	Damage/disturbance to underground artefacts
	N	Overgrazing - cattle, horses, sheep	Loss of vegetation cover/soil
	Y N	Poaching - cattle, horses, sheep	Damage to vegetation cover, leading to erosion
	Y N	Rubbing point/erosion focus point - cattle,	As above, plus possible damage to upstanding features
		horses, sheep	
HUMAN	Y N	Demolition or removal of monument	Active removal of artefacts/monument
	Y N	Rubbish dumping	Infilling/contamination
	Y N	Trampling/poaching - on footpaths/desire lines	Loss of vegetation cover/soil damage resulting
			in erosion
	Y N	Mountain bikes/Motorcross etc	As above
	Y N	Deep ploughing/Drainage works/Building	Damage/disturbance of artefacts
	Y N	Shallow cultivation/reseeds	As above
	Y N	Tree/Scrub removal by uprooting	As above
	Y N	Scrub burning in bonfires	Intense heat at point source, damage to artefacts and
			alteration of soil profile
VEGETATION	Y N	Root damage - trees and scrub (especially	Damage/disturbance of artefacts
	Y N	where deep rooted - heavy crowns) Tree windthrow	
	Y N		Potential massive damage/disturbance
	I IN	Scrub encroachment - bracken, gorse,	Root or rhizome damage/disturbance
		rhodedendron, thorn	(bracken least significant)
WEATHER/SITE	Y' N	High rainfall/windspeeds - exposure	Greater erosion risk than level, non exposed site
FACTORS	Y N	High gradient	·