


100933a

100935b

Clwydian Range

SJ1690 5325

\* according to Mr Whitlow, Breninlle Tawr this path is no longer a public path but has been replaced by a path along the ridge line from Moel y Waun and goes through the 2 sites.



## CLWYDIAN ESA, HISTORIC MONITORING

BASELINE 1994

A

OS 1:10000 SHEET: SJ 15SE	GRID REF: SJ 169 5325
PRN: 100933(A) and 100935(B)	SITE NAME: Moely Waon A and B
AIR PHOTO No 386	LANDSCAPE TYPE:
No GROUND PHOTOS: 100933 (4) 100935 (4)	Clwydian Range
DATE SURVEYED: 22/3/95	SURVEYED BY: D. J. Peers
ACCESS: The land is owned by Messrs Owen, Acre & Landegla. (Not contacted) The easiest access is from Breninlle Tawr (172533 grid ref) with permission from Mr J. Whittow.	

B

LAND COVER:
SITE: Semi improved upland sheep grazing. A fence line, the remains of a stone wall and a foot-path go through both sites.
HALO: As site but west of the site on the steeper slopes of Moely Waon there is an abundance of gorse

Checked rOK RJ 31/3/95.



CLWYDIAN ESA, HISTORIC MONITORING

BASELINE 1994

PRN:

100 933  
100 935

C

LAND MANAGEMENT:

So the E and NE of the fence line the land  
SITE: is upland sheep grazing with thin soil  
and some rock out crops. To the W of the  
fence line upland species predominate and  
HALO: there is abundant growth of gorse.  
The fence line is stock proof. The stone wall has  
collapsed. The foot path is obvious but not  
trodden. Ramblers use it in summer.

D

DESCRIPTION/CONDITION OF MONUMENT:

Neither of the cairns stand out as obvious features  
and there is little to distinguish them from  
similar areas along the ridge line. Without  
them being marked on the map they would  
not be obvious

E

POTENTIALLY THREATENING FACTORS: (see Table 1)

With a fence line and foot path running  
through both sites, damage to the sites has  
already occurred

CONTINUED? YES ☐ NO ☒

**CLWYDIAN RANGE ESA, HISTORIC MONITORING**

**BASELINE 1994**

**SUPPLEMENTARY NOTES TO FIELD SURVEYS    PAGE ..... OF .....    PRN:**

TABLE 1

CLWYDIAN RANGE ESA, HISTORIC MONITORING, BASELINE 1994

PRN:

POTENTIALLY THREATENING FACTORS			
AGENT	PRESENT?	ACTION	SIGNIFICANCE
ANIMALS	<input type="checkbox"/>	■ Burrowing - badgers, foxes, rabbits	■ damage/disturbance to underground artefacts
	<input type="checkbox"/>	■ Overgrazing - cattle, horses, sheep	■ loss of vegetation cover/soil damage, leading to erosion
	<input type="checkbox"/>	■ Poaching - cattle, horses, sheep	■ as above, possible damage to upstanding feature
	<input type="checkbox"/>	■ Rubbing point/erosion focus point - cattle, horses, sheep	
HUMAN	<input type="checkbox"/>	■ Demolition or removal of monument	■ active removal of artefacts/monument
	<input type="checkbox"/>	■ Rubbish Dumping	■ infilling/contamination
	<input checked="" type="checkbox"/>	■ Trampling/poaching - on footpaths/desire lines	■ loss of vegetation cover/soil damage leading to erosion
	<input type="checkbox"/>	■ Mountain Bikes/Motorcross etc	■ as above
	<input type="checkbox"/>	■ Deep Ploughing/Drainage Works/Building	■ damage/disturbance of artefacts
	<input type="checkbox"/>	■ Shallow cultivation/Reseeds	■ as above
	<input type="checkbox"/>	■ Tree/Scrub removal by uprooting	■ as above
	<input type="checkbox"/>	■ Scrub Burning in Bonfires	■ intense heat at point source, damage to artefacts and alteration of soil profile
VEGETATION	<input type="checkbox"/>	■ Root damage - trees and scrub (especially where deep rooted (heavy crowns)	■ damage/disturbance of artefacts
	<input type="checkbox"/>	■ Tree Windthrow	■ potential massive damage/disturbance
	<input type="checkbox"/>	■ Scrub Encroachment - bracken, gorse, rhodedendron, thorn	■ root or rhizome damage/disturbance (bracken least significant)
WEATHER/SITE FACTORS	<input type="checkbox"/>	■ High rainfall/windspeeds - exposure	■ greater erosion risk than level, non exposed site
	<input type="checkbox"/>	■ High Gradient	

CLWYDIAN RANGE ESA HISTORIC MONITORING RESURVEY 1997/98

A

OS 1:10,000 SHEET: SO/SH/SN <i>SJ 155E</i>		GRID REF: SO/SH/SN <i>SJ 1695325</i>	
PRN: <i>100933(A) &amp; 100935(B)</i>		SITE NAME: <i>Moel y Wawn A and B</i>	
AIR PHOTO No: <i>386</i>		LANDSCAPE TYPE:  <i>Clwydian Range</i>	
No GROUND PHOTOS: <i>2</i> <i>1 each site</i>			
DATE RESURVEYED: <i>21/8/97</i>		RESURVEYED BY: <i>Dg Peters</i>	

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A: CHANGES TO ACCESS?

B: CHANGES TO LANDCOVER

C: CHANGES TO LAND MANAGEMENT

D: CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E: CHANGES IN POTENTIALLY THREATENING FACTORS

F: CHANGE IN RATE OF DECAY

NO	YES <input checked="" type="checkbox"/>
NO <input checked="" type="checkbox"/>	YES
NO <input checked="" type="checkbox"/>	YES
NO <input checked="" type="checkbox"/>	YES
NO <input checked="" type="checkbox"/>	YES
NO <input checked="" type="checkbox"/>	YES

A: ACCESS

~~On approach~~  
Access to the site was made by the public footpath which runs through it and not from Brennille Tawr.

CLWYDIAN RANGE ESA HISTORIC MONITORING RESURVEY 1997/98

PRN

B:LANDCOVER

SITE:

HALO:

C:LAND MANAGEMENT

SITE:

HALO:

D:DESCRIPTION/CONDITION OF MONUMENT

E: POTENTIALLY THREATENING FACTORS (see table 1)

F

RATE OF DECAY:

STABLE

SLOW

RAPID

CONTINUED?

YES

NO



POTENTIALLY THREATENING FACTORS				
AGENT	PRESENT		ACTION	SIGNIFICANCE
ANIMALS	Y	N	Burrowing - badgers, foxes, rabbits	Damage/disturbance to underground artefacts
	Y	N	Overgrazing - cattle, horses, sheep	Loss of vegetation cover/soil
	Y	N	Poaching - cattle, horses, sheep	Damage to vegetation cover, leading to erosion
	Y	N	Rubbing point/erosion focus point - cattle, horses, sheep	As above, plus possible damage to upstanding features
HUMAN	Y	N	Demolition or removal of monument	Active removal of artefacts/monument
	Y	N	Rubbish dumping	Infilling/contamination
	Y	N	Trampling/poaching - on footpaths/desire lines	Loss of vegetation cover/soil damage resulting in erosion
	Y	N	Mountain bikes/Motorcross etc	As above
	Y	N	Deep ploughing/Drainage works/Building	Damage/disturbance of artefacts
	Y	N	Shallow cultivation/reseeds	As above
	Y	N	Tree/Scrub removal by uprooting	As above
	Y	N	Scrub burning in bonfires	Intense heat at point source, damage to artefacts and alteration of soil profile
VEGETATION	Y	N	Root damage - trees and scrub (especially where deep rooted - heavy crowns)	Damage/disturbance of artefacts
	Y	N	Tree windthrow	Potential massive damage/disturbance
	Y	N	Scrub encroachment - bracken, gorse, rhodedendron, thorn	Root or rhizome damage/disturbance (bracken least significant)
WEATHER/SITE FACTORS	Y	N	High rainfall/windspeeds - exposure	Greater erosion risk than level, non exposed site
	Y	N	High gradient	