

(8)

PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

A

OS 1:10000 SHEET: SM/SN 80Νω	GRID REF: SM/SN 8369 0884
PRN: 2989 SITE NAME: GREAT	HOATON
AIR PHOTO No 62/92/109	LANDSCAPE TYPE: e
No GROUND PHOTOS: 5	, ,
DATE SURVEYED: 10 1 95	SURVEYED BY: GAREPHOOD
ACCESS: homer winte farm High mead fm. Con Thankfordwest). G. Ref: 6	Good Haven Road out of

B

LAND COVER:

SITE: Part of area very met, marry grandand

with Juncus.

On die areas gare prevelant.

HALO:

PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

PRN: 2989.

C

LAND MANAGEMENT:

SITE: Used for graving. Overwirtening beef earlie present when winted. Flatter awars of field and very wet and boggy and HALO: becoming very badly poached. Farmer menhaned mat amea had been cleared and about poached years ago.

D

DESCRIPTION/CONDITION OF MONUMENT:

Unable to locate rite of feature with any degree of certainty. Not clear from air photo and may have been flattened during the course of the mork mentioned in the rection above.

One area is slightly raised above the lines of the many grantened and has gone

E

POTENTIALLY THREATENING FACTORS: (see Table 1)

Grant of gorse.

Poaching by threshock doce to mether of area.

PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

SUPPLEMENTARY NOTES TO FIELD SURVEYS PAGE OF PRN: 2989.


gourne on it. Neve i	no clear shape to Mis
Reature but it is definal	by due how the
ronording land. This	could be me remains
of the mound.	

TABLE 1

PRESELI ESA, HISTORIC MONITORING, BASELINE 1994

PRN: 2989

AGENT	PRESENT?	ACTION	SIGNIFICANCE
ANIMALS		■ Burrowing - badgers, foxes, rabbits	damage/disturbance to underground artefacts
		Overgrazing - cattle, horses, sheep	■ loss of vegetation cover/soil
		■ Poaching - cattle, horses, sheep	damage, leading to erosion
		■ Rubbing point/erosion focus point - cattle,	as above, possible damage to
		horses, sheep	upstanding feature
HUMAN	0	■ Demolition or removal of monument	active removal of artefacts/monument
		■ Rubbish Dumping	■ infilling/contamination
		■ Trampling/poaching - on footpaths/desire lines	loss of vegetation cover/soil damage leading to erosion
		■ Mountain Bikes/Motorcross etc	■ as above
		■ Deep Ploughing/Drainage Works/Building	■ damage/disturbance of artefacts
		■ Shallow cultivation/Reseeds	■ as above
		■ Tree/Scrub removal by uprooting	■ as above
		■ Scrub Burning in Bonfires	■ intense heat at point source,
VEGETATION	Ы	Moot damage - trees and scrub (especially where deep rooted (heavy crowns)	admingerdisturbance of arteracts
		■ Tree Windthrow	potential massive damage/disturbance
1.		■ Scrub Encroachment - bracken, gorse,	root or rhizome
	Ler .	rhodedendron, thorn	damage/disturbance (bracken
		inodedendron, morn	least significant)
WEATHER/SITE		■ High rainfall/windspeeds - exposure	greater erosion risk than level,
FACTORS		■ High Gradient	non exposed site



A

OS 1:10,000 SHEET: SO/SH/SN 80	WW GRID REF: SO/SH/SN 8367 0884
PRN: 28 81 SITE NAME:	Great Hoaton
AIR PHOTO No: 62 92 69	LANDSCAPE TYPE:
No GROUND PHOTOS:	
DATE RESURVEYED:	RESURVEYED BY: C. Bosley.

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A:CHANGES TO ACCESS?

B:CHANGES TO LANDCOVER

C:CHANGES TO LAND MANAGEMENT

D:CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E:CHANGES IN POTENTIALLY THREATENING FACTORS

F:CHANGE IN RATE OF DECAY

NO 1	YES
NO /	YES
NO	YES
NO.	YES
NO /	YES
NO /	YES

A: ACCESS			
	,		

D:DESCRIPTION/CONDITION OF MONUMENT

B.LANDCOVER			
SITE:			
HALO:			

C:LAND MANAGEMENT

SITE: The sile has been fended off (electric) from

lattle grazing + les consequently the grass

is long + gorse + s crub much thicker / impenerable

HALO: also V. wet + boggy closer to the Stream.

V. meedy in Blaces but grazed by cattle

*		
1		
I.		
li di		
1		
1		
i i		
1		
1		-
1		
,		
1 .		
I		
		æ
1		

E:POTENTIALLY THREATENING FACTORS (see table 1)			7.
Poaching Not so endent	as	anea	has
been fened off.			

CONTINUED?

SLOW

RATE OF DECAY: STABLE

YES

RAPID

NO

POTENTIALLY TH	REATENING FACTORS
----------------	-------------------

AGENT	PRESENT	ACTION	SIGNIFICANCE
ANIMALS	Y N	Burrowing - badgers, foxes, rabbits	Damage/disturbance to underground artefacts
	Y N	Overgrazing - cattle, horses, sheep	Loss of vegetation cover/soil
	Y N	Poaching - cattle, horses, sheep	Damage to vegetation cover, leading to erosion
	Y N	Rubbing point/erosion focus point - cattle,	As above, plus possible damage to upstanding features
		horses, sheep	
HUMAN	Y N	Demolition or removal of monument	Active removal of artefacts/monument
	Y N	Rubbish dumping	Infilling/contamination
	Y N	Trampling/poaching - on footpaths/desire lines	Loss of vegetation cover/soil damage resulting
			in erosion
,	Y N	Mountain bikes/Motorcross etc	As above
9	Y N	Deep ploughing/Drainage works/Building	Damage/disturbance of artefacts
	Y N	Shallow cultivation/reseeds	As above
	Y N	Tree/Scrub removal by uprooting	As above
	Y N	Scrub burning in bonfires	Intense heat at point source, damage to artefacts and
			alteration of soil profile
VEGETATION	Y N	Root damage - trees and scrub (especially where deep rooted - heavy crowns)	Damage/disturbance of artefacts
	Y N	Tree windthrow	Potential massive damage/disturbance
	Y N	Scrub encroachment - bracken, gorse,	Root or rhizome damage/disturbance
		rhodedendron, thorn	(bracken least significant)
WEATHER/SITE	Y N	High rainfall/windspeeds - exposure	Greater erosion risk than level, non exposed site
FACTORS	Y N	High gradient	