

RADNOR ESA, HISTORIC MONITORING

BASELINE 1993

 \mathbf{A}

| OS 1:10000 SHEET: \$5/SO 265 | GRID REF: \$18/SO 2629 6132 | | |
|--|-----------------------------|--|--|
| PRN: 306 SITE NAME: Stand | dug stone | | |
| AIR PHOTO No 8541 LANDSCAPE TYPE: No GROUND PHOTOS: 3 Landscape Type: | | | |
| DATE SURVEYED: 16.02-94 | SURVEYED BY: SOCE | | |
| ACCESS: Mu himiam Womaston fai | | | |

В

| LAND COVER: | | |
|----------------------|--|--|
| SITE: Winter Cereals | | |
| HALO: | | |
| | | |
| | | |

RADNOR ESA, HISTORIC MONITORING

| RA | CFI | INF | 1993 |
|----|-----|-----|------|
| DA | | | 1773 |

PRN:

| | _ | |
|---|---|---|
| 4 | r | _ |
| | | |
| | | |
| | | |

LAND MANAGEMENT:

SITE:

hegharly coreals

HALO:

D

DESCRIPTION/CONDITION OF MONUMENT:

Stone forms a little is comed towards

edge of cereals freid

playled as crose as possible to base of stone

seem to be in good condition

small + squar stone

E


POTENTIALLY THREATENING FACTORS: (see Table 1)

man theat is cropping close to base of stone leading to possible damage.

no other realistic threat.

RADNOR ESA, HISTORIC MONITORING **BASELINE 1993** SUPPLEMENTARY NOTES TO FIELD SURVEYS PAGE OF PRN:

| AGENT | PRESENT? | ACTION | SIGNIFICANCE |
|------------------|----------|--|---|
| ANIMALS | | ■ Burrowing - badgers, foxes, rabbits | damage/disturbance to underground artefacts |
| | | Overgrazing - cattle, horses, sheep | ■ loss of vegetation cover/soil |
| pone | | ■ Poaching - cattle, horses, sheep | damage, leading to erosion |
| (* | | ■ Rubbing point/erosion focus point - cattle, horses, sheep | as above, possible damage to upstanding feature |
| HUMAN | | ■ Demolition or removal of monument | active removal of artefacts/monument |
| | | ■ Rubbish Dumping | ■ infilling/contamination |
| | | ■ Trampling/poaching - on footpaths/desire lines | loss of vegetation cover/soil damage leading to erosion |
| 100 | | ■ Mountain Bikes/Motorcross etc | ■ as above |
| remile | | ■ Deep Ploughing/Drainage Works/Building | damage/disturbance of artefacts |
| regular cropping | | ■ Shallow cultivation/Reseeds | ■ as above |
| Cereer | | ■ Tree/Scrub removal by uprooting | ■ as above |
| | | ■ Scrub Burning in Bonfires | ■ intense heat at point source, |
| | | | damage to artefacts and alteration of soil profile |
| VEGETATION | | ■ Root damage - trees and scrub (especially where deep rooted (heavy crowns) | ■ damage/disturbance of artefacts |
| | | ■ Tree Windthrow | ■ potential massive |
| none | , - | | damage/disturbance |
| 1- | | ■ Scrub Encroachment - bracken, gorse, | ■ root or rhizome |
| | | rhodedendron, thorn | damage/disturbance (bracken |
| | | | least significant) |
| WEATHER/SITE | | ■ High rainfall/windspeeds - exposure | greater erosion risk than level, |
| FACTORS | | ■ High Gradient | non exposed site |



RADNOR ESA HISTORIC MONITORING

RESURVEY 1996

Α

| OS 1:10,000 SHEET: SOISHISN 26 | GRID REF: SO/SH/SN 2629 6/52 |
|--------------------------------|--|
| PRN: 306 SITE NAME: | Standing Stone |
| AIR PHOTO No: 854(| Radnor Plan? LANDSCAPE TYPE: (Lowland Valleys). |
| No GROUND PHOTOS: | LANDSCAPE TYPE: (Lowland Valleys). |
| DATE RESURVEYED: 16/12/96 | RESURVEYED BY: |

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A:CHANGES TO ACCESS?
B:CHANGES TO LANDCOVER
C:CHANGES TO LAND MANAGEMENT
D:CHANGES IN DESCRIPTION/CONDITION OF MONUMENT
E:CHANGES IN POTENTIALLY THREATENING FACTORS
F:CHANGE IN RATE OF DECAY

| NO V | YES |
|------|-------|
| NO | YES / |
| NO | YES / |
| NO · | YES 🗸 |
| NO · | YES / |
| NO - | YES |

| A: ACCESS | | | |
|-----------|-----------|--------|--|
| | $N \circ$ | charge | |
| | | | |

| B:LANDCOVER | improve d | grassland | / | Poss | ley | grass. |
|-------------------|-----------|---------------|------|--------|------|----------|
| None - outs again | the Walk | on busin - in | hen: | | able | cropping |
| area where is | varion wi | In grassland | | sur as | ener | y Rw |

C:LAND MANAGEMENT

Now being grazed. Though not intensively.

D:DESCRIPTION/CONDITION OF MONUMENT

area of poaching + trampling around base of stone + set mithin a field

E:POTENTIALLY THREATENING FACTORS (see table 1)

Possibly used as a rubbing pout by sheef

RATE OF DECAY:

STABLE

SLOW

RAPID

CONTINUED?, YES NO

RADNOR ESA, HISTORIC MONITORING

RESURVEY 1996

SUPPLEMENTARY NOTES TO FIELD SURVEYS

PAGE.... OF.... PRN:

Photo 83 06 04 shows a closer shot of shone + surrounding evosion + pourching

Photo 03 06 05 - shows trampling

+ ension of mound store
has been set on.

| AGENT | PRESE | ENT | ACTION | SIGNIFICANCE |
|--------------|-------|-----|---|--|
| ANIMALS | Y | N | Burrowing - badgers, foxes, rabbits | Damage/disturbance to underground artefacts |
| | Y | N | Overgrazing - cattle, horses, sheep | Loss of vegetation cover/soil |
| | Y | N | Poaching - cattle, horses, sheep | Damage to vegetation cover, leading to erosion |
| | Ŷ | N | Rubbing point/erosion focus point - cattle; horses, sheep | As above, plus possible damage to upstanding features |
| HUMAN | Y | N | Demolition or removal of monument | Active removal of artefacts/monument |
| | Y | N | Rubbish dumping | Infilling/contamination |
| | Y | N | Trampling/poaching - on footpaths/desire lines | Loss of vegetation cover/soil damage resulting in erosion |
| | Y | N | Mountain bikes/Motorcross etc | As above |
| | Y | N | Deep ploughing/Drainage works/Building | Damage/disturbance of artefacts |
| | (Y) | N | Shallow cultivation/reseeds | As above |
| | Y | N | Tree/Scrub removal by uprooting | As above |
| | Y | N | Scrub burning in bonfires | Intense heat at point source, damage to artefacts and alteration of soil profile |
| VEGETATION | Y | N | Root damage - trees and scrub (especially where deep rooted - heavy crowns) | Damage/disturbance of artefacts |
| | Y | N | Tree windthrow | Potential massive damage/disturbance |
| | Y | N | Scrub encroachment - bracken, gorse, | Root or rhizome damage/disturbance |
| | | | rhodedendron, thorn | (bracken least significant) |
| WEATHER/SITE | Y | N | High rainfall/windspeeds - exposure | Greater erosion risk than level, non exposed site |
| FACTORS | Y | N | High gradient | |

RADNOR ESA HISTORIC MONITORING RESURVEY 2000

| OS 1:10,000 SHEET: SO/SN | GRID REF: SO/SN 2629 6132 |
|--------------------------|---------------------------|
| PRN: 306 SITE NAME: | |
| AIR PHOTO No: | LANDSCAPE TYPE: |
| No. GROUND PHOTOS: & | |
| DATE RESURVEYED: 8 16 50 | RESURVEYED BY: CM4 |

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A: CHANGES TO ACCESS

B: CHANGES TO LAND COVER

C: CHANGES TO LAND MANAGEMENT

D: CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E: CHANGES IN POTENTIALLY THREATENING FACTORS

F: CHANGE IN RATE OF DECAY

| NO / | YES |
|-------|-------|
| NO | YES V |
| NO | YES 🗸 |
| NO | YES - |
| NO wo | YES - |
| NO | YES |

| A: ACCESS | |
|-----------|--|
| | |
| | |
| | |
| | |
| | |

| B: LANDCOVI | н. к |
|-------------|------|

SITE: Parlay.

HALO: Barley.

C: LAND MANAGEMENT

SITE: Avable - tite has been ploughed time last resmay. Danley planted & I'm from there.

HALO:

D: DESCRIPTION/CONDITION OF MONUMENT

Stone almost hidden by barrley coop. No real botter zone around feature (photo 6).

| E. DO | PENITE AT T ST | | C EACTODS (| a table at basis | of proforms) | |
|--|----------------|---------|-------------|------------------|--------------|----------|
| E: POTENTIALLY THREATENING FACTORS (see table at back of proforma) | | | | | | |
| Aca | dental | damage | during c | will valu | h / henre | A? |
| NA | Whely | to be r | hourd, | | | |
| No | publeurs | mix | linehek | at | present. | but land |
| use | likely t | o char | se in | fuhre | as pa | nt of |
| cusp | whation. | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| F: RATE OF DECAY: | STABLE . | SLOW | RAPID |
|-------------------|------------|------|-------|
| | | | |
| | CONTINUED? | YES | NO ~ |

| SUPPLEMENTARY NOTES TO FIELD SURVEYS | PAGE OF |
|--------------------------------------|---------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

POTENTIALLY THREATENING FACTORS

| AGENT | PRESENT | ACTION | SIGNIFICANCE |
|--------------------------|--|--|--|
| ANIMALS | Y N Y N Y N Y N | Burrowing – badgers, foxes, rabbits Overgrazing – cattle, horses, sheep Poaching – cattle, horses, sheep Rubbing point/erosion focus point – cattle, horses, sheep | Damage/disturbance to underground artefacts Loss of vegetation cover/soil Damage to vegetation cover, leading to erosion As above, plus possible damage to upstanding features |
| HUMAN | Y N Y N Y N Y N Y N Y N Y N Y N | Demolition or removal of monument Rubbish dumping Trampling/poaching — on footpaths/desire lines Mountain bikes/Motorcross etc Deep ploughing/Drainage works/Building Shallow cultivation/reseeds Tree/Scrub removal by uprooting Scrub burning | Active removal of artefacts/monument Infilling/contamination Loss of vegetation cover/soil damage resulting in erosion As above Damage/disturbance of artefacts As above As above Intense heat at point source, damage to artefacts and alteration of soil profile |
| VEGETATION WEATHER/SITE | Y N Y N Y N | Root damage – trees and scrub (especially where deep rooted – heavy crowns) Tree windthrow Scrub encroachment – bracken, gorse, rhododendron, thorn | Damage/disturbance of artefacts Potential massive damage/disturbance Root or rhizome damage/disturbance (bracken least significant) |
| FACTORS | Y N Y N | High rainfall/windspeeds — exposure High gradient | Greater erosion risk than level, non exposed site |