

16

BASELINE 1993

A

OS 1:10000 SHEET: \$34/SO13 NW	GRID REF: 今 1260 3953
PRN: 50/ SITE NAME: BURUM	Mand
AIR PHOTO No 1567 (77) No GROUND PHOTOS: 3	LANDSCAPE TYPE:
DATE SURVEYED: 08.02.94	SURVEYED BY: DEF
ACCESS: Bonghrood Co	ourt falm.

В

SITE: Improved Granland
Anzed by Catho

HALO:
Improved Granland
fera bornday formed by 3m inde land
Thertorbest.

RA	SEI	INF	1993
DA			1773

PRN:

LAND MANAGEMENT:

looks as if has been played in Report

HALO:

D

DESCRIPTION/CONDITION OF MONUMENT:

good wordstron - pmy snay mound towards edge of Reid has good con of Vegetation (grass) - no associated stone some poaching in heavy feel enoteway ankance but does not excavel out feature

 \mathbf{E}

POTENTIALLY THREATENING FACTORS: (see Table 1)

Main hoks and

(1) possible poaching dermage, but not great.
(2) occanional playing + reserds

The hise Little Thee

BASELINE 1993 SUPPLEMENTARY NOTES TO FIELD SURVEYS	PAGE OF	PRN:

TABLE 1

RADNOR ESA, HISTORIC MONITORING, BASELINE 1993

PRN:

AGENT	PRESENT?	ACTION	SIGNIFICANCE
ANIMALS		■ Burrowing - badgers, foxes, rabbits	 damage/disturbance to underground artefacts
		Overgrazing - cattle, horses, sheep	■ loss of vegetation cover/soil
	V regula	Poaching - cattle, horses, sheep	damage, leading to erosion
		■ Rubbing point/erosion focus point - cattle,	■ as above, possible damage to
		horses, sheep	upstanding feature
HUMAN		■ Demolition or removal of monument	active removal of artefacts/monument
		■ Rubbish Dumping	■ infilling/contamination
		 Trampling/poaching - on footpaths/desire lines 	loss of vegetation cover/soil
			damage leading to erosion
		■ Mountain Bikes/Motorcross etc	■ as above
		■ Deep Ploughing/Drainage Works/Building	■ damage/disturbance of artefacts
Ď	econosa D	■ Shallow cultivation/Reseeds	■ as above
		■ Tree/Scrub removal by uprooting	■ as above
		■ Scrub Burning in Bonfires	■ intense heat at point source,
			damage to artefacts and
			alteration of soil profile
VEGETATION		 Root damage - trees and scrub (especially where deep rooted (heavy crowns) 	■ damage/disturbance of artefacts
		■ Tree Windthrow	potential massive
		- 1.00	damage/disturbance
		■ Scrub Encroachment - bracken, gorse,	root or rhizome
		rhodedendron, thorn	damage/disturbance (bracken
		The decision, which	least significant)
WEATHER/SITE		■ High rainfall/windspeeds - exposure	greater erosion risk than level,
FACTORS		■ High Gradient	non exposed site

RESURVEY 1996

A

OS 1:10,000 SHEET: SO/SH/SN	GRID REF: SO/SH/SN
PRN: 501 SITE NAME:	Burial mond.
AIR PHOTO No: 1567 (77)	
No GROUND PHOTOS: 3	LANDSCAPE TYPE: Valley Floors.
DATE RESURVEYED: 11/12/96	RESURVEYED BY: CB.

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A:CHANGES TO ACCESS?

B:CHANGES TO LANDCOVER

C:CHANGES TO LAND MANAGEMENT

D:CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E:CHANGES IN POTENTIALLY THREATENING FACTORS

F:CHANGE IN RATE OF DECAY

NO /	YES
NO /	YES
NO V	YES
	13

see overleg

A: ACCESS	19

B:LANDCOVER			ı		/	
Confirmed -	(and	Was	ploughed	in	past.	

C:LAND MANAGEMENT

Improved grassland - been fereilized Meently.

D:DESCRIPTION/CONDITION OF MONUMENT

6000 overall condition. Some tracker lines - over top of mound. t lot of poaching near gabe t along side Shelterbett - along edge of field.

E:POTENTIALLY THREATENING FACTORS (see table 1)

some trampling / poaching

RATE OF DECAY:

STABLE SLOW

RAPID

CONTINUED? YES

NO

RESURVEY 1996

SUPPLEMENTARY NOTES TO FIELD SURVEYS	PAGE OF PRN:

AGENT	PRES	SENT	ACTION	SIGNIFICANCE
ANIMALS	Y	N	Burrowing - badgers, foxes, rabbits	Damage/disturbance to underground artefacts
	Y	N	Overgrazing - cattle, horses, sheep	Loss of vegetation cover/soil
	Y	N	Poaching - cattle, horses, sheep	Damage to vegetation cover, leading to erosion
	Y	N	Rubbing point/erosion focus point - cattle, horses, sheep	As above, plus possible damage to upstanding feature.
HUMAN	Y	N	Demolition or removal of monument	Active removal of artefacts/monument
	Y	N	Rubbish dumping	Infilling/contamination
	Y	N	Trampling/poaching - on footpaths/desire lines	Loss of vegetation cover/soil damage resulting
				in erosion
	Y	N	Mountain bikes/Motorcross etc	As above
	Y	N	Deep ploughing/Drainage works/Building	Damage/disturbance of artefacts
	Y	N	Shallow cultivation/reseeds	As above
	Y	N	Tree/Scrub removal by uprooting	As above
	Y	N	Scrub burning in bonfires	Intense heat at point source, damage to artefacts and alteration of soil profile
VEGETATION	Y	N	Root damage - trees and scrub (especially where deep rooted - heavy crowns)	Damage/disturbance of artefacts
	Y	N	Tree windthrow	Potential massive damage/disturbance
	Y	N	Scrub encroachment - bracken, gorse,	Root or rhizome damage/disturbance
		. 1	rhodedendron, thorn	(bracken least significant)
WEATHER/SITE	Y	N	High rainfall/windspeeds - exposure	Greater erosion risk than level, non exposed site
FACTORS	Y	N	High gradient	and the same of th



RADNOR ESA HISTORIC MONITORING RESURVEY 2000

OS 1:10,000 SHEET: SO/SN	GRID REF: SO/SN 1260 3953
PRN: SOI SITE NAME:	
AIR PHOTO No:	LANDSCAPE TYPE:
No. GROUND PHOTOS: 4	
DATE RESURVEYED: 15/6/60	RESURVEYED BY: SAH.
IF CHANGES TO ANY OF THE FOLLOWING H THESE CHANGES IN THE APPROPRIATE SEC	AVE OCCURRED SINCE THE BASELINE, DETAIL TION OF THE RESURVEY PROFORMA.

A:	CHAN	GES	TO	ACCESS
----	-------------	------------	----	---------------

B: CHANGES TO LAND COVER

C: CHANGES TO LAND MANAGEMENT

D: CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E: CHANGES IN POTENTIALLY THREATENING FACTORS

F: CHANGE IN RATE OF DECAY

NO 🗸	YES
NO _	YES
NO 🗸	YES
NO _	YES
NO /	YES
NO	YES

GGPGG	
A: ACCESS	

D.	T A NT	VER
D.	. 4	

SITE: Impound Gland with Mittes.

HALO:

C: LAND MANAGEMENT

SITE: Feeder hear monument.

HALO:

D: DESCRIPTION/CONDITION OF MONUMENT

Unchanged from baneline and 11t verining. Filled perhaps more weedly - but could be due to time of ornery.

E: POTENTIALLY THREATENING FACTORS (see table at back of proforma)						
Gateway	and	field	Magica	along	shellsesbelt	Thu
poadred.						
y.						

F: RATE OF DECAY:	STABLE V	SLOW	KAPID
	CONTINUED?	YES	NO /

SUPPLEMENTARY NOTES TO FIELD SURVEYS	PAGE (OF)
APART - WORLD - AMERICA	

POTENTIALLY THREATENING FACTORS

AGENT PRESENT		ACTION	SIGNIFICANCE	
ANIMALS	Y N Y N Y N Y N	Burrowing – badgers, foxes, rabbits Overgrazing – cattle, horses, sheep Poaching – cattle, horses, sheep Rubbing point/erosion focus point – cattle, horses, sheep	Damage/disturbance to underground artefacts Loss of vegetation cover/soil Damage to vegetation cover, leading to erosion As above, plus possible damage to upstanding features	
HUMAN	Y N Y N Y N Y N Y N Y N Y N	Demolition or removal of monument Rubbish dumping Trampling/poaching — on footpaths/desire lines Mountain bikes/Motorcross etc Deep ploughing/Drainage works/Building Shallow cultivation/reseeds Tree/Scrub removal by uprooting Scrub burning	Active removal of artefacts/monument Infilling/contamination Loss of vegetation cover/soil damage resulting in erosion As above Damage/disturbance of artefacts As above As above Intense heat at point source, damage to artefacts and alteration of soil profile	
VEGETATION WEATHER/SITE FACTORS	Y N Y N Y N Y N	Root damage – trees and scrub (especially where deep rooted – heavy crowns) Tree windthrow Scrub encroachment – bracken, gorse, rhododendron, thorn High rainfall/windspeeds – exposure High gradient	Damage/disturbance of artefacts Potential massive damage/disturbance Root or rhizome damage/disturbance (bracken least significant) Greater erosion risk than level, non exposed site	