

IMPROVED PASTURE.

YNYS MÔN ESA, HISTORIC MONITORING

19

BASELINE 1993

A

OS 1:10000 SHEET: SH 46 NW.	GRID REF: SH 420 - 655-A .
PRN: 899 SITE NAME: Llys y Rhosyr (Site of). Newborough.	
AIR PHOTO No	LANDSCAPE TYPE:
No GROUND PHOTOS: 7	<i>Rolling Coastal Edge.</i>
DATE SURVEYED:	SURVEYED BY:
ACCESS: Tyddyn Fm. Traversing from Malltraeth to Hermon. It's the first farm on the left after turning left by the school. The house is opposite on the right.	
CONSENT FOR RELEASE? YES <input type="checkbox"/> NO <input type="checkbox"/>	

B

LAND COVER:
SITE: Improved pasture
HALO:

YNYS MÔN ESA, HISTORIC MONITORING

BASELINE 1993

PRN: 899

C

LAND MANAGEMENT:

SITE: Permanent pasture - grazing.

HALO:

"

D

DESCRIPTION/CONDITION OF MONUMENT:

Little can be seen of the site from visiting it. Only some small scale undulations give any indication. The area was being excavated while I was there. The remains had been flattened - lying about 2 feet below the sandy soil they consisted of regular shaped stones, lying in a disarranged order. The flattened site indicates the reason for few visible signs on the surface.

E

POTENTIALLY THREATENING FACTORS: (see Table 1)

The smaller of the two fields was being used to winter feed cattle, because of this the area was heavily poached, if used for this purpose every year the effects will one probably disturb the site.

CONTINUED? YES NO

YNYS MÔN ESA, HISTORIC MONITORING

BASELINE 1993

SUPPLEMENTARY NOTES TO FIELD SURVEYS PAGE OF PRN: 899


--

TABLE 1

YNYS MÔN ESA, HISTORIC MONITORING, BASELINE 1993

PRN: 899

POTENTIALLY THREATENING FACTORS			
AGENT	PRESENT?	ACTION	SIGNIFICANCE
ANIMALS	<input type="checkbox"/>	■ Burrowing - badgers, foxes, rabbits	■ damage/disturbance to underground artefacts
	<input type="checkbox"/>	■ Overgrazing - cattle, horses, sheep	■ loss of vegetation cover/soil damage, leading to erosion
	<input checked="" type="checkbox"/>	■ Poaching - cattle, horses, sheep	■ as above, possible damage to upstanding feature
	<input type="checkbox"/>	■ Rubbing point/erosion focus point - cattle, horses, sheep	
HUMAN	<input type="checkbox"/>	■ Demolition or removal of monument	■ active removal of artefacts/monument
	<input type="checkbox"/>	■ Rubbish Dumping	■ infilling/contamination
	<input type="checkbox"/>	■ Trampling/poaching - on footpaths/desire lines	■ loss of vegetation cover/soil damage leading to erosion
	<input type="checkbox"/>	■ Mountain Bikes/Motorcross etc	■ as above
	<input type="checkbox"/>	■ Deep Ploughing/Drainage Works/Building	■ damage/disturbance of artefacts
	<input type="checkbox"/>	■ Shallow cultivation/Reseeds	■ as above
	<input type="checkbox"/>	■ Tree/Scrub removal by uprooting	■ as above
	<input type="checkbox"/>	■ Scrub Burning in Bonfires	■ intense heat at point source, damage to artefacts and alteration of soil profile
VEGETATION	<input type="checkbox"/>	■ Root damage - trees and scrub (especially where deep rooted (heavy crowns))	■ damage/disturbance of artefacts
	<input type="checkbox"/>	■ Tree Windthrow	■ potential massive damage/disturbance
	<input type="checkbox"/>	■ Scrub Encroachment - bracken, gorse, rhodedendron, thorn	■ root or rhizome damage/disturbance (bracken least significant)
WEATHER/SITE FACTORS	<input type="checkbox"/>	■ High rainfall/windspeeds - exposure	■ greater erosion risk than level, non exposed site
	<input type="checkbox"/>	■ High Gradient	



III = EXCAVATIONS (ARCHAEOLOGICAL)

III Improved pasture.

III Earth mounds

YNYS MÔN ESA, HISTORIC MONITORING

BASELINE 1993

A

OS 1:10000 SHEET: SH 46 NW	GRID REF: SH 420 - 655-A.
PRN: 899 SITE NAME: Llys y Rhoesyr (Site of). Newborough.	
AIR PHOTO No	LANDSCAPE TYPE:
No GROUND PHOTOS: 7	<i>Rolling Coastal Edge.</i>
DATE SURVEYED:	SURVEYED BY:
ACCESS: <i>From the village hall turn left onto Hermon St, the first turning left after turning left by the school. The house is opposite on the right.</i>	
CONSENT FOR RELEASE? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	

B

LAND COVER:
SITE: Improved pastures
HALO:

189

YNYS MÔN ESA, HISTORIC MONITORING

BASELINE 1993

PRN: 899

C

LAND MANAGEMENT:

SITE: Permanent pasture - grazing.

HALO:

"

D

DESCRIPTION/CONDITION OF MONUMENT:

Little can be seen of the site from visiting it. Only some small scale undulations give any indication. The area was being excavated while I was there. The remains had been flattened - lying about 2 feet below the sandy soil they consisted of regular shaped stones, lying in a disarranged order. The flattened site indicated the reason for few visible signs on the surface.

E

POTENTIALLY THREATENING FACTORS: (see Table 1)

The smaller of the two fields was being used to winter feed cattle, because of this the area was heavily trodden, if used for this purpose every year the effects will one probably disturb the site.

CONTINUED? YES NO

OS 1:10,000 SHEET: SQ/SH/SN 46 N.W.	GRID REF: SQ/SH/SN 420-655 A
PRN: 899	SITE NAME: Llys Y Rhosyr (Site of), NEWBOROUGH
AIR PHOTO No:	
NO GROUND PHOTOS: 7 + 4 = 11 (1993) (1997)	LANDSCAPE TYPE: 7 ROLLING COASTAL EDGE
DATE RESURVEYED: JANUARY 1997	RESURVEYED BY: WYN DAVIES

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE,
DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA

- A:CHANGES TO ACCESS?
- B:CHANGES TO LANDCOVER
- C:CHANGES TO LAND MANAGEMENT
- D:CHANGES IN DESCRIPTION/CONDITION OF MONUMENT
- E:CHANGES IN POTENTIALLY THREATENING FACTORS
- F:CHANGE IN RATE OF DECAY

NO ✓	YES
NO ✓	YES
NO ✓	YES
NO	YES ✓
NO ✓	YES
NO	YES

A: ACCESS

B: LANDCOVER

C: LAND MANAGEMENT

D: DESCRIPTION/CONDITION OF MONUMENT

Approx 3rd to ½ of the site has been excavated since 1993, with work continuing at about ½ of excavated site and covered with a black polythene sheet. No visible signs of monument at ground level - only below. From what could be seen the monument appeared in good condition with stone walls in complete straight lines (all excavation area), up to 3 feet in height, with various building/wall shapes & layouts.

E: POTENTIALLY THREATENING FACTORS (see table 1)

F

RATE OF DECAY: STABLE SLOW RAPID

CONTINUED? YES NO

TABLE 1

YNYS MÔN ESA, HISTORIC MONITORING, BASELINE 1993

PRN: 899

POTENTIALLY THREATENING FACTORS			
AGENT	PRESENT?	ACTION	SIGNIFICANCE
ANIMALS	<input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	<ul style="list-style-type: none"> ■ Burrowing - badgers, foxes, rabbits ■ Overgrazing - cattle, horses, sheep ■ Poaching - cattle, horses, sheep ■ Rubbing point/erosion focus point - cattle, horses, sheep 	<ul style="list-style-type: none"> ■ damage/disturbance to underground artefacts ■ loss of vegetation cover/soil damage, leading to erosion ■ as above, possible damage to upstanding feature
HUMAN	<input type="checkbox"/> <input type="checkbox"/>	<ul style="list-style-type: none"> ■ Demolition or removal of monument ■ Rubbish Dumping ■ Trampling/poaching - on footpaths/desire lines ■ Mountain Bikes/Motocross etc ■ Deep Ploughing/Drainage Works/Building ■ Shallow cultivation/Reseeds ■ Tree/Scrub removal by uprooting ■ Scrub Burning in Bonfires 	<ul style="list-style-type: none"> ■ active removal of artefacts/monument ■ infilling/contamination ■ loss of vegetation cover/soil damage leading to erosion ■ as above ■ damage/disturbance of artefacts ■ as above ■ as above ■ intense heat at point source, damage to artefacts and alteration of soil profile
VEGETATION	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<ul style="list-style-type: none"> ■ Root damage - trees and scrub (especially where deep rooted (heavy crowns) ■ Tree Windthrow ■ Scrub Encroachment - bracken, gorse, rhodedendron, thorn 	<ul style="list-style-type: none"> ■ damage/disturbance of artefacts ■ potential massive damage/disturbance ■ root or rhizome damage/disturbance (bracken least significant)
WEATHER/SITE FACTORS	<input type="checkbox"/> <input type="checkbox"/>	<ul style="list-style-type: none"> ■ High rainfall/windspeeds - exposure ■ High Gradient 	<ul style="list-style-type: none"> ■ greater erosion risk than level, non exposed site

WC1006

YNYS MON ESA HISTORIC MONITORING RESURVEY 2000

OS 1:10,000 SHEET: SH 46 NW	GRID REF: SH 420 - 655 - A
PRN: 899	SITE NAME: Llys y Rhosyr (site of) Newborough
AIR PHOTO No:	LANDSCAPE TYPE:
No. GROUND PHOTOS: 7	Rolling Coastal Edge
DATE RESURVEYED: 23-6-00	RESURVEYED BY: W. Somerville

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A: CHANGES TO ACCESS

B: CHANGES TO LAND COVER

C: CHANGES TO LAND MANAGEMENT

D: CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E: CHANGES IN POTENTIALLY THREATENING FACTORS

F: CHANGE IN RATE OF DECAY

NO	YES ✓
NO ✓	YES
NO ✓	YES
NO	YES ✓
NO ✓	YES
NO	YES

A: ACCESS

No longer owned by Tyddyn Farm.
There did not know who owners are,
as didn't several neighbours living
around the site.

E: POTENTIALLY THREATENING FACTORS (see table at back of proforma)

F: RATE OF DECAY:	STABLE	SLOW	RAPID
--------------------------	--------	------	-------

CONTINUED?	YES	NO
------------	-----	----

POTENTIALLY THREATENING FACTORS			
AGENT	PRESENT	ACTION	SIGNIFICANCE
ANIMALS	Y N	Burrowing – badgers, foxes, rabbits	Damage/disturbance to underground artefacts
	Y N	Overgrazing – cattle, horses, sheep	Loss of vegetation cover/soil
	Y N	Poaching – cattle, horses, sheep	Damage to vegetation cover, leading to erosion
	Y N	Rubbing point/erosion focus point – cattle, horses, sheep	As above, plus possible damage to upstanding features
HUMAN	Y N	Demolition or removal of monument	Active removal of artefacts/monument
	Y N	Rubbish dumping	Infilling/contamination
	Y N	Trampling/poaching – on footpaths/desire lines	Loss of vegetation cover/soil damage resulting in erosion
	Y N	Mountain bikes/Motorcross etc	As above
	Y N	Deep ploughing/Drainage works/Building	Damage/disturbance of artefacts
	Y N	Shallow cultivation/reseeds	As above
	Y N	Tree/Scrub removal by uprooting	As above
	Y N	Scrub burning	Intense heat at point source, damage to artefacts and alteration of soil profile
	Y N		
	Y N		
VEGETATION	Y N	Root damage – trees and scrub (especially where deep rooted – heavy crowns)	Damage/disturbance of artefacts
	Y N	Tree windthrow	Potential massive damage/disturbance
	Y N	Scrub encroachment – bracken, gorse, rhododendron, thorn	Root or rhizome damage/disturbance (bracken least significant)
WEATHER/SITE FACTORS	Y N	High rainfall/windspeeds – exposure	Greater erosion risk than level, non exposed site
	Y N	High gradient	