
—<u>Maes Cottage</u> <u>W/12/3905</u>

 $\begin{array}{c} \textbf{Tir Gofal Farm Visit } \underline{\textbf{Historic Environment}} \ \textbf{Report} \\ \underline{\textbf{Call Out}} \end{array}$



Report No. ——<u>2003/122</u>

Report Prepared for: Countryside Council for Wales

CAMBRIA ARCHAEOLOGY

REPORT NO. ——2003/122 PROJECT RECORD NO. ——48453

——November 2003

By

——Polly Groom

Cambria Archaeology is the marketing name of the Dyfed Archaeological Trust Limited.

The report has been prepared for the specific use of the client. The Dyfed Archaeological Trust Ltd can accept no responsibility for its use by any other person or persons who may read it or rely on the information it contains.

ARCHAEOLEG CAMBRIA
Ymddiriedolaeth Archaeolegol Dyfed Cyf
Neuadd y Sir, Stryd Caerfyrddin, Llandeilo, Sir Gaerfyrddin SA19 6AF
Ffon: Ymholiadau Cyffredinol 01558 823121
Adran Rheoli Treftadaeth 01558 823131
Ffacs: 01558 823133

Ebost: cambria@acadat.com Gwefan: www.acadat.com

CAMBRIA ARCHAEOLOGY
Dyfed Archaeological Trust Limited
The Shire Hall, Carmarthen Street, Llandeilo, Carmarthenshire SA19 6AF
Tel: General Enquiries 01558 823121
Heritage Management Section 01558 823131
Fax: 01558 823133

Email: cambria@acadat.com Website: www.acadat.com

The Trust is both a Limited Company (No. 1198990) and a Registered Charity (No. 504616)
CADEIRYDD CHAIRMAN: B.C.BURNHAM, MA PHD FSA MIFA. CYFARWYDDWR DIRECTOR: E G HUGHES BA MIFA

CONTENTS

Introduction	3	
Introduction	3	
Method Statement	3	
General Description of Ffarm	4	-4
Statement of Condition / Proposed Works	<u>5</u>	
Management Recommendations Main Management Recommendations	10	
Main Management Recommendations	5	
Site and Area Designations	6	
Gazetteer of Sites and Monuments	7	
Site and Area Status Glossary		=
References	11	
Farm Maps	12	
Quality Assurance Report	14	

Farm Map

Introduction

A farm visit was undertaken at the specific request of the Countryside Council for Wales to address specific management issues on this farm. The aim of this report is to make an assessment of these concernsissues in order to provide -management recommendations to be incorporated into the Tir Gofal Management Plan. This report is not intended to assess the structural condition or stability of any given site.

The Call Out Report responds to management issuesconcerns regarding specific sites, it does not provide management advice for all known sites on the farm, for these recommendations please refer to the Historic Environment Report 1 (He1).

INTRODUCTION

This report is intended to provide a statement on the condition and recommended management of all known archaeological and historical sites and features on this farmat the time it was visited by Cambria Archaeology. This information will be used to inform the Tir Gofal Management Agreement for the farm.

Method Statement

The farm visit consisted of two phases:

Phase 1 was a rapid search of all readily available documentary, cartographic and published sources to try to understand the historical development of the farm and the wider landscape and to identify new sites of archaeological interest. The searches undertaken include information held in the regional Sites and Monuments Record, the relevant County Records Office and the National Library of Wales. New sites, or areas of interest were plotted onto a Geographical Information Systems based map for use during the field survey and for the final report.

Phase 2 was a farm visit to assess the extent, character and current condition of the archaeological and historical sites identified during the research phase. Due to <u>time</u> constraints recording is rapid and consists of photographs and sites notes. Some of the sites may not have been visited. The information gained during the visit has been used to determine their management recommendations.

General Description of Farm GENERAL DESCRIPTION OF FARM

Maes Cottage consists of three holdings, of which two were visited by Cambria Archaeology on November 4th, 2003. Holding W/12/3905 lies in the community of Pencarreg, at grid reference SN53224489. Holding W/12/3905/a is within the community of Llanybydder, at SN51804397.

Formatted Formatted

W/12/3905

This land holding lies just on the outskirts of Pencarreg, in an area divided by the Manchester – Milford railway line.

In general, the area east of the railway line tends to have small and irregular fields which are probably the result of early enclosure. West of the railway line the fields are probably later – their squared shapes and regular sizes are typical of fields created by parliamentary enclosure of common land. The railway line was constructed in 1886, and cuts through both of these different field patterns, showing that the field pattern which is still seen today was in place by the mid – late 19th century.

The holding also contains a number of domestic dwellings – Maes Cottage itself, Troedrhiw Farm and Pen Rhiw cottage. Of these, only Troedrhiw Farm is seen on the parish tithe map (1840, Llanybydder parish) – the others are first seen on the 1st edition Ordnance Survey map, so must date to between 1840 and 1886.

Formatted

Formatted

W/12/3905/a

The second land parcel occupies the ground immediately behind (west of) Llanybydder market place. Part of the boundary is shared with the churchyard of St Peters Church. This is a small, roughly circular churchyard (PRN 30142) bounded on the north and west sides by a pronounced stone-faced bank topped with mature trees. It is this boundary which is shared with the land included in this Tir Gofal application. Although the church standing today (PRN 738) is largely a 19th century building, it is probably on a much earlier site – the first construction of the church may have been 14th century, and a circular churchyard is often an indication that the site is earlier still.

Formatted

Formatted

MAIN MANAGEMENT RECOMMENDATIONS

SITE AND AREA DESIGNATIONS

The following abbreviations are used in the gazetteer to refer to site and area status designations.

SAM.

Scheduled Ancient Monument. SAMs are notified under section 1 of the Planning (Listed Buildings and Conservation Areas) Act 1990. The register of SAMs is maintained and administered by Cadw.

LB1, LB2* & LB2.

Listed Building categories. Listed buildings are notified under section 1 of the Planning (Listed Buildings and Conservation Areas) Act 1990. The list is maintained and administered by Cadw.

HL - Landscapes of Exceptional and Great Historic Interest.

Defined by the Register of Landscapes, Parks and Gardens of Special Historic Interest in Wales: Part 2.1 Landscapes of Exceptional and Great Historic Interest. The register is advisory only and has no statutory powers. The register is being compiled by Cadwin partnership with the International Council on Monuments and Sites (ICOMOS) and is concerned with historic elements of the landscape.

HGP - Register of Historic Gardens & Parks.

Defined by the Register of Landscapes, Parks and Gardens of Special Historic Interest in Wales: Part 1—Parks & Gardens. The register is advisory only and has no statutory powers. The register is being compiled by Cadw in partnership with the International Council on Monuments and Sites (ICOMOS) and is concerned with historic elements of the landscape.

-

GAZETTEER OF SITES AND MONUMENTS PRN Site Name **Grid Reference** Site Type Period Delete if not Site status applicable **Description** Recommendations **Site Category** PRN Site Name **Grid Reference** Site Type **Period** Site status Delete if not applicable **Description** Recommendations **Site Category** PRN Site Grid Reference Name **Period** Delete if not Site Type **Site status** applicable **Description** Recommendations **Site Category** Statement of Condition/ Proposed works / Proposed Works

W/12/3905

Railway Embankment

This railway line was constructed in 1886, and the original plan was to have a line running from Manchester to Milford Haven, via Crewe, mid Wales and Carmarthen. However, it extended no further north than Aberystwyth when the company went into liquidation. The line was absorbed into the GWR network in 1906, ceased carrying passengers in 1965 and closed to freight in 1973 (Steele, W:2003).

A well-preserved section of the railway embankment runs for around 320m (350yds) along the western edge of this land holding. The shape is still very clear, showing its flattened top and smooth, steep sides. This section of embankment is highest at its north end, where it stands to a height of some 5-6m (18-20ft). The surface of the embankment is still covered with the stone ballast which was laid around the tracks and sleepers. Original railway post and wire fences run along either side of the embankment.

A pronounced ditch runs along the east side of the embankment, then turns sharply and drains into a small, stone-built culvert which runs under the railway embankment. A simple, small footbridge formed of one concrete slab crosses the channel which leads into the culvert. The ditch does not appear to carry on to the south beyond the culvert so must have been put in place to only drain a few exceptionally wet fields.

The site is generally in good condition, though some scrub is growing up in places and a number of semi-mature trees are growing along the top and sides of the embankment. At the north end is a very small conifer plantation which marks the land boundary – beyond this, the embankment has been flattened and survives only as a parch mark in an improved field. Scrub is also partially blocking the ditch and has obscured the culvert.

The landowner proposed to maintain the railway embankment as a visible feature, and to carry out some scrub and vegetation control. They also wish to create a pond just northeast of the culvert, and to clear the ditch so that it can act as an overflow for the pond. It has also been suggested that the fencing is replaced alongside the embankment.



Plate 1 (above) The railway embankment, part of the dismantled Manchester-Milford line.

Plate 2 (below) A small, stone-built culvert passing under the embankment, now very blocked with silt and leaves.

Formatted Formatted



Pen Rhiw Cottage and Garden

Map evidence suggests that Pen Rhiw cottage was constructed sometime between 1840 and 1886. The cottage is a simple stone-built two-room dwelling with a loft and a fireplace in each gable. It is now roofed with corrugated metal, but some thatch is preserved under this, and from inside it appears that the thatch rests on closely-set branches rather than on rafters. The remains of a piece of cloth are still pegged onto the underside of the roof – this was probably put in place to stop parts of the underthatch from drying out and falling into the room. Thatching in this way is typical of cottages constructed in the 19th century by, and for, labourers – it did not require a professional thatcher, and was therefore cheaper and easier to maintain (Wiliam, E:1993:p.21). Another interesting survival is the chimney hood at the north end of the house. Although the fireplace has been replaced with what is probably a bread oven, the chimney hood still survives. It appears to be constructed of wattle and daub, covered in layers of limewash. Again, this was a typical feature of rural labourer's cottages, but is one which very rarely survives.

The cottage is associated with a long, narrow stretch of garden which runs along the roadside. Parcels of land like this were often carved out of verges, and began life as 'squatter' settlements – the (often illegal) occupation of pieces of waste ground and common land. Whilst huge areas of common land were enclosed by Parliamentary act during the 18th and 19th centuries, those who did not own land were forced to establish their own homes and farmsteads (Cadw:2002:p.13).

The cottage is in a stable condition, and a line of mature trees marks out the garden. The landowner has expressed an interest in re-instating this boundary.



Plate 3. Part of the roof of Pen Rhiw cottage: close set poles taking the place of the rafters with an underthatch woven into them. The cloth would be in place to prevent parts of the thatch from falling into the room.

Formatted

Formatted



Plate 4. Line of trees marking the edge of the garden associated with Pen Rhiw cottage.

<u>W/12/3905/a</u> Formatted

Boundary with St Peters Church

The boundary which survives today is a raised earth bank, topped with mature trees and partially supported by a stone facing on the bank. This is formed of small to medium sized stones which are pressed into the earth bank rather than being a self-supporting wall.

The boundary is in various states of repair – in places, the stonework is almost entirely gone but towards the east, sections of it stand nearly intact. Tree-roots are the major cause of damage to the wall – they are dividing the stonework and pushing individual stones out of the bank. The boundary is no longer stockproof, and gaps between the trees are infilled with wire netting, on both the churchyard side and the field side of the boundary.

The landowner needs to make this boundary stockproof, and was considering the feasibility of restoring parts of the stone facing.



Plate 5. The boundary shared with St Peters Church, Llanybydder. Tree roots are pushing the stone facing off the bank, and there is little earth left that the stones can be set back into.

Formatted

Management Recommendations

Formatted

Formatted

W/12/3905

Railway Embankment

Some scrub clearance will need to be carried out on this site. Vegetation should be cut at ground level and removed, and care should be taken that the ballast which covers the ground surface is not removed during these works. Trees growing on the sides of the embankment are a concern, since their roots will eventually cause damage to the structure. They are also more vulnerable to wind-throw, since the depth of soil on the sides of the embankment is very shallow. Ideally, most of the young trees growing on the sides should be cut at ground level and removed. The ones growing on the flattened top are more stable, but care should be taken that the top of the site is not allowed to become overgrown and, consequently, impassable. Any trees which look unstable, or which are growing in thick clumps should also be removed and trees which are left in place should be managed to prevent them from becoming unstable. Coppicing may be one appropriate method of woodland management.

-Re-growth of vegetation is likely to be comparatively slow, because of the stone ballast on the ground, but clearance may need to be periodically carried out in the future. If the site shows signs of turfing over, then light grazing may prove a practical way to achieve this in the long term. Future maintenance should aim to keep the site in a stable and visible state.

The landowner is also proposing to create a pond, and to clear and re-use the ditch east of the embankment, as well as the culvert which it drains into. The restoration of these features would be very welcome, especially since they would be re-used for their original purposes. Clearance of the culvert should be carried out carefully by hand. The depth of the drain is not known at this point, and there is also a possibility that there is a stone lining to the channel leading into the culvert. Any such lining should not be damaged or removed. The channel should be kept within its original cut and care should be taken that only modern silt and rubbish are removed from it — its depth should not be increased.

As far as is practical, the ditch should also be cleared by hand, again taking care that any lining is not disturbed or damaged. The line of the ditch is very clear, and it should not be expanded beyond its original outline or depth – only modern silt should be removed. Ideally, a photographic record should be made of the site during and after clearance, (including more detailed photographs of the culvert and any ditch or channel linings) and a copy of the photographs deposited with Cambria Archaeology.

The survival of the original railway fencing contributes to the significance of this site, and it is important that this is not lost. The majority of the fence posts are now rotten, but the design of the fencing is clear – simple post and wire, with the wires becoming closer set towards the base of the fence. The fencing should be replaced on a 'like for like' basis, using the surviving stretches as a pattern.

Pen Rhiw Cottage and Garden

There are no works proposed which affect the building directly, but the garden is an important part of the setting for this typical 19th century cottage. The landowner has expressed an interest in restoring the boundary around the garden, and this would be welcomed. It was probably originally a laid hedge, and ideally this would be re-instated, although some of the mature trees may be retained as standards, and incorporated into the hedge.

Formatted

W/12/3905/a

Boundary with St Peters Churchyard

There is comparatively little that can be done to restore this boundary now that the trees are so mature. In places, the outside of the bank now has no earth for stones to be set into, but consists solely of tree-roots, and the stone facing in these areas cannot be restored. In other parts the stonework would benefit from the replacement of fallen stones, and if this were carried out on a regular basis it would certainly slow the rate of decay.

In order to make the boundary stockproof, the most practical solution is to put a new fence in place outside the bank. The appearance of the bank would then be maintained, since it would prevent the necessity for small patches of 'infill' fencing between the trees around the churchyard. These could be taken down once the new fence is in place.

It is important that the strip of land between any new fence and the bank is not allowed to become overgrown. It may need occasionally to be cleared of scrub or undergrowth.

SITE AND AREA STATUS GLOSSARY

The following abbreviations are used in the gazetteer to refer to site and area status. These schedules, lists and registers are compiled and maintained by Cadw: Welsh Historic Monuments.

SAM - Scheduled Ancient Monument

This is a statutory designation. Scheduled Ancient Monuments are protected under the Ancient Monuments and Archaeological Areas Act 1979.

LB1, LB2* & LB2 Listed Building 1, 2* & 2

This is a statutory designation. Listed buildings are protected under the Planning (Listed Buildings and Conservation Areas) Act 1990.

HLW - Historic Landscapes of Wales

Historic Landscapes of Wales are defined by the Register of Landscapes, Parks and Gardens of Special Historic Interest in Wales: Part 2.1 Landscapes of Outstanding Historic Interest and Part 2.2 Landscapes of Special Historic Interest.

The register is advisory and has no statutory powers.

PGW - Parks and Gardens of Wales

Parks and Gardens of Wales are defined by the Register of Landscapes, Parks and Gardens of Special Historic Interest in Wales: Part 1 Parks and Gardens. The register is advisory and has no statutory powers.

References

Ordnance Survey 1891 Carmarthenshire VII.NE

Ordnance Survey 1906 Carmarthenshire VII.NE

Ordnance Survey 1891 Carmarthenshire VII.SE

Ordnance Survey 1906 Carmarthenshire VII.SE

Tithe map 1841 Pencarreg Parish

Tithe map 1840 Llanybyther [Llanybydder] Parish

Cadw:2002: Caring For Lost Farmsteads

<u>Steele, W:2003: Tir Gofal Historic Environment Report – Llwyncrwn.</u> Cambria Archaeology report.

Wiliam, E:1993: Home-made Homes – Dwellings of the Rural Poor in Wales

Maes Cottage

Tir Gofal Historic Environment Consultation
Countryside Council for Wales Reference W/12/3905
Cambria Archaeology Reference PRN48453
National Grid Reference SN53224489

Farm Boundary

Site Category A - National Importance

Scheduled Ancient Monuments
Grade 1 and Grade 2* Listed Buildings

Sites and Buildings of National Importance without a statutory designation

Site Category B - Regional Importance

Sites and Buildings of Regional Importance including Grade 2 listed buildings

Site Category C - Local Importance


Sites and buildings of Local Importance


Site Category D – Unknown Importance

Sites requiring further investigation and sites with no physical definition

Only sites referred to in the text are shown on this map – for a map of all known sites and features please consult the HE1 report.

This map is reproduced from the Ordnance Survey map by the National Assembly for Wales with the permission of Ordnance Survey on behalf of the Controller of her Majesty's Stationery Office, © Crown copyright. All rights reserved. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Licence number: GD272825G





Maes Cottage

Tir Gofal Historic Environment Consultation
Countryside Council for Wales Reference W/12/3905/a
Cambria Archaeology Reference PRN48453
National Grid Reference SN51804397

Farm Boundary

Site Category A - National Importance

Scheduled Ancient Monuments
Grade 1 and Grade 2* Listed Buildings

Sites and Buildings of National Importance without a statutory designation

Site Category B - Regional Importance

Sites and Buildings of Regional Importance including Grade 2 listed buildings

Site Category C - Local Importance


Sites and buildings of Local Importance

<u>Site Category D – Unknown Importance</u>

Sites requiring further investigation and sites with no physical definition

Only sites referred to in the text are shown on this map – for a map of all known sites and features please consult the HE1 report.

This map is reproduced from the Ordnance Survey map by the National Assembly for Wales with the permission of Ordnance Survey on behalf of the Controller of her Majesty's Stationery Office, © Crown copyright. All rights reserved. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Licence number: GD272825G



REPORT NUMBER PROJECT RECORD NO.

Formatted

Formatted

This report has been prepared by
Position:
Signature Date
This report has been checked and approved by on behalf of Cambria Archaeology, Dyfed-Archaeological Trust Ltd.
Position:
Signature Date
As part of our desire to provide a quality service we would welcome any comments you may have

on the content or presentation of this report