WATCHING BRIEF AT BEECHWOOD, LLANDEILO, CARMARTHENSHIRE

MARCH-APRIL 2005



Paratowyd gan: Archaeoleg Cambria Ar gyfer: Midas Construction

Prepared by: Cambria Archaeology

For: Midas Construction





ARCHAEOLEG CAMBRIA ARCHAEOLOGY

RHIF YR ADRODDIAD / REPORT NO. 2005/50 RHIF Y PROSIECT / PROJECT RECORD NO. 54168

> Ebrill 2005 April 2005

WATCHING BRIEF AT BEECHWOOD, LLANDEILO, **CARMARTHENSHIRE**

Gan / By

K Murphy

Archaeoleg Cambria yw enw marchnata Ymddiriedolaeth Archaeolegol Dyfed Cyfyngedig. Cambria Archaeology is the marketing name of the Dyfed Archaeological Trust Limited.

Paratowyd yr adroddiad yma at ddefnydd y cwsmer yn unig. Ni dderbynnir cyfrifoldeb gan Ymddiriedolaeth Archaeolegol Dyfed am ei ddefnyddio gan unrhyw berson na phersonau eraill a fydd yn ei ddarllen neu ddibynnu ar y gwybodaeth y mae'n ei gynnwys

The report has been prepared for the specific use of the client. The Dyfed Archaeological Trust Ltd can accept no responsibility for its use by any other person or persons who may read it or rely on the information it contains.

ARCHAEOLEG CAMBRIA Ymddiriedolaeth Archaeolegol Dyfed Cyf Dyfed Archaeological Trust Limited
Neuadd y Sir, Stryd Caerfyrddin, Llandeilo, Sir The Shire Hall, Carmarthen Street, Llandeilo, Gaerfyrddin SA19 6AF Ffon: Ymholiadau Cyffredinol 01558 823121 Adran Rheoli Treftadaeth 01558 823131 Ffacs: 01558 823133

Ebost: cambria@cambria.org.uk Gwefan: www.cambria.org.uk

CAMBRIA ARCHAEOLOGY Carmarthenshire SA19 6AF Tel: General Enquiries 01558 823121 Heritage Management Section 01558 823131 Fax: 01558 823133 Email: cambria@cambria.org.uk Website: www.cambria.org.uk

Cwmni cyfyngedig (1198990) ynghyd ag elusen gofrestredig (504616) yw'r Ymddiriedolaeth. The Trust is both a Limited Company (No. 1198990) and a Registered Charity (No. 504616)

CADEIRYDD CHAIRMAN: C R MUSSON MBE B Arch FSA MIFA. CYFARWYDDWR DIRECTOR: E G HUGHES BA FSA MIFA

CONTENTS

SUMMARY	1
INTRODUCTION	2
RESULTS	2
CONCLUSIONS	2

ILLUSTRATIONS

Map 1: Location Map

Photo 1: Initial stages of topsoil clearance.

Photo 2: Final stages of topsoil clearance.

Photo 3: Excavation for drains

Photo 4: Excavation of the balancing pond.

SUMMARY

Several site visits by archaeologists working for Cambria Archaeology were made during the initial stages of construction of four industrial units at Beechwood, Llandeilo, Carmarthenshire in order to record archaeological deposits revealed by ground-works. Carmarthenshire County Council planning department had imposed an archaeological planning condition as the development lay on the projected line of the Roman road running between the Roman forts at Llandeilo and Llandovery. No trace of the Roman road was seen during the watching brief. Nothing else of archaeological interest was recorded.

INTRODUCTION

Cambria Archaeology-Heritage Management as advisors to Carmarthenshire County Council Planning Department identified potential impacts on the archaeological resource by the development of four industrial units at Beechwood on the outskirts of Llandeilo, Carmarthenshire (SN 62312330). Initially a desk-top assessment followed by a scheme of archaeological works was required as a planning condition, but this was later reduced to an archaeological watching brief during construction.

The main contactors, Midas Construction, contacted Cambria Archaeology Field Services in January 2005 requesting an estimate and for undertaking a watching brief. This was provided and Cambria Archaeology was commissioned to undertake the work in a letter received from Midas Construction on 29 January 2005.

The Beechwood development lies on the projected line of the Roman road from the Roman fort at Llandeilo, 1.2km to the southwest, and the Roman fort at Llandovery, 18km to the northeast. The exact course of the road to the northeast of Llandeilo is not known for certain, and it may pass close to the Beechwood development rather than through it.

The project objectives were to characterise and record the extent, chronology and significance of any surviving archaeological deposits identified during the groundworks.

RESULTS


The Beechwood development lies on the northern outskirts of Llandeilo on a river terrace of the River Tywi. The land prior to development was improved pasture.

Topsoil stripping for the development was monitored during several intermittent site visits. Deeper excavations for roads, a balancing pond and drains were also archaeologically monitored. The topsoil strip and road excavations were undertaken using wide, toothless ditching bucket resulting in a clean excavated surface ideal for the identification of archaeological remains.

Topsoil consisted a smooth, almost stone-free, mid-brown silty loam soil. This overlay fluvial glacial mid-brown and orangey-brown silts. The depth of these deposits was not recorded but they seemed to be in excess of 2m. A quantity of 18th through to early 20th century pottery and glass, flecks of coal and small fragments of other imported material was recorded at the base of the topsoil. Nothing else of archaeological interest was noted.

CONCLUSIONS

No significant archaeological features or deposits were identified during the watching brief on the ground-works for the four industrial units.



Map 1: Location Map



Photo 1: Initial stages of topsoil clearance.



Photo 2: Final stages of topsoil clearance.



Photo 3: Excavation for drains.



Photo 4: Excavation of the balancing pond.

WATCHING BRIEF ATBEECHWOOD, LLANDEILO, CARMARTHENSHIRE

RHIF YR ADRODDIAD / REPORT NUMBER 2005/50

Ebrill 2005 April 2005

Paratowyd yr adroddiad hwn gan: This report has been prepared by:	
Ken Murphy BA MIFA	
Swydd / Position: Principal Archaeologist	
Llofnod / Signature Dyddiad / Date	
Mae'r adroddiad hwn wedi ei gael yn gywir a derbyn sêl bendith This report has been checked and approved by	
G Hughes	
Swydd / Position: Trust Director	
Llofnod / Signature Dyddiad / Date	
ar ran Archaeoleg Cambria, Ymddiriedolaeth Archaeolegol Dyfed Cyf. on behalf of Cambria Archaeology, Dyfed Archaeological Trust Ltd.	

Yn unol â'n nôd i roddi gwasanaeth o ansawdd uchel, croesawn unrhyw sylwadausydd gennych ar gynnwys neu strwythur yr adroddiad hwn

As part of our desire to provide a quality service we would welcome any comments you may have on the content or presentation of this report