PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

A

OS 1:10000 SHEET: SM/SN 93 SW GRID REF: SM/SN 9078 3492

PRN: 2584 SITE NAME: TRELLYS - Y - (OED

AIR PHOTO No 70/92 (188

No GROUND PHOTOS: 5

DATE SURVEYED: 8/12/94 SURVEYED BY: 9A HOPOW 50D

ACCESS: Ownership of field unknown. Someged from warned footpath. Access from Gara Lys, Grid Ref: 909352.

 \mathbf{B}

LAND COVER:

SITE: Improved gransland with rocky outerps.
Gare + brachen in places. Decouring remiimproved gransland near to and ground

HALO: were outrops,

PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

PRN: 2584

C

LAND MANAGEMENT:

SITE: would appear to be used for graving
probably sheep + beef cattle. No Thock

present when whited. Area does not appear

HALO: Nell managed, considerable damage

occoming to boundaries within area, many

of which are unfrened. Evidence of

showe clearance in field with monument.

(see diagram overleaf)

D

DESCRIPTION/CONDITION OF MONUMENT:

No monument minble at location given an map or in immediate mining. As mentioned about it may be mut this field has been elected of thous etc and the monument may have been destroyed. A large maind of webs the vegetation does exist which does not appear natural.

E

POTENTIALLY THREATENING FACTORS: (see Table 1)

Avea at risk from souls encroachment - mainly gove + bracken.


Spone elecrance would appear to have taken place at some point.

location is fairly exposed being as high ground due to the coast. have enrolence of burning animal activity. Fox seen on site.

PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

SUPPLEMENTARY NOTES TO FIELD SURVEYS PAGE OF PRN: 2584




PRESELI ESA, HISTORIC MONITORING, BASELINE 1994

PRN: 2584

POTENTIALLY	THREATENING	FACTORS

AGENT	PRESENT?	ACTION	SIGNIFICANCE
ANIMALS	0	■ Burrowing - badgers, foxes, rabbits	■ damage/disturbance to
			underground artefacts
		Overgrazing - cattle, horses, sheep	■ loss of vegetation cover/soil
		■ Poaching - cattle, horses, sheep	damage, leading to erosion
		Rubbing point/erosion focus point - cattle, horses, sheep	as above, possible damage to upstanding feature
HUMAN	9	■ Demolition or removal of monument	■ active removal of
			artefacts/monument
		■ Rubbish Dumping	■ infilling/contamination
		■ Trampling/poaching - on footpaths/desire lines	 loss of vegetation cover/soil damage leading to erosion
		■ Mountain Bikes/Motorcross etc	■ as above
		■ Deep Ploughing/Drainage Works/Building	■ damage/disturbance of artefacts
		■ Shallow cultivation/Reseeds	■ as above
		■ Tree/Scrub removal by uprooting	■ as above
		■ Scrub Burning in Bonfires	■ intense heat at point source,
			damage to artefacts and
			alteration of soil profile
VEGETATION		Root damage - trees and scrub (especially where deep rooted (heavy crowns)	damage/disturbance of artefacts
		■ Tree Windthrow	potential massive
		,	damage/disturbance
		■ Scrub Encroachment - bracken, gorse,	root or rhizome
		rhodedendron, thorn	damage/disturbance (bracken
			least significant)
WEATHER/SITE		High rainfall/windspeeds - exposure	greater erosion risk than level,
FACTORS		■ High Gradient	non exposed site



PRESELI ESA HISTORIC MONITORING RESURVEY 1997/98

A

OS 1:10,000 SHEET: SO/SH/SN 93	SW	GRID REF: SO/SH/SN	9.078	3492
PRN: 2584 SITE NAME: T	251173	- Y - COED		
AIR PHOTO No: 70/92/188	LANDSC	APE TYPE:		
No GROUND PHOTOS: 5		Ď		
DATE RESURVEYED:	RESURV	EYED BY:	· Bosley	

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A CHANGES TO ACCESS?

B:CHANGES TO LANDCOVER

C:CHANGES TO LAND MANAGEMENT

D:CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E:CHANGES IN POTENTIALLY THREATENING FACTORS

F:CHANGE IN RATE OF DECAY

YES			
YES			


A ACCESS WAILED ALONG	footpath,	eouldnt	find	owners.	
Garn Lhys -	honday.	Cottages			

B:LANDCOVER	-	,	
SITE:			
HALO:			

C:LAND MANAGEMENT

SITE: Grass V. long doesn't appear to be used for graging - possibly taking silage from site.

HALO:



E:POTENTIALLY THREATENING FACTORS (S	see table 1)
	·
Some areas of poach	
to tong grade - cou	id be die to
tractor turning as th	
to me next fined	1/1
	CC -C V V C C C C
Could be seen	
•	

RATE OF DECAY: STABLE SLOW RAPID

POTENTIALLY	THREATENING FACTORS

AGENT PRESENT ANIMALS Y N F		SENT	ACTION	SIGNIFICANCE Damage/disturbance to underground artefacts	
		N	Burrowing - badgers, foxes, rabbits		
	Y	N	Overgrazing - cattle, horses, sheep	Loss of vegetation cover/soil	
	Y	N	Poaching - cattle, horses, sheep	Damage to vegetation cover, leading to erosion	
	Y	N	Rubbing point/erosion focus point - cattle,	As above, plus possible damage to upstanding feature	
			horses, sheep		
HUMAN	Y	N	Demolition or removal of monument	Active removal of artefacts/monument	
	Y	N	Rubbish dumping	Infilling/contamination	
	Y	N	Trampling/poaching - on footpaths/desire lines	Loss of vegetation cover/soil damage resulting	
				in erosion	
	Y	N	Mountain bikes/Motorcross etc	As above	
	Y	N	Deep ploughing/Drainage works/Building	Damage/disturbance of artefacts	
	Y	N	Shallow cultivation/reseeds	As above	
	Y	N	Tree/Scrub removal by uprooting	As above	
	Y	N	Scrub burning in bonfires	Intense heat at point source, damage to artefacts and	
				alteration of soil profile	
VEGETATION	Y	N	Root damage - trees and scrub (especially where deep rooted - heavy crowns)	Damage/disturbance of artefacts	
	Y	N	Tree windthrow	Potential massive damage/disturbance	
	Y	N	Scrub encroachment - bracken, gorse,	Root or rhizome damage/disturbance	
* ,	· e		rhodedendron, thorn	(bracken least significant)	
WEATHER/SITE	X	N	High rainfall/windspeeds - exposure	Greater erosion risk than level, non exposed site	
FACTORS	(X)	N	High gradient		