

PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

A

OS 1:10000 SHEET: SM/SN %0 WE	GRID REF: SM/SN 8794 0744		
PRN: 3032 SITE NAME: Upper Meeton			
AIR PHOTO No 62 92 136 No GROUND PHOTOS: 5	LANDSCAPE TYPE: I		
DATE SURVEYED: 14/12/94	SURVEYED BY: GA HOPW SUD		
ACCESS: Owned by the Philpin - upper Meester fur. See PRN 3031 for details. Herbrounds bon Hell, Herbrounds bon.			

В

LAND COVER:

SITE: Dense come of sinb - gone, havehour.

HALO: Surrounded by very met gransland, messly gransland with juneus.

PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

PRN: 3032

C

LAND MANAGEMENT:

SITE: Does not appear to be whited became of dene come of sents.

HALO: Land use as at premions rate 3031.

D

DESCRIPTION/CONDITION OF MONUMENT:

Round to oval patch of somb, distinctly different from surrounding area. Due to wetuens of area unable to view feature 1'h enry detail. As with rite 3031, growth of scools indicates that site is different from surrounding area - being vaired and direct

E


POTENTIALLY THREATENING FACTORS: (see Table 1)

Sents encroachment and not damage. As site 3031.

PRESELI ESA, HISTORIC MONITORING

BASELINE 1994

SUPPLEMENTARY NOTES TO FIELD SURVEYS PAGE OF PRN: 2032



PRESELI ESA, HISTORIC MONITORING, BASELINE 1994

PRN: 3032

AGENT	PRESENT?	ACTION	SIGNIFICANCE
ANIMALS		■ Burrowing - badgers, foxes, rabbits	■ damage/disturbance to
			underground artefacts
		Overgrazing - cattle, horses, sheep	■ loss of vegetation cover/soil
		■ Poaching - cattle, horses, sheep	damage, leading to erosion
		■ Rubbing point/erosion focus point - cattle,	as above, possible damage to
		horses, sheep	upstanding feature
HUMAN		■ Demolition or removal of monument	active removal of
			artefacts/monument
		■ Rubbish Dumping	■ infilling/contamination
		■ Trampling/poaching - on footpaths/desire lines	■ loss of vegetation cover/soil
			damage leading to erosion
		■ Mountain Bikes/Motorcross etc	■ as above
		■ Deep Ploughing/Drainage Works/Building	damage/disturbance of artefacts
		Shallow cultivation/Reseeds	■ as above
		■ Tree/Scrub removal by uprooting	as above
		■ Scrub Burning in Bonfires	■ intense heat at point source,
			damage to artefacts and
			alteration of soil profile
VEGETATION		Root damage - trees and scrub (especially where deep rooted (heavy crowns)	damage/disturbance of artefacts
		■ Tree Windthrow	potential massive
			damage/disturbance
		■ Scrub Encroachment - bracken, gorse,	root or rhizome
		rhodedendron, thorn	damage/disturbance (bracken
			least significant)
WEATHER/SITE		■ High rainfall/windspeeds - exposure	greater erosion risk than level,
FACTORS		■ High Gradient	non exposed site

	PRESELI ESA RESURVEY 1997 POINT LINEAR / HISTORICAL MONITORING
	SQUARE No.
	OWNERSHIPS LAND COVER
3032 Presell	BOUNDARIES PHOTO RECORD
/ / /	SM8794 0744
Spring	
	VHOLE FIELD
	INSEED (met boundary beforegon
A	and were improved
action Silver	of crop - (unced oil)
(Scrub)	MONOME WI
JAN C	1-00-1
	Drain On-
00- 1171	1000-1
Kinn-	00
1///	OFF
1 / /	

PRESELI ESA HISTORIC MONITORING RESURVEY 1997/98

A

OS 1:10,000 SHEET: SO/SH/SN %	NE GRID REF: SO/SH/SN 87 94 0744
PRN: 30 32 SITE NAME:	UPPER NEESTON
AIR PHOTO No: 62 92 1131	LANDSCAPE TYPE:
No GROUND PHOTOS: 4	
DATE RESURVEYED:	RESURVEYED BY: C. Bosley

IF CHANGES TO ANY OF THE FOLLOWING HAVE OCCURRED SINCE THE BASELINE, DETAIL THESE CHANGES IN THE APPROPRIATE SECTION OF THE RESURVEY PROFORMA.

A.CHANGES TO ACCESS?

B:CHANGES TO LANDCOVER

C:CHANGES TO LAND MANAGEMENT

D:CHANGES IN DESCRIPTION/CONDITION OF MONUMENT

E:CHANGES IN POTENTIALLY THREATENING FACTORS

F:CHANGE IN RATE OF DECAY

NO 1	YES
NO /	YES
NO ~	YES
NO.	YES
NO –	YES -
NO /	YES

A: ACCESS
Count find anyone - no address or
tel NO - farm buildings (poss form)
up for sale
NOTE - Had deficiently (as Noted on maps) taking photos from original docations + was
taking photos from original locations + was
mable to take photo (4) at all.
ALSO PHOTO NO (3) NOT QUITE CORRECT POSITION.

V. WET AROUND FEATURE - BOGGY GROUND.

PRESELI ESA HISTORIC MONITORING RESURVEY 1997/98

B:LANDCOVER		
SITE:		
,		
, ,		,
HALO:		
G. LATE MANAGEN	TO VIE	
C:LAND MANAGEM	IENT .	
SITE:		
SIIE.		
, ,		
HALO:		
D DECORIDETONICO	NIDITION OF MONITHENT	
D:DESCRIPTION/CO	NDITION OF MONUMENT	
D:DESCRIPTION/CO	ONDITION OF MONUMENT	
D:DESCRIPTION/CO	ONDITION OF MONUMENT	
D:DESCRIPTION/CC	ONDITION OF MONUMENT	
D:DESCRIPTION/CC	ONDITION OF MONUMENT	
D.DESCRIPTION/CC	ONDITION OF MONUMENT	
D:DESCRIPTION/CC		
D:DESCRIPTION/CC		

E:POTENTIALLY THREATENING FACTORS (see table 1)

As adjacent lend now ploughed that arable cropping, there is possibly danger of this area becoming improved to ploughed.

Though This area around the features runs along a stream line + consequently V. met + boggy - difficult to get to Yeature.

RATE OF DECAY:

STABLE

SLOW

RAPID

CONTINUED?



POTENTIALLY THREATENING FACTORS

AGENT	PRE	SENT	ACTION	SIGNIFICANCE
ANIMALS	Y	N	Burrowing - badgers, foxes, rabbits	Damage/disturbance to underground artefacts
	Y	N	Overgrazing - cattle, horses, sheep	Loss of vegetation cover/soil
	Y	N	Poaching - cattle, horses, sheep	Damage to vegetation cover, leading to erosion
	Y	N	Rubbing point/erosion focus point - cattle, horses, sheep	As above, plus possible damage to upstanding feature
HUMAN	Y	N	Demolition or removal of monument	Active removal of artefacts/monument
	Y	N	Rubbish dumping	Infilling/contamination
	Y	N	Trampling/poaching - on footpaths/desire lines	Loss of vegetation cover/soil damage resulting
				in erosion
	Y	N	Mountain bikes/Motorcross etc	As above
	Y	N	Deep ploughing/Drainage works/Building	Damage/disturbance of artefacts
	Y	N	Shallow cultivation/reseeds	As above
	Y	N	Tree/Scrub removal by uprooting	As above
	Y	N	Scrub burning in bonfires	Intense heat at point source, damage to artefacts and alteration of soil profile
VEGETATION	Y	N	Root damage - trees and scrub (especially where deep rooted - heavy crowns)	Damage/disturbance of artefacts
	Y	N	Tree windthrow	Potential massive damage/disturbance
	Y	N	Scrub encroachment - bracken, gorse,	Root or rhizome damage/disturbance
•			rhodedendron, thorn	(bracken least significant)
WEATHER/SITE	Y	N	High rainfall/windspeeds - exposure	Greater erosion risk than level, non exposed site
FACTORS	Y	N	High gradient	