


## **Glastir Woodland Creation: Consent Advice Form**

| CRN   | A0031214  |  |  |
|---|---|--|--|
| Glastir Farm Name and Scheme Ref.   | Lambston Hall GWC 7577630   |  |  |
| Parcel No.  |   |  |  |
| NGR   | SM906169  |  |  |
| Option No.  | 801;802   |  |  |
| Option Name   | Native Woodland; Native Biodiversity  |  |  |
| Date last cultivated  |   |  |  |
| Additional information  |   |  |  |
| Service Provider  | Dyfed Archaeological Trust  |  |  |
| Officer   | Alice Pyper   |  |  |
| HEF UID   |   |  |  |
| Decision (If the proposal is considered to be inappropriate at this location please provide an explanation) | Thank you for forwarding this Glastir Woodland Creati proposal to us.  Dyfed Archaeological Trust have reviewed the new planti proposals for Lambston Hall against the Historic Environme Records database and other readily available record source and have assessed that the application, as submitted, has to potential to have an impact upon the following Histor Environment Features (HEF's):  PRN 3298 – Defended Enclosure  Walesland Rath is an oval defended enclosure occupying a los sloping inland promontory at c.35m above sea level. measures c.65m SE-NW and 50m SW-NE internally, and defined by a bank and ditch with an entrance on the southers side. The site was excavated in 1967-8 by G J Wainwrig revealing several roundhouses and other structures. Artefatinclude sherds of Iron Age pottery as well as a lar assemblage of Romano-British pottery and other artefact Occupation of the site started in the 2nd-3rd centuries BC a continued to the 3rd-4th centuries AD. Following excavation the earthwork ramparts were levelled.  There is now no trace of the enclosure on the ground, althout the defensive ditch shows as a crop-mark on aer photographs. |  |  |

|                              | Dyfed Archaeological Trust therefore advise that in order to comply with UKFS <i>Forests and the historic environment</i> guidance, the following advice should be adhered to in the Glastir Woodland Creation plan: Planting within the areas outlined on the accompanying map should be avoided. |              |            |
|------------------------------|--|--------------|------------|
| Further Assessment Required? | No   |              |            |
| Date received                | 28/01/2020   | Date replied | 18/02/2020 |



Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database right 2011. All rights reserved. Ordnance Survey Licence number 100017916.