

THE TRUST FOR WELSH ARCHAEOLOGY

YMDDIRIEDOLAETH ARCHAEOLEGOL CYMRU Corner House 6 Carmarthen Street Llandeilo Carmarthenshire SA19 6AE Ty Cornel 6 Stryd Caerfyrddin Llandeilo Sir Gaerfyrddin SA19 6AE

DAT329 8<sup>th</sup> November 2024


Dear Menna,

## NRW Screening Request FLA137 24-25 Fort Wood

Thank you for your felling licence consultation. I have reviewed the map boundaries against the regional Historic Environment Record (HER) and other sources and note the consultation area lies close to the Scheduled Ancient Monument, Trelessy Defended Enclosure PE563, therefore Cadw must be consulted. I am copying this response to Louise Mees Inspector of Ancient Monuments and Archaeology (South West Wales).

I also note the following feature within the consultation area.

PRN130877FACTORY WOOD POST MEDIEVAL OUTBUILDINGSN1757907684Outbuilding recorded on 1st and 2nd Edition Ordnance Survey Map. A. Powell 2024.





THE TRUST FOR WELSH ARCHAEOLOGY

YMDDIRIEDOLAETH ARCHAEOLEGOL CYMRU Corner House 6 Carmarthen Street Llandeilo Carmarthenshire SA19 6AE Ty Cornel 6 Stryd Caerfyrddin Llandeilo Sir Gaerfyrddin SA19 6AE

The current condition of this feature is unknown; however, it may survive as ruin, earthwork or below ground archaeology. We advise that the historic environment feature (labelled on the map above and marked with a green polygon) is protected from damage during forest operations, to comply with UKFS Forests and the historic environment guidance.

There is always the possibility for previously unknown remains to survive within this area of which we have no knowledge. Should further archaeological features or finds be identified it is important that Heneb – The Trust for Welsh Archaeology, Heritage Management Dyfed region is informed and further information and advice can then be provided as required.

Alexandra Powell Heritage Management Archaeologist a.powell@dyfedarchaeology.org.uk

