

## **Glastir Woodland Creation: Consent Advice Form**

CRN	A0060727			
Glastir Farm Name and Scheme Ref.	Glasfryn EOI 7618165			
Parcel No.	SN5227:1797 0.7ha SN5228:2515 1.0ha SN5228:0712 1.0ha			
NGR	SN52152806			
Option No.	801			
Option Name	Native Woodland Biodiversity			
Date last cultivated	-			
Additional information	-			
Service Provider	Dyfed Archaeological Trust			
Officer	Alice Pyper			
HEF UID	314243			
Decision (If the proposal is considered to be inappropriate at this location please provide an explanation)	Thank you for forwarding this Glastir Woodland Creation proposal to us.  Dyfed Archaeological Trust have reviewed the new planting proposals for Glasfryn against the Historic Environment Records database and other readily available record sources and have assessed that the application, as submitted, has the potential to have an impact upon the following Historic Environment Features (HEF's):  PRN 11026 BRONZE AGE STANDING STONE SN521280  A recumbent stone measuring 1.3m x 1m is situated approx 100yds from the gateway along the western edge of the field. See photo. A pile of stones is situated on the eastern edge of the field but this appears to be a clearance cairn. L Weeks DAT 1985  A thorough search of all the field boundaries plus the surrounding fields yielded nothing about this Standing stone (11026). N Cook PFRS 2003  Dyfed Archaeological Trust therefore advise that in order to comply with UKFS Forests and the historic environment guidance, the following advice should be adhered to in the Glastir Woodland Creation plan:			

standing stone should be left unplanted. Although the stone may have been removed, standing stones often have associated below ground archaeology which is not visible on the ground surface. Therefore as much open ground as possible should be incorporated into the planting design around the location of this stone.



Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database right 2011. All rights reserved. Ordnance Survey Licence number 100017916.

Further Assessment Required?	No		
Date received	02/12/2020	Date replied	20/01/2021