

SR2010No4 Mobile Plant for Land-spreading Deployment Application

**Hafod Farm, Nant Y Croi Farm, Trefwtial Farm &
Castell Malgwyn Farm**

Applicant:

**Stepside Agri Contractors (Gwbert Road, Cardigan,
SA43 1PH)**

Permit Number: EPR/AB3891CX

Date: 11/06/2020

Application for an environmental permit:

Part LPD1 – Application for a deployment

Use this form for deployments for the landspreading of waste where the operator holds a permit for any of the following standard rules:

- SR2010No4 Mobile plant for landspreading (land treatment resulting in agricultural or ecological benefit);
- SR2010No5 Use of mobile plant for land reclamation, restoration or improvement of land;
- SR2010No6 Mobile plant for landspreading of sewage sludge; or a
- Bespoke mobile plant permit for landspreading or land reclamation.

Please check that this is the latest version of the form available from our website.

Please read through this form and the guidance notes that

come with it. All relevant guidance documents can be found on our website.

Where you see the term 'document reference' on the form, give the document references and send the documents with the application form when you've completed it.

Contents

- 1 About the permit
- 2 About you
- 3 Contact details
- 4 About the deployment
- 5 Payment
- 6 Supporting documents
- 7 Data Protection Act 1998
- 8 Confidentiality and national security
- 9 Declaration

1 About the permit

1a Discussions before your application

If you have had discussions with us before your application, give us the case reference or details on a separate sheet.

Case or document reference

1b Permit number

Permit number this application relates to

EPR/AB3891CX

1c What type of permit do you want to deploy under? (Please tick)

- SR2010No4 Mobile plant for landspreading (land treatment resulting in agricultural or ecological benefit) ☒
- SR2010No5 Use of mobile plant for land reclamation, restoration or improvement of land ☐
- SR2010No6 Mobile plant for landspreading of sewage sludge ☐
- Bespoke mobile plant permit for landspreading or reclamation, restoration or improvement of land ☐

2 About you

Please give us details of the permit holder. For companies, the details must match Companies House.

Organisation name (if relevant)

Stepside Agri

Title

Mr

First name

Daniel

Last name

James

Address

Stepside Farm

	Gwbert Road
	Cardigan
	Ceredigion
Postcode	SA43 1PH
Telephone - mobile	07966 521386
Telephone - office	01239 621354
Email address	enquiries@stepside.biz

If you are applying as an organisation of individuals, every partner needs to give us their details, including their title. If necessary, continue on a separate sheet and tell us the reference you have given the sheet.

Document reference	
--------------------	--

3 Contact details

Who can we talk to about your application? This can be someone acting as a consultant or 'agent' for you.

Title	Mr	
First name	David	
Last name	Powell	
Telephone - mobile	07968 496178	
Telephone - office		
Email address	dave.purlon@gmail.com	

4 About the deployment

4a Multiple deployments for one area of land

You may spread more than 10 waste streams on the same area of land, provided you submit additional fully completed deployment forms listing the additional wastes. Your benefit statement must take into account the total benefit to the land of all wastes to be spread.

Is this deployment one of a batch (multiple deployments) for the same area of land?

No ☒ Go to section 4b

Yes ☐ How many deployments are in the batch?

4b Nominated competent person

4b1 Give us details of the nominated competent person. This is the person who will be responsible for compliance with the permit for this deployment. See the guidance notes on LPD1 for further details.

Title	Mr	
First name	David	
Last name	Powell	

Telephone - mobile	07968 496178
Telephone - office	
Email address	dave.purlon@gmail.com

4b2 What evidence are you using to show the nominated competent person has suitable technical skills and knowledge to manage the activity?

- An approved technical scheme ☒ *Go to section 4b3*
- Documented in-house training ☐ You must provide evidence – see below.

You must provide evidence to show the documented in-house training meets the requirements set out in technical guidance. See the guidance notes on LPD1 for further details and give us the document reference.

Document reference *Go to section 4c*

4b3 Which approved scheme are you using to show you have the suitable technical skills and knowledge to manage your facility?

- CIWM / WAMITAB ☒
- ESA / EU ☐

4b4 Tick to confirm you've included all original *and* continuing competence evidence. ☒

4c Which risk band does the activity fall within?

Please complete Table 1 below to indicate which risk band your activity falls within. This is a combination of waste types and proximity to sensitive receptors.

Once you have selected the risk band your activity falls within, the form guidance tells you what additional information you need to send with the application.

The risk banding affects the fee you need to send with your deployment application. See section 6.

Table 1 – risk band			
Permit type	Lower risk location		High risk location
	- Not in an SPZ 2, and/or - Over 500 meters from: • European site, and/or • Ramsar, and/or • SSSI		- In a Source Protection Zone 2, and/or - 500 meters or less from: • European site, and/or • Ramsar, and/or • SSSI You <i>must</i> submit a site specific risk assessment.
SR2010No4 List A wastes (Lower risk)	Low risk deployment <input type="checkbox"/>	Medium risk (2) deployment <input type="checkbox"/>	
SR2010No4 List B wastes (Higher risk)	Medium risk (1) deployment <input type="checkbox"/>	High risk deployment <input checked="" type="checkbox"/>	
SR2010No5 (Any waste listed)	Medium risk (1) deployment <input type="checkbox"/>	High risk deployment <input type="checkbox"/>	
SR2010No6 (Any waste listed)	Medium risk (1) deployment <input type="checkbox"/>	High risk deployment <input type="checkbox"/>	
Bespoke mobile plant permit	Low risk deployment <input type="checkbox"/>	Medium risk deployment <input type="checkbox"/>	High risk deployment <input type="checkbox"/>

4d Additional information on sensitive receptors

Is the deployment within an SPZ 2 and/or 500m of a European site, Ramsar or SSSI, or being made under a bespoke permit?

No ☐

Yes ☒ You must submit a site specific risk assessment (see question 4e).

4e Site specific risk assessment

Your site specific risk assessment must show how you intend to prevent any harm to any SPZ 2, European site, Ramsar or SSSI. For more information on risk-assessment please see the accompanying guidance to LPD1 and Technical Guidance Note 'TGN 8.01'.

Please tick a box below to indicate which type of risk-assessment you have submitted.

I have attached a site-specific risk-assessment as the deployment is within and SPZ 2 and/or 500m of a European site, Ramsar or SSSI. I have also addressed risks to other receptors in the risk assessment ☒

I am not within an SPZ 2 and/or 500 m of a European site, Ramsar or SSSI but have addressed risks to other receptors in my benefit statement. ☐

I am deploying under a bespoke permit and have attached a site-specific risk assessment (regardless of location). ☐

4f About the waste

Please list all the individual waste streams you want to spread/use under this deployment, in Table 2 below. We've included an example to help you.

Please note: You can only spread/use 10 waste types per deployment.

Table 2 – waste types					
	List of Waste code (6 digit)	Waste description	Physical form	Waste producer	Total amount being spread/used (tonnes)
e.g.	03 03 05	De-inked paper	Sludge	Smith's Newsprint	500
1	02 05 02	Sludge from dairy waste treatment	Liquid	Dairy Partners – Newcastle Emlyn	5,000
2	02 05 02	Sludge from dairy waste treatment	Liquid	Volac – Felinfach	4,805
3	02 07 02	Spent wash from spirits distillation	Liquid	The Welsh Whisky Co. – Penderyn Distillery	2,881
4	19 09 02	Sludges from water clarification	Liquid	Dwr Cymru Welsh Water – Bryngwyn WTW	12,500
5	19 09 02	Sludges from water clarification	Liquid	Dwr Cymru Welsh Water – Capel Dewi WTW	12,500
6	19 09 02	Sludges from water clarification	Liquid	Dwr Cymru Welsh Water – Strata Florida WTW	2,855
7					N.B. Maximums for single waste stream
8					
9					
10					
Total tonnage					Max. 12,500

4g About the land you want to treat

4g1 Please give details of the main address of the land to be treated.

Address	Hafod Farm
	Ferwig
	Cardigan
	Ceredigion
Postcode	SA43 1PU
National grid reference (12 digit)	SN 18094 50342

4g2 What type of land do you want to treat?

Agricultural land ☒ Please give your County/ Parish/ Holding number CPH 55/226/0027

Non-agricultural land ☐

4h The parcels of land you want to treat

Please list all the individual areas (parcels) of land you want to include this deployment, in Table 3 below.

Please note: the total area to be treated must not be more than 50 hectares.

Table 3 – parcels of land				
	Field name/ number/ reference	Grid reference - centre of field (12 digit)	Waste types to be spread/used (List of Waste code) Separate using commas.	Size (hectares)
1	Please see continuation sheet: Table 3 Details of land to be treated			
2				
3				
4				
5				
6				
7				
8				
9				
10				
Total hectares				50.00

4i Is the permit holder the owner or occupier of the land you want to spread on/treat?

Yes ☐ *Go to section 4k*

No ☒ You must give us details of the land owner or occupier, below.

Organisation name (if relevant)		
Title	Mr	

First name	Morris
Last name	Davies
Address	Hafod Farm
	Ferwig
	Cardigan
	Ceredigion
Postcode	SA43 1PU
Telephone - mobile	07974102696
Telephone - office	
Email address	

If there is more than one owner or occupant for the area covered by this deployment, you must give us details of each. Please continue on a separate sheet and tell us the reference you have given the sheet.

Document reference	Farm Details
--------------------	--------------

4j Do you have the consent of the owner or occupier to carry out the activity?

Yes ☒ Go to section 4k

No ☐ You must tell us why you think you can carry out the activity without the consent of the occupier. Please give an explanation in the box, below. Continue on a separate sheet if needed.

Explanation

4k Previous land treatment

Has any of the land listed in Table 3 been treated with other wastes, sewage sludge, slurries or manures etc. in the last 12 months?

No ☐ Go to section 4l

Yes ☒ You must give us details in Table 4 below *and* account for them in your benefit statement.

Table 4 – previous land treatment					
	Field name/ number/ reference	Describe the waste spread (in last 12 months)	Person/ company who spread the waste	Quantity spread per hectare (in tonnes)	Deployment/ other reference (if known)
e.g.	East field	Digested sewage sludge cake	Eastern Waters	20	PAN 000000

1	Please see continuation sheet: Table 4 - Previous land treatment				
2					
3					
4					
5					
6					
7					
8					
9					
10					

4I Waste storage

Are you proposing to store waste in connection with this deployment?

No ☐ *Go to section 5*

Yes ☒ You must give us details in Table 5 below.

Table 5 – waste storage details

	Grid reference (12 digit)	Waste type being stored (6 digit List of Waste code)	Storage method	Quantity stored at any one time (in tonnes)
1	SN 18155 50376	02 05 02 or 02 07 02 or 19 09 02	Contingency Lagoon Store	600
2	SN 18100 50729	02 05 02 or 02 07 02 or 19 09 02	Nurse tank	100
3	SN 22136 43107	02 05 02 or 02 07 02 or 19 09 02	Above ground storage tank	350
4	SN 22133 41942	02 05 02 or 02 07 02 or 19 09 02	Nurse tank	100
5	SN 24252 50344	02 05 02 or 02 07 02 or 19 09 02	Nurse tank	100
6				
7				
8				
9				
10				

5 Payment

5a Tick an option below to show how you will pay for the application.

Electronic transfer (for example, BACS)	<input checked="" type="checkbox"/>	<i>Go to section 5b</i>
Cheque	<input type="checkbox"/>	<i>Go to section 5c</i>
Postal order	<input type="checkbox"/>	<i>Go to section 5d</i>
Credit or debit card	<input type="checkbox"/>	<i>Go to section 5e</i>

5b Paying by electronic transfer

If you choose to pay by electronic transfer use the following information to make your payment.

Company name: Natural Resources Wales
Company address: Income Dept., PO BOX 663, Cardiff, CF24 0TP
Bank: RBS
Address: National Westminster Bank Plc, 2 ½ Devonshire Square, London, EC2M 4BA
Sort code: 60-70-80
Account number: 10014438

Reference number

You can use any reference number but we prefer the number to be 'EPDEP' followed by the first five letters of your organisation name followed by a four-digit number.

For example, for a company named Joe Bloggs Ltd, the reference number might be EPDEPJOEBL0001. (Remember you can use any four-digit number at the end.)

The reference number you will provide will appear on our bank statements so we can check your payment. We may need to contact your bank to make sure the reference number is quoted correctly.

You should also email your payment details and payment reference number to banking.team@naturalresourceswales.gov.uk / banking.team@cyfoethnaturiolcymru.gov.uk or fax it to 0300 065 3001 and enter it in the space provided below.

BACS reference	EPDEPSTEPS0043
Amount paid	£1,018

Making payments from outside the UK

These details have changed. If you are making your payment from outside the United Kingdom (which must be received in sterling), our IBAN number is GB70 NWBK6070 8010 0144 38 and our SWIFT/BIC number is NWBKGB2L.

If you do not quote your payment reference number, there may be a delay in processing your payment and application.

5c Paying by cheque or postal order

You should make cheques or postal orders payable to Natural Resources Wales and they should be marked 'A/c Payee'. We will not accept post-dated cheques (cheques with a future date written on them).

Cheque/ postal order number	
Amount paid	

5d Paying by credit or debit card

If you are paying by credit or debit card, please fill in the separate form CC1.

You can download this from our Website or you can ask for one of our customer service providers to send one by post. We will destroy your card details once we have processed your payment. We can accept payments by Visa, MasterCard or Maestro UK card only.

6 Supporting documents

You must provide all relevant documents to support your application. The information we need depends on the type of deployment application you're making. If you don't provide us with all the information we need, we won't be able to assess your proposal and the application may be rejected.

Better quality deployments result in shorter processing times. If we don't need to come back to you for more information, we'll be able to give you a decision quicker.

6a What supporting evidence do you need to send?

Are you applying to spread/use waste under a SR2010 No4 standard rule set permit?

Yes ☒ Complete the checklist in Table 6 *and* Table 7 *Go to section 6b*

No ☐ Complete the checklist in Table 7 only. *Go to section 6c*

6b Checklist for deployments under SR2010 No4 only

Complete the checklist in Table 6, below. Tick to confirm you've completed the action.

Table 6	
Do the grid references (for fields and storage areas) match the map locations?	<input checked="" type="checkbox"/>
Are the grid references in the correct format i.e. AB 12345 67890?	<input checked="" type="checkbox"/>
Have details of previous land treatment been provided?	<input checked="" type="checkbox"/>
Have you included a location map?	<input checked="" type="checkbox"/>
Does the map include all the relevant features as set out in the guidance?	<input checked="" type="checkbox"/>
Have you included a waste analysis?	<input checked="" type="checkbox"/>
Is the waste analysis for each waste less than 12 months old?	<input checked="" type="checkbox"/>
Does the waste analysis include pH, Nitrogen (N), Phosphorus (P), Potassium (K), % dry matter and Potentially Toxic Elements (PTE's)?	<input checked="" type="checkbox"/>
Have you included a soil analysis?	<input checked="" type="checkbox"/>
Is the soil analysis less for each field than 4 years old?	<input checked="" type="checkbox"/>
Does the soil analysis provide the soil pH, Potassium (K), Phosphorus (P), Magnesium (Mg) and PTEs if they are high in the waste?	<input checked="" type="checkbox"/>
Have the soil indices for P, K and Mg for each field been provided?	<input checked="" type="checkbox"/>
Have you included a Certificate of Agricultural Benefit?	<input checked="" type="checkbox"/>
Has the proposed cropping regime been stated?	<input checked="" type="checkbox"/>
Has the waste application rate been stated?	<input checked="" type="checkbox"/>
Has the timing of application been stated and is it appropriate for the cropping regime?	<input checked="" type="checkbox"/>
Has the intended method of waste application been stated?	<input checked="" type="checkbox"/>
Have the total nutrients supplied by the waste been stated and have they been provided in oxide format?	<input checked="" type="checkbox"/>
Has the nutrient requirement for the proposed crop been provided?	<input checked="" type="checkbox"/>
Has the soil nitrogen supply (SNS) for each field been provided?	<input checked="" type="checkbox"/>
If the land has been treated with other wastes, sewage sludge, slurries manures etc. in the last 12 months, has relevant information been provided?	<input checked="" type="checkbox"/>

If more than one waste stream is to be applied to the land; has the benefit for each individual waste stream been demonstrated?	<input checked="" type="checkbox"/>
Have you included a site specific risk assessment? (where relevant)	<input checked="" type="checkbox"/>
Does the Site Specific Risk Assessment; consider all potential receptors, identify all risks from the activity, and include information on all measures you'll use to minimise or mitigate the impact and why they're suitable.	<input checked="" type="checkbox"/>

6c Checklist for all types of deployment application.

Complete the checklist in Table 7, below. Tick to confirm you've completed the action.

Table 7		
Item	Complete	Your document reference/ description
Location map (required for all deployments)	<input checked="" type="checkbox"/>	
Benefit statement (required for all deployments)	<input checked="" type="checkbox"/>	
Waste analysis (required for all deployments)	<input checked="" type="checkbox"/>	
Receiving soil analysis (required for all deployments)	<input checked="" type="checkbox"/>	
Site-specific risk assessment (in accordance with 4e)	<input checked="" type="checkbox"/>	
Any other additional information	N/A	Farm Details
	N/A	Table 3 Details of land to be treated
	N/A	Table 4 Previous land treatment
	N/A	

7 The data Protection Act 1998

We, the Natural Resources Body for Wales (hereafter "Natural Resources Wales"), will process the information you provide so that we can:

- deal with your application;
- make sure you keep to the conditions of the licence, permit or registration;
- process renewals; and
- keep the public registers up to date.

We may also process or release the information to:

- offer you documents or services relating to environmental matters;
- consult the public, public organisations and other organisations (for example, the Health and Safety Executive, local authorities, the emergency services, the Department for Environment, Food and Rural Affairs) on environmental issues;
- carry out research and development work on environmental issues;
- provide information from the public register to anyone who asks;
- prevent anyone from breaking environmental law, investigate cases where environmental law may have been broken, and take any action that is needed;
- assess whether customers are satisfied with our service, and to improve our service; and
- respond to requests for information under the Freedom of Information Act 2000 and the Environmental Information Regulations 2004 (if the Data Protection Act allows).

We may pass the information on to our agents or representatives to do these things for us.

8 Confidentiality and national security

We will normally put all the information in your application on a public register of environmental information. However, we may not include certain information in the public register if this is in the interests of national security, or because the information is confidential.

You can ask for information to be made confidential by ticking the box below and enclosing a letter with your application giving your reasons. If we agree with your request, we will tell you and not include the information in the public register. If we do not agree with your request, we will let you know how to appeal against our decision, or you can withdraw your application.

Please treat the information in my application as confidential. ☐

You can tell the Secretary of State that you believe including information on a public register would not be in the interests of national security. You must enclose a letter with your application telling us that you have told the Welsh Ministers and you must still include the information in your application. We will not include the information in the public register unless the Welsh Ministers decides that it should be included.

Only tick the box below if you are certain that you wish to claim confidentiality or national security for your application. This may delay your application.

I attach a letter stating that I have written to the Welsh Ministers explaining why my information should not be included on the public register for national security reasons ☐

9 Declaration

You must read this section before making the declaration and sending your form to us.

A relevant person should make the declaration. You must be a relevant person or have the authority of a relevant person to sign this application on their behalf.

Relevant people means each applicant, and in the case of a company, a director, manager, company secretary or any similar officer or employee listed on current appointments in Companies House. In the case of a Limited Liability Partnership (LLP), it includes any partner. If the permit holder is an organisation of individuals, each individual (or individual trustee) must complete the declaration.

To simplify and speed up the application process we recommend that the declaration is filled in by an officer of a company or one of the partners in a Limited Liability Partnership (LLP).

If you wish a manager, employee or consultant etc. to sign the declaration on behalf of a relevant person, we will need written confirmation from a relevant person; that is, an officer of the company, a partner in the LLP or the individual, confirming that the person has the authority to fill in the declaration.

If you are joint permit holders you should each fill in your own declaration. We have provided a separate sheet for this.

Where the operator is the subject of any insolvency procedure, the declaration must be filled in by the official receiver/appointed insolvency practitioner.

9a Are you signing the form on *behalf* of a relevant person?

If you are *not* a relevant person, but want to sign the application on their behalf, you must include confirmation that you can do this.

I have included written confirmation from a relevant person to confirm I can sign on their behalf. ☒

9b Does your deployment application relate to a standard facility permit?

If your deployment application is being made in relation to a standard facility permit (SRP), you also need to confirm that you are able to meet all relevant criteria of the standard rule set/sets under which you are applying.

I confirm that my activity/activities will fully meet the rules of the permit deployment I have applied for. ☒

9c Sign to confirm you understand the declaration.

If you knowingly or recklessly make a statement which is false or misleading to help you get an environmental permit (for yourself or another person), you are committing an offence under the Environmental Permitting (England and Wales) Regulations 2016.

I declare that the information in this application is true to the best of my knowledge and belief. I understand that this application may be refused or approval withdrawn if I give false or incomplete information.

I understand that if I knowingly or recklessly make a false or misleading statement:

- **I may be prosecuted; and**
- **if convicted, I may have to pay a fine and/or go to prison.**

By signing below, you are confirming that you understand and agree with the declaration above.

Title	Mr	
First name	David	
Last name	Powell	
On behalf of (if relevant)	Mr Daniel James	
Today's date (DD/MM/YYYY)	11/06/2020	



Continuing Competence Certificate

This certificate confirms that

David Powell

Has met the relevant requirements of the Continuing Competence scheme for the following award(s) which will remain current for two years from 13/01/2020

AD
LS

Anaerobic Digestion
Land Spreading

**Expiry Date:
13/01/2022**

Verification date: 03/01/2020

Authorised:

WAMITAB Chief Executive Officer

Learner ID: 21046


Certificate No.: 5157880

Date of Issue: 13/01/2020

CIWM Chief Executive Officer



The Chartered Institution
of Wastes Management



00133014

Farm details for Hafod Farm, Nant Y Croi Farm, Trefwtial Farm & Castell Malgwyn Farm deployment application

Mr. Morris Davies
Hafod Farm
Ferwig
Cardigan
Ceredigion
SA43 1PU

Grid Reference: SN 18094 50342

Mobile: 07974 102696
Holding number: 55/226/0027

Mr. Morris Davies
Nant Y Croi
Ferwig
Cardigan
Ceredigion
SA43 1PU

Grid reference: SN 18363 51085

Mobile: 07974 102696
Holding number: 55/226/0005

Mr. Gwyndaf Davies
Trefwtial Farm
Blaenannerch
Cardigan
Ceredigion
SA43 2AG

Grid Reference: SN 23733 48030

Mobile: 07816101266
Holding number: 55/226/0017

Mr. Geraint Morris
Castell Malgwyn Farm
Llechryd
Cardigan
Pembrokeshire
SA43 2QB

Grid Reference: SN 22119 43065

Tel: 01239 682361
Holding number: 55/502/0059










TABLE 3 Details of land to be treated

Field ref.	Spreadable area (hectares)	Grid reference (centre of fields)	Waste type(s) to be spread (LoW)
<u>Hafod Farm</u>			
Tyriet 1	1.60	SN 18066 50822	02 05 02, 02 07 02, 19 09 02
Tyriet 2	1.30	SN 18005 50957	02 05 02, 02 07 02, 19 09 02
Tyriet 3	4.00	SN 17876 50863	02 05 02, 02 07 02, 19 09 02
Tyriet 4	1.80	SN 17898 50624	02 05 02, 02 07 02, 19 09 02
Tyriet 5	1.60	SN 17874 50710	02 05 02, 02 07 02, 19 09 02
Tyriet 6	2.00	SN 17721 50455	02 05 02, 02 07 02, 19 09 02
Tyriet 7	2.60	SN 17679 50597	02 05 02, 02 07 02, 19 09 02
Hafod 2675	5.00	SN 18257 50747	02 05 02, 02 07 02, 19 09 02
<u>Nant Y Croi Farm</u>			
15	2.40	SN 18209 50894	02 05 02, 02 07 02, 19 09 02
<u>Trefwtial</u>			
Land at Rhosygadair 3	2.40	SN24464 50006	02 05 02, 02 07 02, 19 09 02
Land at Rhosygadair 4	6.00	SN 24247 50153	02 05 02, 02 07 02, 19 09 02
Land at Rhosygadair 5	3.00	SN 24339 50241	02 05 02, 02 07 02, 19 09 02
Land at Rhosygadair 6	2.60	SN 24418 50292	02 05 02, 02 07 02, 19 09 02
Land at Rhosygadair 7	3.40	SN 24616 50113	02 05 02, 02 07 02, 19 09 02
<u>Castell Malgwyn Farm</u>			
8440	3.70	SN 21858 42394	02 05 02, 02 07 02, 19 09 02
2301	6.60	SN 22246 42001	02 05 02, 02 07 02, 19 09 02
TOTAL	50.00		

TABLE 4 Previous land treatment

Field ref.	Waste description	Person/ company who spread the waste	Quantity spread per hectare (in tonnes)	Deployment / other reference (if known)
<u>Hafod Farm</u>				
Tyriet 1	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	69	PAN-005436
Tyriet 2	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	49	PAN-005436
Tyriet 3	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	66	PAN-005436
Tyriet 4	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	67	PAN-005436
Tyriet 5	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	69	PAN-005436
Tyriet 6	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	65	PAN-005436
Tyriet 7	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	65	PAN-005436
Hafod 2675	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	67	PAN-005436
<u>Nant Y Croi Farm</u>				
15	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	42	PAN-005436
<u>Trefwtial Farm</u>				
Land at Rhosygadair 3	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	50	PAN-005436
Land at Rhosygadair 4	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	53	PAN-005436
Land at Rhosygadair 5	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	45	PAN-005436
Land at Rhosygadair 6	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	46	PAN-005436
Land at Rhosygadair 7	Sludge from dairy waste treatment - Volac, Felinfach	Stepside Agricultural Contractors	50	PAN-005436
<u>Castell Malgwyn Farm</u>				
8440	Sludge from dairy waste treatment - Dairy Partners, Newcastle Emlyn	Stepside Agricultural Contractors	27	PAN-005436
2301	Sludge from dairy waste treatment - Dairy Partners, Newcastle Emlyn	Stepside Agricultural Contractors	35	PAN-005436

Map Key

	Non-Spreadable Section of Field
	10 Metres Buffer (Do Not Spread)
	Suitable for Spreading
	Lagoon Store
	Water Course (10 Metres Buffer)
	Foot Path
	Spring, Well or Bore Hole (50 Metres Buffer)
	Other Features
	Nurse Tank


Farmer: M Davies

Grid Ref: SN 17906 50678










Farm ID: Hafod Farm (Tyriet)

Farm Post Code: SA43 1PU

Hafod Farm (Tyriet) – Location Map




Map Key










	Non-Spreadable Section of Field
	10 Metres Buffer (Do Not Spread)
	Suitable for Spreading
	Store
	Water Course (10 Metres Buffer)
	Foot Path
	Spring, Well or Bore Hole (50 Metres Buffer)
	Other Features
	Nurse Tank

Farmer: M Davies
 Grid Ref: SN 18391 51086
 Farm ID: Hafod Farm
 Farm Post Code: SA43 1PU

Hafod Farm field 2675 – Location Map



Map Key

	Non-Spreadable Section of Field
	10 Metres Buffer (Do Not Spread)
	Suitable for Spreading
	Store
	Water Course (10 Metres Buffer)
	Foot Path
	Spring, Well or Bore Hole (50 Metres Buffer)
	Other Features
	Nurse Tank


Farmer: M Davies

Grid Ref: SN 18391 51086










Site ID: Nant Y Croi

Site Post Code: SA43 1PU

Nant Y Croi – Location Map



Map Key

	Non-Spreadable Section of Field
	10 Metres Buffer (Do Not Spread)
	Suitable for Spreading
	Store
	Water Course (10 Metres Buffer)
	Foot Path
	Spring, Well or Bore Hole (50 Metres Buffer)
	Other Features
	Nurse Tank


Farmer: G Morris

Grid Ref: SN 22133 42565










Farm ID: Castell Malgwyn Farm

Farm Post Code: SA43 2QB

Castell Malgwyn Farm – Location Map



Map Key

	Non-Spreadable Section of Field
	10 Metres Buffer (Do Not Spread)
	Suitable for Spreading
	Lagoon Store
	Water Course (10 Metres Buffer)
	Foot Path
	Spring, Well or Bore Hole (50 Metres Buffer)
	Other Features
	Nurse Tank


Farmer: G Davies

Grid Ref: SN 24388 50157

Farm ID: Trefwtial Farm (land at Rhosygadair)

Farm Post Code: SA43 2AG

Trefwtial Farm (land at Rhosygadair) – Location Map



Statement of Agricultural Benefit – Hafod Farm, Nant Y Croi Farm, Trefwtial Farm & Castell Malgwyn Farm



Applicant: Stepside Agri Contractors

Permit: SR2010 No4: mobile plant for land-spreading

Permit Number: EPR/AB3891CX

Person with Technical Expertise:

Mr David Powell

FACTS: FE/2981

WAMITAB CCC No: 5157880

Phone number: 07968 496178

Email: dave.purlon@gmail.com

Farm Addresses:

Hafod Farm, Ferwig, Cardigan, SA43 1PU - Holding No. 55/226/0027

Nant Y Croi Farm, Ferwig, Cardigan, Ceredigion, SA43 1PU - Holding No. 55/226/0005

Trefwtial Farm, Blaenannerch, Cardigan, SA43 2AG - Holding No. 55/226/0017

Castell Malgwyn Farm, Llechryd, Cardigan, Pembrokeshire, SA43 2QB – Holding No. 55/502/0059

Wastes to be applied:

Waste Code	Waste Description	Physical Form	Waste Producer
02 05 02	Waste from the dairy products industry – sludges from on-site effluent treatment	Liquid	Dairy Partners, Newcastle Emlyn
02 05 02	Waste from the dairy products industry – sludges from on-site effluent treatment	Liquid	Volac, Felinfach
02 07 02	Waste from spirits distillation – spent wash	Liquid	The Welsh Whisky Co., Penderyn Distillery, Penderyn
19 09 02	Sludges from water clarification	Liquid	Dwr Cymru Welsh Water – Bryngwyn WTW
19 09 02	Sludges from water clarification	Liquid	Dwr Cymru Welsh Water – Capel Dewi WTW
19 09 02	Sludges from water clarification	Liquid	Dwr Cymru Welsh Water – Strata Florida WTW

Application:

- The grass silage fields will be spread subject to ground conditions being suitable and when there is a significant crop nutrient requirement (i.e. early spring, after a silage cut). Spreading of these grass fields will be split into multiple applications throughout the season and the total of all applications will not exceed the max application rate per field as listed in table 1. The fields will be spread with shallow injection equipment. Fields 'land at Rhosygadair 4, 5 & 6' will be spread in spring 2021 immediately prior to cultivations and planting of the forage maize crops. The waste will be incorporated into the soil.
- Spreading of the waste will be carried out in accordance with the Code of Good Agricultural Practice ("Protecting our Water, Soil and Air. Defra, 2009) and in accordance with the requirements of the deployment and environmental permitting regulations.
- NRW will be informed at least 48 hours prior to any spreading commencing and no spreading will occur within 48 hours of forecasted rainfall.
- The waste will be directly spread onto the fields assuming ground conditions are suitable at the time of waste receipt, or for stored in a secure above ground liquid storage tank for future application for the Castell Malgwyn Farm fields when conditions are suitable and there is requirement for application. Should the ground or weather conditions mean it's unsuitable for spreading the Hafod Farm fields then contingency field storage in a lagoon store may also be required. These potential locations are detailed on the attached field maps and within the LPD1 form.
- The maximum application rate for each field will be split into multiple applications and will not exceed 50t/ha in any one application to a field.
- Waste will not be stored or spread in combination (i.e. only one waste stream per field).**

Benefits from waste application:

- The analysis and nutrient content of the wastes are shown in the waste analysis attachments.
- The wastes are a source of nitrogen, phosphate, potassium, magnesium, sulphur, sodium, calcium and organic matter. The wastes can be beneficially used to replace a proportion of bagged mineral fertiliser.
- At the proposed application rates for each of the wastes in this deployment the amount of total magnesium supplied by the wastes is up to 2-16 kg MgO /ha.
- The risk of sulphur deficiency has been estimated as 'High' based on the soil texture and expected winter rainfall (RB209). The crop requirements are approximately 40 kg SO₃/ha before each cut of grass silage. The amount of available sulphur supplied by the wastes is between 2-16 kg SO₃/ha.
- The addition of sodium will improve the palatability of grass and is important in the diet for livestock health. The crop requirements for the grass fields are up to 140 kg/ha Na₂O.
- The addition of organic matter to the soil will help improve soil structural stability, biological activity, water and nutrient holding capacity i.e. resistance to drought, and reduction of localised flooding, reduced leaching of nutrients, and improved workability in soil.
- The recommended maximum application rates are shown in Table 1 and have been made on a field by field basis using The Nutrient Management Guide (RB209).

Materials applied in previous 12 months:

The fields within this deployment application have received the rates (t/ha) of Volac & Dairy Partners sludge from dairy waste treatment as in 'Table 4 - Previous Land Treatment' under deployment PAN-005436 within the previous 12 months.

It's considered that the nutrients applied from these applications will have been utilised by the previous crops before the material within this deployment is applied for the next crops.

Nutrients supplied by this application:

Rates of application (t/ha)	Nitrogen kg/ha		Phosphate (P ₂ O ₅) kg/ha		Potash (K ₂ O) kg/ha		Magnesium (MgO) kg/ha		Sulphur (SO ₃) kg/ha	
	Total	Available	Total	Available	Total	Available	Total	Available	Total	Available
Dairy Partners liquid sludge @ 100 t/ha	10	2	2	1	9	7	2	0	9	2
Volac liquid sludge @ 89 t/ha	53	11	56	34	128	102	11	1	14	3
Volac liquid sludge @ 100t/ha	60	12	63	38	144	115	12	1	16	3
Estimated Availability	20%		60%		80%		10%		20%	

Rates of application (t/ha)	Nitrogen kg/ha		Phosphate (P ₂ O ₅) kg/ha		Potash (K ₂ O) kg/ha		Magnesium (MgO) kg/ha		Sulphur (SO ₃) kg/ha	
	Total	Available	Total	Available	Total	Available	Total	Available	Total	Available
TWWC Penderyn Distillery spent wash @ 67 t/ha	54	5	56	28	55	50	16	2	15	3
Estimated Availability	10%		50%		90%		10%		20%	

Rates of application (t/ha)	Nitrogen kg/ha		Phosphate (P ₂ O ₅) kg/ha		Potash (K ₂ O) kg/ha		Magnesium (MgO) kg/ha		Sulphur (SO ₃) kg/ha	
	Total	Available	Total	Available	Total	Available	Total	Available	Total	Available
DCWW Bryngwyn WTW liquid sludge @ 250 t/ha	33	3	10	2	1	0	6	1	44	4
DCWW Capel Dewi WTW liquid sludge @ 250 t/ha	53	5	22	4	4	1	11	2	67	7
DCWW Strata Florida WTW liquid sludge @ 172 t/ha	95	9	80	16	2	0	5	1	156	16
Estimated Availability	10%		20%		20%		20%		10%	

Table 1: Field, Soil & Cropping Details, Fertiliser Recommendations and Application Rates

					Nitrogen		Phosphate			Potash			Magnesium	
Field Ref.	Soil Type	Spreadable Area (ha)	Previous Crop	Next Crop	SNS	N Required (kg/ha)	P Index	P ₂ O ₅ Required (kg/ha)	Crop Use (Offtake) (kg/ha)	K Index	K ₂ O Required (kg/ha)	Crop Use (Offtake) (kg/ha)	Mg Index	MgO Required (kg/ha)
<u>Hafod Farm</u>														
Tyriet 1	Medium soils	1.60	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	3	20	80	1	320	282	2	0
Tyriet 2	Medium soils	1.30	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	2	80	80	1	320	282	2	0
Tyriet 3	Medium soils	4.00	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	2	80	80	1	320	282	3	0
Tyriet 4	Medium soils	1.80	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	2	80	80	1	320	282	3	0
Tyriet 5	Medium soils	1.60	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	2	80	80	1	320	282	2	0
Tyriet 6	Medium soils	2.00	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	2	80	80	0	370	282	2	0
Tyriet 7	Medium soils	2.60	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	2	80	80	1	320	282	2	0
Hafod 2675	Medium soils	5.00	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	2	80	80	2-	280	282	3	0
<u>Nant Y Croi Farm</u>														
15	Medium soils	2.40	Grass 2 cuts silage & grazing	Grass 2 cuts silage & grazing	Moderate	205	3	20	65	1	270	228	2	0
<u>Trefwtial Farm</u>														
Land at Rhosygadair 3	Medium soils	2.40	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	3	20	80	1	320	282	3	0
Land at Rhosygadair 4	Medium soils	6.00	Forage rape	Forage maize	1	100	3	20	56	2+	145	176	2	0
Land at Rhosygadair 5	Medium soils	3.00	Forage rape	Forage maize	1	100	4	0	56	3	110	176	3	0
Land at Rhosygadair 6	Medium soils	2.60	Forage rape	Forage maize	1	100	3	20	56	3	110	176	3	0
Land at Rhosygadair 7	Medium soils	3.40	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	2	80	80	0	370	282	2	0
<u>Castell Malgwyn Farm</u>														
8440	Medium soils	3.70	Grass 2 cuts silage & grazing	Grass 2 cuts silage & grazing	Moderate	205	2	65	65	1	270	228	2	0
2301	Medium soils	6.60	Grass 3 cuts silage	Grass 3 cuts silage	Moderate	250	3	20	80	2-	280	282	3	0
TOTAL		50.00												

Nutrient requirements based on: Forage maize silage 40 t/ha (30% DM)
Grass 3 cuts silage (23t FW/ha at 1st cut, 15t FW/ha at 2nd cut, 9t FW/ha at 3rd cut), silage 25% DM, totalling 1.7kg/t P2O5 and 6.0kg/t K2O removed in offtake
Grass 2 cuts silage & grazing (23t FW/ha at 1st cut, 15t FW/ha at 2nd cut), silage 25% DM, totalling 1.7kg/t P2O5 and 6.0kg/t K2O removed in offtake + grazing
Expected DM yields of grass 9-12t/ha, good growth class

Field Ref.	Dairy Partners, Newcastle Emlyn - liquid sludge						Volac, Felinfach - liquid sludge						The Welsh Whisky Co., Penderyn Distillery - spent wash					
	N Applied - Waste (kg/ha)	P ₂ O ₅ Applied - Waste (kg/ha)	K ₂ O Applied - Waste (kg/ha)	MgO Applied - Waste (kg/ha)	Application Rate (t/ha)	Total Tonnes	N Applied - Waste (kg/ha)	P ₂ O ₅ Applied - Waste (kg/ha)	K ₂ O Applied - Waste (kg/ha)	MgO Applied - Waste (kg/ha)	Application Rate (t/ha)	Total Tonnes	N Applied - Waste (kg/ha)	P ₂ O ₅ Applied - Waste (kg/ha)	K ₂ O Applied - Waste (kg/ha)	MgO Applied - Waste (kg/ha)	Application Rate (t/ha)	Total Tonnes
Hafod Farm																		
Tyriet 1	**2	*2	**7	*2	100	160	**12	*63	**115	*12	100	160	**5	*56	**50	*16	67	107
Tyriet 2	**2	*2	**7	*2	100	130	**12	*63	**115	*12	100	130	**5	*56	**50	*16	67	107
Tyriet 3	**2	*2	**7	*2	100	400	**12	*63	**115	*12	100	400	**5	*56	**50	*16	67	268
Tyriet 4	**2	*2	**7	*2	100	180	**12	*63	**115	*12	100	180	**5	*56	**50	*16	67	121
Tyriet 5	**2	*2	**7	*2	100	160	**12	*63	**115	*12	100	160	**5	*56	**50	*16	67	107
Tyriet 6	**2	*2	**7	*2	100	200	**12	*63	**115	*12	100	200						
Tyriet 7	**2	*2	**7	*2	100	260	**12	*63	**115	*12	100	260	**5	*56	**50	*16	67	174
Hafod 2675	**2	*2	*9	*2	100	500	**12	*63	*144	*12	100	500	**5	*56	*55	*16	67	335
Nant Y Croi Farm																		
15	**2	*2	**7	*2	100	240	**11	*56	**102	*11	89	214	**5	*56	**50	*16	67	161
Trefwtial Farm																		
Land at Rhosygadair 3	**2	*2	**7	*2	100	240	**12	*63	**115	*12	100	240	**5	*56	**50	*16	67	161
Land at Rhosygadair 4	**2	*2	*9	*2	100	600	**11	*56	*128	*11	89	534	**5	*56	*55	*16	67	402
Land at Rhosygadair 5	**2	*2	*9	*2	100	300	**11	*56	*128	*11	89	267	**5	*56	*55	*16	67	201
Land at Rhosygadair 6	**2	*2	*9	*2	100	260	**11	*56	*128	*11	89	231	**5	*56	*55	*16	67	174
Land at Rhosygadair 7	**2	*2	**7	*2	100	340	**12	*63	**115	*12	100	340	**5	*56	**50	*16	67	228
Castell Malgwyn Farm																		
8440	**2	*2	**7	*2	100	370	**11	*56	**102	*11	89	329						
2301	**2	*2	*9	*2	100	660	**12	*63	*144	*12	100	660	**5	*56	*55	*16	67	442
TOTAL						5000						4805						2881

Waste will NOT be spread or stored in combination (i.e. one waste stream per field)
* Total nutrient content of waste used on P, K or Mg index 2 or above
** Available nutrient content of waste used on P, K or Mg index 0 or 1
The assumed availability of total nutrients in the Dairy Partners & Volac liquid sludge are N 20%, P₂O₅ 60%, K₂O 80%, MgO 10%, SO₃ 20%
The assumed availability of total nutrients in the TWWC Penderyn Distillery spent wash are N 10%, P₂O₅ 50%, K₂O 90%, MgO 10%, SO₃ 20%

Table 1: Field, Soil & Cropping Details, Fertiliser Recommendations and Application Rates (Continued)

Field Ref.	Dwr Cymru Welsh Water, Bryn Gwyn WTW - liquid sludge						Dwr Cymru Welsh Water, Capel Dewi WTW - liquid sludge						Dwr Cymru Welsh Water, Strata Florida WTW - liquid sludge					
	N Applied - Waste (kg/ha)	P ₂ O ₅ Applied - Waste (kg/ha)	K ₂ O Applied - Waste (kg/ha)	MgO Applied - Waste (kg/ha)	Application Rate (t/ha)	Total Tonnes	N Applied - Waste (kg/ha)	P ₂ O ₅ Applied - Waste (kg/ha)	K ₂ O Applied - Waste (kg/ha)	MgO Applied - Waste (kg/ha)	Application Rate (t/ha)	Total Tonnes	N Applied - Waste (kg/ha)	P ₂ O ₅ Applied - Waste (kg/ha)	K ₂ O Applied - Waste (kg/ha)	MgO Applied - Waste (kg/ha)	Application Rate (t/ha)	Total Tonnes
<u>Hafod Farm</u>																		
Tyriet 1	**3	*10	**0	*6	250	400	**5	*22	**1	*11	250	400	**9	*80	**0	*5	172	275
Tyriet 2	**3	*10	**0	*6	250	325	**5	*22	**1	*11	250	325						
Tyriet 3	**3	*10	**0	*6	250	1000	**5	*22	**1	*11	250	1000						
Tyriet 4	**3	*10	**0	*6	250	450	**5	*22	**1	*11	250	450						
Tyriet 5	**3	*10	**0	*6	250	400	**5	*22	**1	*11	250	400						
Tyriet 6	**3	*10	**0	*6	250	500	**5	*22	**1	*11	250	500						
Tyriet 7	**3	*10	**0	*6	250	650	**5	*22	**1	*11	250	650						
Hafod 2675	**3	*10	*1	*6	250	1250	**5	*22	*4	*11	250	1250	**9	*80	*2	*5	172	860
<u>Nant Y Croi Farm</u>																		
15	**3	*10	**0	*6	250	600	**5	*22	**1	*11	250	600						
<u>Trefwial Farm</u>																		
Land at Rhosygadair 3	**3	*10	**0	*6	250	600	**5	*22	**1	*11	250	600						
Land at Rhosygadair 4	**3	*10	*1	*6	250	1500	**5	*22	*4	*11	250	1500						
Land at Rhosygadair 5	**3	*10	*1	*6	250	750	**5	*22	*4	*11	250	750						
Land at Rhosygadair 6	**3	*10	*1	*6	250	650	**5	*22	*4	*11	250	650						
Land at Rhosygadair 7	**3	*10	**0	*6	250	850	**5	*22	**1	*11	250	850	**9	*80	**0	*5	172	585
<u>Castell Malgwyn Farm</u>																		
8440	**3	*10	**0	*6	250	925	**5	*22	**1	*11	250	925						
2301	**3	*10	*1	*6	250	1650	**5	*22	*4	*11	250	1650	**9	*80	*2	*5	172	1135
TOTAL						12500						12500						2855

Waste will NOT be spread or stored in combination (i.e. one waste stream per field)

* Total nutrient content of waste used on P, K or Mg index 2 or above

** Available nutrient content of waste used on P, K or Mg index 0 or 1

The assumed availability of total nutrients in the Dwr Cymru Welsh Water liquid WTW sludges are N 10%, P₂O₅ 20%, K₂O 20%, MgO 20%, SO₃ 10%

Potential negative impacts from this application and mitigation measures planned:

Waste Composition & Receiving Soils

- Potentially Toxic Elements: The supplied concentrations at the proposed application rates are all significantly lower than the maximum permissible levels detailed in the Sludge (Use in Agriculture) Regulations for biosolids applied to agricultural land, which is believed to be a suitable comparison for wastes applied to agricultural land.
- Physical contaminants: The wastes are produced by managed processes. The wastes do not contain physical contaminants.
- Waste pH: The Penderyn Distillery spent wash, Dairy Partners liquid sludge & Volac liquid sludge are acidic in nature. The acidic nature is associated with the presence of organic acids. Such wastes are routinely applied to agricultural land without adverse effects on crop health, or significant decreases in soil pH. Use of the Penderyn Distillery, Dairy Partners & Volac waste streams will be carefully monitored, through low rates of individual application across the growing season and close monitoring of crop health, for any adverse signs resulting from acidity around roots. The Penderyn Distillery spent wash is to be spread on fields with a soil pH of 5.5 or above.
- Dwr Cymru Welsh Water Strata Florida water treatment works uses aluminium based coagulants to condition the water. The Strata Florida WTW liquid sludge is to be spread on fields with a soil pH of 6.0 or above.
- Receiving soils are below the limits set for grassland & arable soils under the Sludge (Use in Agriculture) Regulations.

Operations

The fields in this deployment have been designated as 'high risk' following site checks on the proximity to surrounding protected areas (e.g. SSSIs) and groundwater source protection zones. On the basis of 'high risk' the proposed operation will be subject to a site-specific risk assessment for deploying mobile plant under a SR2010 No.4. The potential risks associated with the application of waste on this deployment have been identified as;

- Potential run-off after application: The fields are gently sloping or level and the wastes will be applied following the Codes of Good Agricultural Practice. The maximum application rate for each field will be split into multiple applications throughout the growing season and will not exceed 50t/ha in any one application to a field.
- Odour may potentially be emitted from the spreading of waste – to mitigate odour generation all handling of waste will be done in accordance to current regulations and relevant mitigation strategies will be adopted e.g. waste will be sub-surface injected for the grass fields or soil incorporated for the arable fields. If any odour complaints are received, further odour mitigation methods will be implemented.
- Spillages: all spillages will be reported immediately to NRW.
- No waste will be spread within 10m of any ditch, pond or surface water, within 50m of any spring, well, borehole, or reservoir that supplies water for human consumption or farm dairies.
- Waste will be spread on delivery (or securely stored as stated above). Operators will aim to empty spreading equipment before the end of each working day to avoid overnight storage of waste in machinery.
- Regular servicing of all machinery is conducted and spreading equipment is annually calibrated. To prevent waste being held in faulty machinery replacement spreading equipment will be available.
- Spreading machinery will travel over the field in a direction which will most easily allow the machinery to turn within the boundaries of the field. Any spreading equipment will be turned off and/or lifted out of the soil prior to turning at the end of each run.
- Machinery turns will be routed to avoid rutting and wheel slip. The turns will not be executed on any buffer strips.
- There will be sufficient trained staff available to ensure that the operation continues throughout operational hours (i.e. there will be sufficient cover for illness, holiday etc.).
- Consideration for the public and local residential receptors will be taken before and during application.

Signed: David Powell

Date: 11/06/2020

Site Specific Risk Assessment

Risk assessment for proposed land-spreading activity – Hafod Farm, Nant Y Croi Farm, Trefwtial Farm & Castell Malgwyn Farm

Risk assessment carried out by: D J Powell Date: June 2020

Data				Judgement				Action	
<i>Receptor</i> What is at risk? What do I wish to protect?	<i>Source</i> The agent or process with potential to cause harm	<i>Harm</i> The harmful consequences if things go wrong	<i>Pathway</i> How the receptor might come into contact with the source	<i>Probability of exposure</i> How likely is this contact?	<i>Consequence</i> Severity of the consequences if this occurs	<i>Magnitude of risk</i> The overall magnitude of the risk	<i>Justification for magnitude</i> Basis of my judgement	<i>Risk management</i> How I can best manage the risk to reduce the magnitude	<i>Residual risk</i> Magnitude of the risk after management
Surface water – ditches, watercourses and ponds	Nutrients, organic matter and solids	Surface water pollution	Direct application to surface water, underdrainage and run off	Low	High	Medium	No spread areas, buffer zones in place and sub surface injection or soil incorporation.	Comply with COGAP, Sludge Regs and EPR. Spreading to be only undertaken when conditions are suitable. No spreading areas enforced as per plans attached to application.	Low
Groundwater /Soils	Nutrients and PTES	Groundwater pollution and excessive nutrient build up	Over-application to land	Low	High	Low	The materials have low PTEs to be applied at proposed rates as detailed in application. The materials are low in available nitrogen. Phosphate applied is equal to or less than crop recommendations.	Appropriate rate and timing of application. Comply with COGAP, EPR and Sludge Regs. Carry out soil analysis of all fields regularly. Grass fields sub surface injected, arable fields soil incorporated. No spreading within 50m of a spring, borehole or well.	Low
Humans and animals	Spreading activities – physical	Harm to humans or animals	Trespass, accidental contact	Low	Medium	Low	Agricultural areas with limited public access.	Application during appropriate conditions & awareness of access issues.	Low
Soils	Physical damage to soil structure	Damage to soil structure and poor subsequent crop yields	Delivery and spreading activity	Low	Medium	Low	Delivery and spreading to be undertaken under appropriate ground conditions using low ground pressure equipment.	Comply with COGAP and Cross Compliance Criteria. Apply only in suitable conditions.	Low

Risk Assessment continued

Data				Judgement				Action	
<i>Receptor</i> What is at risk? What do I wish to protect?	<i>Source</i> The agent or process with potential to cause harm	<i>Harm</i> The harmful consequences if things go wrong	<i>Pathway</i> How the receptor might come into contact with the source	<i>Probability of exposure</i> How likely is this contact?	<i>Consequence</i> Severity of the consequences if this occurs	<i>Magnitude of risk</i> The overall magnitude of the risk	<i>Justification for magnitude</i> Basis of my judgement	<i>Risk management</i> How I can best manage the risk to reduce the magnitude	<i>Residual risk</i> Magnitude of the risk after management
Soils	PTE addition	Build-up of PTEs.	Spreading activity	Low	Medium	Low	Low levels of PTEs in wastes.	Comply with COGAP, Cross Compliance and Sludge Regs. Apply at specified rates. Soils sampled regularly.	Low
Soils	Nutrient build up	Reduced yield quality and quantity of subsequent crops, nutrient leaching, runoff to sensitive receptors & surface water	Spreading activity, over application	Low	Medium	Low	Wastes applied at specified rates. The materials are low in available nitrogen. Phosphate applied is equal to or less than crop recommendations.	Apply according to RB209 recommendations and COGAP. Application rates in agricultural benefit statement not to be exceeded. Carry out soil analysis of all fields regularly.	Low
Air	Odour during stockpiling and spreading activities	Odour issues and complaints	Airborne compounds	Medium	Medium	Medium	Nearby residents often sensitive to odour.	Sub surface injection on grass fields, soil incorporation following spreading for arable fields. Prevailing wind direction will be monitored.	Low
Air	Dust during spreading	Dust complaints	Dust during windy conditions	Low	Low	Low	Materials have low potential for dust.	Assess wind speed and direction before spreading and proximity to surrounding receptors. Spread when conditions are suitable.	Low
Air/People	Noise	Noise complaints	Noise from delivery, and spreading	Low	Low to Medium	Low	Agricultural machinery in agricultural areas.	Avoid sensitive spreading periods where possible e.g. bank holidays and weekends. Delivery during daylight hours where possible	Low
Hedgerows and trees	Physical damage from spreading equipment	Ecological + landscape	Physical damage from spreading equipment	Low	Low	Low	Experienced operators employed & instructed to take care around trees	Leave a 2.0m minimum buffer zone adjacent to trees, shrubs and hedges.	Low

Data				Judgement				Action	
<i>Receptor</i> What is at risk? What do I wish to protect?	<i>Source</i> The agent or process with potential to cause harm	<i>Harm</i> The harmful consequences if things go wrong	<i>Pathway</i> How the receptor might come into contact with the source	<i>Probability of exposure</i> How likely is this contact?	<i>Consequence</i> Severity of the consequences if this occurs	<i>Magnitude of risk</i> The overall magnitude of the risk	<i>Justification for magnitude</i> Basis of my judgement	<i>Risk management</i> How I can best manage the risk to reduce the magnitude	<i>Residual risk</i> Magnitude of the risk after management
Aberarth-Carreg Wylan SSSI	Deterioration of site through contamination, nutrient enrichment, habitat loss, smothering	Harm to protected site through contamination, nutrient enrichment, disturbance etc.	Spreading activity, airborne compounds, flooding, nutrient run off or leaching	Low	Medium	Medium	No spreading areas to watercourses. Sub surface injection of material for grass fields and soil incorporation following spreading for arable fields. Spreading at appropriate timings. Proximity of fields from SSSI.	Assess wind speed and direction before spreading and proximity to surrounding receptors when spreading all fields but the Hafod Farm & Nant Y Croi Farm fields in particular in relation to this SSSI. Spread when conditions are suitable with no or little wind and when the potential of any gusts is not in the direction of the SSSI. Material sub surface injected for grass fields and soil incorporated following spreading for arable fields. 10m no spread areas enforced to watercourses. Ensure field conditions are appropriate for spreading.	Low
Local human population and local environment	Flooding of site	If waste is washed off site, it may contaminate buildings / gardens / natural habitats downstream.	Flood waters	Low	Medium	Medium	Spreading undertaken only on fields at appropriate timings.	No spreading in periods where heavy rain is forecast or if land is waterlogged. Spreading operator to employ 10m no spreading areas as per attached plans to watercourses.	Low

Data				Judgement				Action	
<i>Receptor</i> What is at risk? What do I wish to protect?	<i>Source</i> The agent or process with potential to cause harm	<i>Harm</i> The harmful consequences if things go wrong	<i>Pathway</i> How the receptor might come into contact with the source	<i>Probability of exposure</i> How likely is this contact?	<i>Consequence</i> Severity of the consequences if this occurs	<i>Magnitude of risk</i> The overall magnitude of the risk	<i>Justification for magnitude</i> Basis of my judgement	<i>Risk management</i> How I can best manage the risk to reduce the magnitude	<i>Residual risk</i> Magnitude of the risk after management
Caeau Crug Bychan SSSI	Deterioration of site through contamination, nutrient enrichment, habitat loss, smothering	Harm to protected site through contamination, nutrient enrichment, disturbance etc.	Spreading activity, airbourne compounds, flooding, nutrient run off or leaching	Low	Medium	Medium	No spreading areas to watercourses. Sub surface injection of material for grass fields and soil incorporation following spreading for arable fields. Spreading at appropriate timings. Proximity of fields from SSSI.	Assess wind speed and direction before spreading and proximity to surrounding receptors when spreading all fields but the Hafod Farm & Nant Y Croi Farm fields in particular in relation to this SSSI. Spread when conditions are suitable with no or little wind and when the potential of any gusts is not in the direction of the SSSI. Material sub surface injected for grass fields and soil incorporated following spreading for arable fields. 10m no spread areas enforced to watercourses. Ensure field conditions are appropriate for spreading.	Low

Data				Judgement				Action	
<i>Receptor</i> What is at risk? What do I wish to protect?	<i>Source</i> The agent or process with potential to cause harm	<i>Harm</i> The harmful consequences if things go wrong	<i>Pathway</i> How the receptor might come into contact with the source	<i>Probability of exposure</i> How likely is this contact?	<i>Consequence</i> Severity of the consequences if this occurs	<i>Magnitude of risk</i> The overall magnitude of the risk	<i>Justification for magnitude</i> Basis of my judgement	<i>Risk management</i> How I can best manage the risk to reduce the magnitude	<i>Residual risk</i> Magnitude of the risk after management
Cardigan Bay SAC (- in particular the bottlenose dolphin)	Deterioration of site through contamination, nutrient enrichment, habitat loss, smothering	Harm to protected site through contamination, nutrient enrichment, disturbance etc. Impact on the habitats of the bottlenose dolphin and other habitats	Spreading activity, airborne compounds, flooding, nutrient run off or leaching	Low	Medium	Medium	No spreading areas to watercourses. Sub surface injection of material for grass fields and soil incorporation following spreading for arable fields. Spreading at appropriate timings. Proximity of fields from SAC.	Assess wind speed and direction before spreading and proximity to surrounding receptors when spreading all fields but the Hafod Farm & Nant Y Croi Farm fields in particular in relation to this SAC. Spread when conditions are suitable with no or little wind and when the potential of any gusts is not in the direction of the SAC. Material sub surface injected for grass fields and soil incorporated following spreading for arable fields. 10m no spread areas enforced to watercourses. Ensure field conditions are appropriate for spreading.	Low

Data				Judgement				Action	
<i>Receptor</i> What is at risk? What do I wish to protect?	<i>Source</i> The agent or process with potential to cause harm	<i>Harm</i> The harmful consequences if things go wrong	<i>Pathway</i> How the receptor might come into contact with the source	<i>Probability of exposure</i> How likely is this contact?	<i>Consequence</i> Severity of the consequences if this occurs	<i>Magnitude of risk</i> The overall magnitude of the risk	<i>Justification for magnitude</i> Basis of my judgement	<i>Risk management</i> How I can best manage the risk to reduce the magnitude	<i>Residual risk</i> Magnitude of the risk after management
West Wales Marine SAC (- in particular the European Protected Species - the harbour porpoise)	Deterioration of site through contamination, nutrient enrichment, habitat loss, smothering	Harm to protected site through contamination, nutrient enrichment, disturbance etc. Impact on the habitats of the harbour porpoise and other habitats	Spreading activity, airborne compounds, flooding, nutrient run off or leaching	Low	Medium	Medium	No spreading areas to watercourses. Sub surface injection of material for grass fields and soil incorporation following spreading for arable fields. Spreading at appropriate timings. Proximity of fields from SAC.	Assess wind speed and direction before spreading and proximity to surrounding receptors when spreading all fields but the Hafod Farm & Nant Y Croi Farm fields in particular in relation to this SAC. Spread when conditions are suitable with no or little wind and when the potential of any gusts is not in the direction of the SAC. Material sub surface injected for grass fields and soil incorporated following spreading for arable fields. 10m no spread areas enforced to watercourses. Ensure field conditions are appropriate for spreading.	Low

DAIRY PARTNERS

Analysis of Liquid Waste

Report No: 65692

Date: 13/08/19

Application rate (t/ha) 100.0
 Application rate (t/acre) 40
 pH 5.32
 Dry solids (%) 0.36

Organic Matter(%) 0.12

NUTRIENT CONTENT

TOTALS	result	units	Total		Readily Available	
			(kg/t)	(kg/ha)	(kg/t)	(kg/ha)
Nitrogen (N)	0.01	%	0.1	10	0.0	2
Ammonium-N	50	mg/kg	0.1	5		
Phosphorus (P)	10.5	mg/kg	0.0	1		
Phosphate (P ₂ O ₅)			0.024	2	0.0	1
Potassium (K)	77.8	mg/kg	0.1	8		
Potash (K ₂ O)			0.1	9	0.1	7
Magnesium (Mg)	10	mg/kg	0.0	1		
Magnesium (MgO)			0.0	2	0.0	0
Sulphur (S)	35.4	mg/kg	0.0	4		
Sulphur (SO ₃)			0.1	9	0.0	2

POTENTIALLY TOXIC ELEMENTS

TOTALS	result	units	Rate		Limit
			(g/tonne)	(kg/ha)	(kg/ha/yr)
Zinc	0.50	mg/kg	0.50	0.05	15.00
Copper	0.20	mg/kg	0.20	0.02	7.50
Nickel	0.20	mg/kg	0.20	0.02	3.00
Lead	0.50	mg/kg	0.50	0.05	15.00
Cadmium	0.01	mg/kg	0.01	0.00	0.15
Chromium	0.20	mg/kg	0.20	0.02	15.00
Mercury	0.05	mg/kg	0.05	0.01	0.10

All results expressed on sample as received. The nitrogen, magnesium, zinc, copper, nickel, lead, cadmium, chromium and mercury concentrations are less than the minimum level of detection, consequently, the calculated values will be less than those shown



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

DAIRY PARTNERS LTD

EFFLUENT

EFFLUENT

Sample Reference :

DAIRY PARTNERS EFF

Sample Matrix : EFFLUENT

Laboratory References

Report Number	65692
Sample Number	85558

Date Received	13-AUG-2019
Date Reported	21-AUG-2019

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Oven Dry Solids	0.360	%
E Coli [Fresh]	31000	cfu/g
Conductivity 1:6	707	uS/cm
Total Kjeldahl Nitrogen	<0.01	% w/w
Nitrate Nitrogen	54.0	mg/kg
Ammonium Nitrogen	<50	mg/kg
Total Phosphorus (P)	10.5	mg/kg
Total Potassium (K)	77.8	mg/kg
Total Magnesium (Mg)	<10	mg/kg
Total Copper (Cu)	<0.2	mg/kg

Released by Myles Nicholson

Date 21/08/19

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

DAIRY PARTNERS LTD

EFFLUENT

EFFLUENT

Sample Reference :

DAIRY PARTNERS EFF

Sample Matrix : EFFLUENT

Laboratory References

Report Number	65692
Sample Number	85558

Date Received	13-AUG-2019
Date Reported	21-AUG-2019

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Total Zinc (Zn)	<0.5	mg/kg
Total Sulphur (S)	35.4	mg/kg
Total Calcium (Ca)	41.1	mg/kg
Total Lead (Pb)	<0.5	mg/kg
Total Cadmium (Cd)	<0.01	mg/kg
Total Mercury (Hg)	<0.05	mg/kg
Total Nickel (Ni)	<0.2	mg/kg
Total Chromium (Cr)	<0.2	mg/kg
Total Sodium (Na)	850	mg/kg
pH 1:6 [Fresh]	5.32	

Released by Myles Nicholson

Date 21/08/19



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

DAIRY PARTNERS LTD

EFFLUENT

EFFLUENT

Sample Reference :

DAIRY PARTNERS EFF

Sample Matrix : EFFLUENT

Laboratory References

Report Number	65692
Sample Number	85558

Date Received	13-AUG-2019
Date Reported	21-AUG-2019

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Organic Matter LOI	0.12	% w/w
Coliforms [fresh]	440000	cfu/g
Oils,Fats and Grease	<200	mg/kg
Salmonella spp [fresh]	Negative	in 25g
EC [Neat]	3789	uS/cm

Released by Myles Nicholson

Date 21/08/19

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com

VOLAC, FELINFACH

Analysis of Liquid Waste

Report No: 99545

Date: 28/05/2020

Application rate (t/ha)	89.0
Application rate (t/acre)	36.0
pH	6.47
Dry solids (%)	1.04

Organic Matter(%)	0.36
--------------------	------

NUTRIENT CONTENT

TOTALS	result	units	Total		Readily Available	
			(kg/t)	(kg/ha)	(kg/t)	(kg/ha)
Nitrogen (N)	0.06	%	0.6	53	0.1	11
Ammonium-N	519	mg/kg	0.5	46		
Phosphorus (P)	275	mg/kg	0.3	24		
Phosphate (P ₂ O ₅)			0.630	56	0.4	34
Potassium (K)	1199	mg/kg	1.2	107		
Potash (K ₂ O)			1.4	128	1.2	102
Magnesium (Mg)	73.4	mg/kg	0.1	7		
Magnesium (MgO)			0.1	11	0.0	1
Sulphur (S)	62	mg/kg	0.1	6		
Sulphur (SO ₃)			0.2	14	0.0	3

POTENTIALLY TOXIC ELEMENTS

TOTALS	result	units	Rate		Limit
			(g/tonne)	(kg/ha)	(kg/ha/yr)
Zinc	3.33	mg/kg	3.33	0.30	15.00
Copper	0.20	mg/kg	0.20	0.02	7.50
Nickel	0.20	mg/kg	0.20	0.02	3.00
Lead	0.50	mg/kg	0.50	0.04	15.00
Cadmium	0.01	mg/kg	0.01	0.00	0.15
Chromium	0.20	mg/kg	0.20	0.02	15.00
Mercury	0.05	mg/kg	0.05	0.00	0.10

All results expressed on sample as received. The copper, nickel, lead, cadmium, chromium and mercury concentrations are less than the minimum level of detection, consequently, the calculated values will be less than those shown

VOLAC, FELINFACH

Analysis of Liquid Waste

Report No: 99545

Date: 28/05/2020

Application rate (t/ha) 100.0
 Application rate (t/acre) 40.5
 pH 6.47
 Dry solids (%) 1.04

Organic Matter(%) 0.36

NUTRIENT CONTENT

TOTALS	result	units	Total		Readily Available	
			(kg/t)	(kg/ha)	(kg/t)	(kg/ha)
Nitrogen (N)	0.06	%	0.6	60	0.1	12
Ammonium-N	519	mg/kg	0.5	52		
Phosphorus (P)	275	mg/kg	0.3	28		
Phosphate (P ₂ O ₅)			0.630	63	0.4	38
Potassium (K)	1199	mg/kg	1.2	120		
Potash (K ₂ O)			1.4	144	1.2	115
Magnesium (Mg)	73.4	mg/kg	0.1	7		
Magnesium (MgO)			0.1	12	0.0	1
Sulphur (S)	62	mg/kg	0.1	6		
Sulphur (SO ₃)			0.2	16	0.0	3

POTENTIALLY TOXIC ELEMENTS

TOTALS	result	units	Rate		Limit
			(g/tonne)	(kg/ha)	(kg/ha/yr)
Zinc	3.33	mg/kg	3.33	0.33	15.00
Copper	0.20	mg/kg	0.20	0.02	7.50
Nickel	0.20	mg/kg	0.20	0.02	3.00
Lead	0.50	mg/kg	0.50	0.05	15.00
Cadmium	0.01	mg/kg	0.01	0.00	0.15
Chromium	0.20	mg/kg	0.20	0.02	15.00
Mercury	0.05	mg/kg	0.05	0.01	0.10

All results expressed on sample as received. The copper, nickel, lead, cadmium, chromium and mercury concentrations are less than the minimum level of detection, consequently, the calculated values will be less than those shown



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

STEPSIDE AGRI

EFFLUENT

EFFLUENT

Sample Reference :

VOLAC-EFFLUENT

Sample Matrix : EFFLUENT

Laboratory References

Report Number	99545
Sample Number	96050

Date Received	28-MAY-2020
Date Reported	04-JUN-2020

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Oven Dry Solids	1.04	%
E Coli [Fresh]	370	cfu/g
Conductivity 1:6	2030	uS/cm
Total Kjeldahl Nitrogen	0.06	% w/w
Nitrate Nitrogen	<10	mg/kg
Ammonium Nitrogen	519	mg/kg
Total Phosphorus (P)	275	mg/kg
Total Potassium (K)	1199	mg/kg
Total Magnesium (Mg)	73.4	mg/kg
Total Copper (Cu)	<0.2	mg/kg

Released by Myles Nicholson

Date 04/06/20



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

STEPSIDE AGRI

EFFLUENT

EFFLUENT

Sample Reference :

VOLAC-EFFLUENT

Sample Matrix : EFFLUENT

Laboratory References

Report Number	99545
Sample Number	96050

Date Received	28-MAY-2020
Date Reported	04-JUN-2020

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Total Zinc (Zn)	3.33	mg/kg
Total Sulphur (S)	62.0	mg/kg
Total Calcium (Ca)	373	mg/kg
Total Lead (Pb)	<0.5	mg/kg
Total Cadmium (Cd)	<0.01	mg/kg
Total Mercury (Hg)	<0.05	mg/kg
Total Nickel (Ni)	<0.2	mg/kg
Total Chromium (Cr)	<0.2	mg/kg
Total Sodium (Na)	969	mg/kg
pH 1:6 [Fresh]	6.47	

Released by *Myles Nicholson*

Date *04/06/20*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 **Fax:** +44 (0) 1344 890972 **Email:** enquiries@nrm.uk.com **www:** nrm.uk.com



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

STEPSIDE AGRI

EFFLUENT

EFFLUENT

Sample Reference :

VOLAC-EFFLUENT

Sample Matrix : EFFLUENT

Laboratory References

Report Number	99545
Sample Number	96050

Date Received	28-MAY-2020
Date Reported	04-JUN-2020

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Organic Matter LOI	0.36	% w/w
Coliforms [fresh]	1500	cfu/g
Oils,Fats and Grease	1080	mg/kg
Salmonella spp [fresh]	Negative	in 25g
EC [Neat]	10470	uS/cm

Released by Myles Nicholson

Date 04/06/20

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 **Fax:** +44 (0) 1344 890972 **Email:** enquiries@nrm.uk.com **www:** nrm.uk.com

PENDERYN DISTILLERY

Analysis of spent wash

Sample Ref: Penderyn spent wash (liquid waste)

Report Number: 96462

Date: 28/04/2020

Application rate (t/ha) 67.0
Application rate (t/acre) 27.1
pH 4.50
Dry solids (%) 2.2

NUTRIENT CONTENT

			Total		Readily Available	
TOTALS	Wet Wt result	units	(kg/t)	(kg/ha)	(kg/t)	(kg/ha)
Nitrogen (N)	0.08	%	0.8	54	0.1	5
Ammonium-N	25.00	mg/kg	0.0	2		
Phosphorus (P)	363.00	mg/kg	0.4	24		
Phosphate (P ₂ O ₅)			0.8	56	0.4	28
Potassium (K)	686.00	mg/kg	0.7	46		
Potash (K ₂ O)			0.8	55	0.7	50
Magnesium (Mg)	145.00	mg/kg	0.1	10		
Magnesium (MgO)			0.2	16	0.0	2
Sulphur (S)	87.10	mg/kg	0.1	6		
Sulphur (SO ₃)			0.2	15	0.0	3

POTENTIALLY TOXIC ELEMENTS

			Rate		Limit
TOTALS	w/w result	units	(g/tonne)	(kg/ha)	(kg/ha/yr)
Zinc	0.65	mg/kg	0.65	0.04	15.00
Copper	3.22	mg/kg	3.22	0.22	7.50
Nickel	0.20	mg/kg	0.20	0.01	3.00
Lead	0.50	mg/kg	0.50	0.03	15.00
Cadmium	0.01	mg/kg	0.01	0.00	0.15
Chromium	0.62	mg/kg	0.62	0.04	15.00
Mercury	0.05	mg/kg	0.05	0.00	0.10

All results expressed on sample as received. The ammonium N, lead, cadmium, mercury and nickel concentrations are less than the minimum level of detection, consequently, the calculated values will be less than those shown.



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

PENDERY DISTILLERY

LIQUID WASTE

LIQUID WASTE

Sample Reference :

PENDRYN-LIQUID WASTE

Sample Matrix : LIQUID WASTE

Laboratory References

Report Number	96462
Sample Number	95047

Date Received	28-APR-2020
Date Reported	11-MAY-2020

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Oven Dry Solids	2.20	%
Conductivity 1:6	1089	uS/cm
Total Kjeldahl Nitrogen	0.08	% w/w
Nitrate Nitrogen	<10	mg/kg
Ammonium Nitrogen	<25	mg/kg
Total Phosphorus (P)	363	mg/kg
Total Potassium (K)	686	mg/kg
Total Magnesium (Mg)	145	mg/kg
Total Copper (Cu)	3.22	mg/kg
Total Zinc (Zn)	0.65	mg/kg

Released by Gina Graham

Date 11/05/20



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

PENDERY DISTILLERY

LIQUID WASTE

LIQUID WASTE

Sample Reference :

PENDRYN-LIQUID WASTE

Sample Matrix : LIQUID WASTE

Laboratory References

Report Number	96462
Sample Number	95047

Date Received	28-APR-2020
Date Reported	11-MAY-2020

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Total Sulphur (S)	87.1	mg/kg
Total Calcium (Ca)	48.1	mg/kg
Total Lead (Pb)	<0.5	mg/kg
Total Cadmium (Cd)	<0.01	mg/kg
Total Mercury (Hg)	<0.05	mg/kg
Total Nickel (Ni)	<0.2	mg/kg
Total Chromium (Cr)	0.62	mg/kg
Total Sodium (Na)	1165	mg/kg
pH 1:6 [Fresh]	4.50	
B.O.D. [fresh]	15120	mg/l

Released by Gina Graham

Date 11/05/20

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH

V850

Please quote above code for all enquiries

PENDERY DISTILLERY

LIQUID WASTE

LIQUID WASTE

Sample Reference :

PENDRYN-LIQUID WASTE

Sample Matrix : LIQUID WASTE

Laboratory References

Report Number	96462
Sample Number	95047

Date Received	28-APR-2020
Date Reported	11-MAY-2020

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
C.O.D. [fresh]	30530	mg/l

Released by *Gina Graham*

Date *11/05/20*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 **Fax:** +44 (0) 1344 890972 **Email:** enquiries@nrm.uk.com **www:** nrm.uk.com

DWR CYMRU WELSH WATER - BRYNGWYN WTW

Analysis of water treatment sludge

Sampling Point No: 79131

Date: 09/01/2020

Application rate (t/ha)	250.0
Application rate (t/acre)	101.2
pH	6.00
Dry solids (%)	2.43
Organic Matter(%)	33.7

NUTRIENT CONTENT

	Dry Wt result	Wet Wt result	Units	Total		Readily Available	
				(kg/t)	(kg/ha)	(kg/t)	(kg/ha)
Nitrogen (N)	0.55	0.01	%	0.1	33	0.0	3
Ammonium N	250	6.08	mg/kg	0.0	2		
Phosphorus (P)	697	16.94	mg/kg	0.0	4		
Phosphate (P ₂ O ₅)		0.00		0.0	10	0.0	2
Potassium (K)	136	3.30	mg/kg	0.0	1		
Potash (K ₂ O)		0.00		0.0	1	0.0	0
Magnesium (Mg)	551	13.39	mg/kg	0.0	3		
Magnesium (MgO)		0.00		0.0	6	0.0	1
Sulphur (S)	2920	70.96	mg/kg	0.1	18		
Sulphur (SO ₃)		0.00		0.2	44	0.0	4

POTENTIALLY TOXIC ELEMENTS

	Dry Wt result	Wet Wt result	Units	Rate		Limit	% of Annual Addition Limit
				(g/tonne)	(kg/ha)	(kg/ha/yr)	
Zinc	121	2.94	mg/kg	2.94	0.74	15.00	5%
Copper	4.77	0.12	mg/kg	0.12	0.03	7.50	0%
Nickel	3.54	0.09	mg/kg	0.09	0.02	3.00	1%
Lead	5.34	0.13	mg/kg	0.13	0.03	15.00	0%
Cadmium	0.38	0.01	mg/kg	0.01	0.00	0.15	2%
Chromium	10.4	0.25	mg/kg	0.25	0.06	15.00	0%
Arsenic	24.7	0.60	mg/kg	0.60	0.15	0.70	21%
Mercury	0.83	0.02	mg/kg	0.02	0.01	0.10	5%
<u>Other Elements</u>							
Iron	401000	9744.30	mg/kg	9744.30	2436		
Aluminium	1980	48.11	mg/kg	48.11	12		

Sample Analysis Report

Sampling Point No -	79131	Location -	BRYNGWYN WTW SLUDGE TANKERING
Date Sampled -	09-Jan-20	Time Taken -	15:30
Originator -	SEWAGE	Purpose -	EQO/DIRECTIVE COMPLIANCE
Laboratory -	GLASLYN	Lab Ref No -	S 6591307
Sampler -	EXTA	No Results -	20
Type -			

Sample Results

Code	Determinand Name	Units	Result	Limit
238	Magnesium	MG/KG	551	
288	ALUMINIUM (DRY WT)	MG/KG	1980	
357	ARSENIC (DRY WT)	MG/KG	LT 24.7	
4620	pH	PH UNITS	6	
7774	WTW MERCURY TOTAL	MG/KG	LT 0.83	
8241	LOSS ON IGNITION	%	33.7	
9233	Ammoniacal nitrogen	MG/KG	LT 250	
9234	Sulphur	MG/KG	2920	
9271	Cadmium	MG/KG	LT 0.38	
9272	CHROMIUM TOTAL	MG/KG	10.4	
9273	Copper	MG/KG	LT 4.77	
9275	Nickel	MG/KG	LT 3.54	
9276	LEAD TOTAL	MG/KG	LT 5.34	
9277	ZINC TOTAL	MG/KG	121	
9278	IRON TOTAL	MG/KG	401000	
9281	% Dry solids	%	2.43	
9282	% Minerals	%	66.3	
9283	% K (dry weight)	%	0.0136	
9284	% P (dry weight)	%	0.0697	
9285	% N (dry weight)	%	0.55	

LT - Less Than GT - Greater Than

Comments -

Signed -

08 June 2020

DWR CYMRU WELSH WATER - CAPEL DEWI WTW

Analysis of water treatment sludge

Sampling Point No: 122055

Date: 09/01/2020

Application rate (t/ha)	250.0
Application rate (t/acre)	101.2
pH	6.20
Dry solids (%)	2.43
Organic Matter(%)	35.3

NUTRIENT CONTENT

	Dry Wt result	Wet Wt result	Units	Total		Readily Available	
				(kg/t)	(kg/ha)	(kg/t)	(kg/ha)
Nitrogen (N)	0.88	0.02	%	0.2	53	0.0	5
Ammonium N	251	6.10	mg/kg	0.0	2		
Phosphorus (P)	1580	38.39	mg/kg	0.0	10		
Phosphate (P ₂ O ₅)		0.00		0.1	22	0.0	4
Potassium (K)	579	14.07	mg/kg	0.0	4		
Potash (K ₂ O)		0.00		0.0	4	0.0	1
Magnesium (Mg)	1060	25.76	mg/kg	0.0	6		
Magnesium (MgO)		0.00		0.0	11	0.0	2
Sulphur (S)	4430	107.65	mg/kg	0.1	27		
Sulphur (SO ₃)		0.00		0.3	67	0.0	7

POTENTIALLY TOXIC ELEMENTS

	Dry Wt result	Wet Wt result	Units	Rate		Limit	% of Annual Addition Limit
				(g/tonne)	(kg/ha)	(kg/ha/yr)	
Zinc	138	3.35	mg/kg	3.35	0.84	15.00	6%
Copper	14.4	0.35	mg/kg	0.35	0.09	7.50	1%
Nickel	10.2	0.25	mg/kg	0.25	0.06	3.00	2%
Lead	10	0.24	mg/kg	0.24	0.06	15.00	0%
Cadmium	0.38	0.01	mg/kg	0.01	0.00	0.15	2%
Chromium	14.4	0.35	mg/kg	0.35	0.09	15.00	1%
Arsenic	17.2	0.42	mg/kg	0.42	0.10	0.70	15%
Mercury	0.82	0.02	mg/kg	0.02	0.00	0.10	5%
<u>Other Elements</u>							
Iron	324000	7873.20	mg/kg	7873.20	1968		
Aluminium	45300	1100.79	mg/kg	1100.79	275		

Sample Analysis Report

Sampling Point No -	122055	Location -	Capel Dewi WTW Sludge Tankering Point
Date Sampled -	09-Jan-20	Time Taken -	15:28
Originator -	SEWAGE	Purpose -	EQO/DIRECTIVE COMPLIANCE
Laboratory -	GLASLYN	Lab Ref No -	S 6591305
Sampler -	EXTA	No Results -	20
Type -			

Sample Results

Code	Determinand Name	Units	Result	Limit
238	Magnesium	MG/KG	1060	
288	ALUMINIUM (DRY WT)	MG/KG	45300	
357	ARSENIC (DRY WT)	MG/KG	17.2	
4620	pH	PH UNITS	6.2	
7774	WTW MERCURY TOTAL	MG/KG	LT 0.82	
8241	LOSS ON IGNITION	%	35.3	
9233	Ammoniacal nitrogen	MG/KG	LT 251	
9234	Sulphur	MG/KG	4430	
9271	Cadmium	MG/KG	LT 0.38	
9272	CHROMIUM TOTAL	MG/KG	14.4	
9273	Copper	MG/KG	14.4	
9275	Nickel	MG/KG	10.2	
9276	LEAD TOTAL	MG/KG	10	
9277	ZINC TOTAL	MG/KG	138	
9278	IRON TOTAL	MG/KG	324000	
9281	% Dry solids	%	2.43	
9282	% Minerals	%	64.7	
9283	% K (dry weight)	%	0.0579	
9284	% P (dry weight)	%	0.158	
9285	% N (dry weight)	%	0.88	

LT - Less Than GT - Greater Than

Comments -

Signed -

08 June 2020

DWR CYMRU WELSH WATER - STRATA FLORIDA WTW

Analysis of water treatment sludge

Sampling Point No: 100519

Date: 04/02/2020

Application rate (t/ha)	172.0
Application rate (t/acre)	69.6
pH	6.20
Dry solids (%)	7.23
Organic Matter(%)	60.9

NUTRIENT CONTENT

	Dry Wt result	Wet Wt result	Units	Total		Readily Available	
				(kg/t)	(kg/ha)	(kg/t)	(kg/ha)
Nitrogen (N)	0.763	0.06	%	0.6	95	0.1	9
Ammonium N	271	19.59	mg/kg	0.0	3		
Phosphorus (P)	2800	202.44	mg/kg	0.2	35		
Phosphate (P ₂ O ₅)		0.00		0.5	80	0.1	16
Potassium (K)	120	8.68	mg/kg	0.0	1		
Potash (K ₂ O)		0.00		0.0	2	0.0	0
Magnesium (Mg)	253	18.29	mg/kg	0.0	3		
Magnesium (MgO)		0.00		0.0	5	0.0	1
Sulphur (S)	5020	362.95	mg/kg	0.4	62		
Sulphur (SO ₃)		0.00		0.9	156	0.1	16

POTENTIALLY TOXIC ELEMENTS

	Dry Wt result	Wet Wt result	Units	Rate		Limit	% of Annual Addition Limit
				(g/tonne)	(kg/ha)	(kg/ha/yr)	
Zinc	100	7.23	mg/kg	7.23	1.24	15.00	8%
Copper	21.7	1.57	mg/kg	1.57	0.27	7.50	4%
Nickel	9.3	0.67	mg/kg	0.67	0.12	3.00	4%
Lead	58.3	4.22	mg/kg	4.22	0.72	15.00	5%
Cadmium	0.44	0.03	mg/kg	0.03	0.01	0.15	4%
Chromium	7.81	0.56	mg/kg	0.56	0.10	15.00	1%
Arsenic	39.5	2.86	mg/kg	2.86	0.49	0.70	70%
Mercury	0.28	0.02	mg/kg	0.02	0.00	0.10	3%
<u>Other Elements</u>							
Iron	24200	1749.66	mg/kg	1749.66	301		
Aluminium	134000	9688.20	mg/kg	9688.20	1666		

Sample Analysis Report

Sampling Point No -	100519	Location -	STRATA FLORIDA WTW SLUDGE TANKER
Date Sampled -	04-Feb-20	Time Taken -	20:04
Originator -	SEWAGE	Purpose -	EQO/DIRECTIVE COMPLIANCE
Laboratory -	GLASLYN	Lab Ref No -	S 6614675
Sampler -	EXTA	No Results -	20
Type -			

Sample Results

Code	Determinand Name	Units	Result	Limit
238	Magnesium	MG/KG	253	
288	ALUMINIUM (DRY WT)	MG/KG	134000	
357	ARSENIC (DRY WT)	MG/KG	39.5	
4620	pH	PH UNITS	6.2	
7774	WTW MERCURY TOTAL	MG/KG	LT 0.28	
8241	LOSS ON IGNITION	%	60.9	
9233	Ammoniacal nitrogen	MG/KG	LT 271	
9234	Sulphur	MG/KG	5020	
9271	Cadmium	MG/KG	0.44	
9272	CHROMIUM TOTAL	MG/KG	7.81	
9273	Copper	MG/KG	21.7	
9275	Nickel	MG/KG	9.3	
9276	LEAD TOTAL	MG/KG	58.3	
9277	ZINC TOTAL	MG/KG	100	
9278	IRON TOTAL	MG/KG	24200	
9281	% Dry solids	%	7.23	
9282	% Minerals	%	39.1	
9283	% K (dry weight)	%	0.012	
9284	% P (dry weight)	%	0.28	
9285	% N (dry weight)	%	0.763	

LT - Less Than GT - Greater Than

Comments -

Signed -

08 June 2020



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 1

DAVID J POWELL
PURLON FARM
WICK ROAD
LLANTWIT MAJOR
VALE OF GLAMORGAN
CF61 1YU

V741

Please quote above code for all enquiries

M DAVIES
HAFOD FARM
FERWIG
CARDIGAN
SA43 1PU
SOIL LATE REQUEST


Laboratory References

Date Received 12-APR-2018
Date Reported 18-APR-2018


Report Number 99009
Sample Number 381753

ANALYTICAL RESULTS *on 'dry matter' basis.*


pH ⁽¹⁾



Soil Nutrients ⁽¹⁾



Potentially Toxic Elements ⁽²⁾



(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by **J Doyle**

Date **18/04/18**

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 1

DAVID J POWELL PURLON FARM WICK ROAD LLANTWIT MAJOR VALE OF GLAMORGAN CF61 1YU	V741
---	------

Please quote above code for all enquiries

M DAVIES HAFOD FARM FERWIG CARDIGAN SA43 1PU SOIL LATE REQUEST

Laboratory References

Date Received	12-APR-2018
Date Reported	18-APR-2018

Report Number	99009
Sample Number	381753

ANALYTICAL RESULTS *on 'dry matter' basis.*

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	0%	% of maximum permissible concentration of PTE in arable/grassland soil					100%
				25%	50%	75%			
Total Molybdenum as Mo	<1	Arable 4 Grassland 4							
Total Selenium as Se	0.26	Arable 3 Grassland 5							
Total Arsenic as As	12.4	Arable 50 Grassland 50							
Fluoride as F	20.0	Arable 500 Grassland 500							

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 2

DAVID J POWELL
PURLON FARM
WICK ROAD
LLANTWIT MAJOR
VALE OF GLAMORGAN
CF61 1YU

V741

Please quote above code for all enquiries

M DAVIES
HAFOD FARM
FERWIG
CARDIGAN
SA43 1PU
SOIL LATE REQUEST

Laboratory References

Date Received 12-APR-2018
Date Reported 18-APR-2018

Report Number 99009
Sample Number 381754

ANALYTICAL RESULTS *on 'dry matter' basis.*

pH ⁽¹⁾

Determinand	Result	4	5	6	7	8	9
Soil pH	5.4						

Soil Nutrients ⁽¹⁾

Determinand	Result mg/litre	Soil Index	0	1	2	3	4	5	6
Soil Phosphorus as P	21.2	2							
Soil Potassium as K	76.6	1							
Soil Magnesium as Mg	98.9	2							

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	0%	25%	50%	75%	100%
Total Copper as Cu	8.9	Arable 80 Grassland 138					
Total Zinc as Zn	51.1	Arable 200 Grassland 200					
Total Nickel as Ni	13.3	Arable 50 Grassland 80					
Total Cadmium as Cd	<0.1	Arable 3 Grassland 3					
Total Lead as Pb	15.2	Arable 300 Grassland 300					
Total Chromium as Cr	23.4	Arable 400 Grassland 600					
Total Mercury as Hg	<0.2	Arable 1 Grassland 1.5					

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 2

DAVID J POWELL PURLON FARM WICK ROAD LLANTWIT MAJOR VALE OF GLAMORGAN CF61 1YU	V741
---	------

Please quote above code for all enquiries

Date Received	12-APR-2018
Date Reported	18-APR-2018

M DAVIES HAFOD FARM FERWIG CARDIGAN SA43 1PU SOIL LATE REQUEST

Laboratory References

Report Number	99009
Sample Number	381754

ANALYTICAL RESULTS *on 'dry matter' basis.*

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	% of maximum permissible concentration of PTE in arable/grassland soil				
			0%	25%	50%	75%	100%
Total Molybdenum as Mo	<1	Arable 4 Grassland 4					
Total Selenium as Se	0.20	Arable 3 Grassland 5	<div></div>				
Total Arsenic as As	9.5	Arable 50 Grassland 50	<div></div>				
Fluoride as F	22.6	Arable 500 Grassland 500	<div></div>				

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 3

DAVID J POWELL
PURLON FARM
WICK ROAD
LLANTWIT MAJOR
VALE OF GLAMORGAN
CF61 1YU

V741

Please quote above code for all enquiries

M DAVIES
HAFOD FARM
FERWIG
CARDIGAN
SA43 1PU
SOIL LATE REQUEST

Laboratory References

Date Received 12-APR-2018
Date Reported 18-APR-2018

Report Number 99009
Sample Number 381755

ANALYTICAL RESULTS *on 'dry matter' basis.*

pH ⁽¹⁾

Soil pH

Determinand	Result	4	5	6	7	8	9
Soil pH	5.5						

Soil Nutrients ⁽¹⁾

Soil Index

Determinand	Result mg/litre	Soil Index	0	1	2	3	4	5	6
Soil Phosphorus as P	25.4	2							
Soil Potassium as K	87.4	1							
Soil Magnesium as Mg	119	3							

Potentially Toxic Elements ⁽²⁾

% of maximum permissible concentration of PTE in arable/grassland soil

Determinand	Result mg/kg	Maximum mg/kg	0%	25%	50%	75%	100%
Total Copper as Cu	9.3	Arable 80 Grassland 138					
Total Zinc as Zn	58.5	Arable 200 Grassland 200					
Total Nickel as Ni	15.7	Arable 50 Grassland 80					
Total Cadmium as Cd	0.13	Arable 3 Grassland 3					
Total Lead as Pb	16.3	Arable 300 Grassland 300					
Total Chromium as Cr	29.3	Arable 400 Grassland 600					
Total Mercury as Hg	<0.2	Arable 1 Grassland 1.5					

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 3

DAVID J POWELL PURLON FARM WICK ROAD LLANTWIT MAJOR VALE OF GLAMORGAN CF61 1YU	V741
---	------

Please quote above code for all enquiries

M DAVIES HAFOD FARM FERWIG CARDIGAN SA43 1PU SOIL LATE REQUEST

Laboratory References

Date Received	12-APR-2018
Date Reported	18-APR-2018

Report Number	99009
Sample Number	381755

ANALYTICAL RESULTS *on 'dry matter' basis.*

Potentially Toxic Elements ⁽²⁾

Potentially Toxic Elements ⁽²⁾				% of maximum permissible concentration of PTE in arable/grassland soil				
Determinand	Result mg/kg		Maximum mg/kg	0%	25%	50%	75%	100%
Total Molybdenum as Mo	<1	Arable	4					
		Grassland	4					
Total Selenium as Se	0.28	Arable	3	<div></div>				
		Grassland	5	<div></div>				
Total Arsenic as As	9.8	Arable	50	<div></div>				
		Grassland	50	<div></div>				
Fluoride as F	26.9	Arable	500	<div></div>				
		Grassland	500	<div></div>				

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 4

DAVID J POWELL
PURLON FARM
WICK ROAD
LLANTWIT MAJOR
VALE OF GLAMORGAN
CF61 1YU

V741

Please quote above code for all enquiries

M DAVIES
HAFOD FARM
FERWIG
CARDIGAN
SA43 1PU
SOIL LATE REQUEST

Laboratory References

Date Received 12-APR-2018
Date Reported 18-APR-2018

Report Number 99009
Sample Number 381756

ANALYTICAL RESULTS *on 'dry matter' basis.*

pH ⁽¹⁾

Determinand	Result	4	5	6	7	8	9
Soil pH	5.7						

Soil Nutrients ⁽¹⁾

Determinand	Result mg/litre	Soil Index	0	1	2	3	4	5	6
Soil Phosphorus as P	25.0	2							
Soil Potassium as K	66.8	1							
Soil Magnesium as Mg	104	3							

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	0%	25%	50%	75%	100%
Total Copper as Cu	9.5	Arable 100					
		Grassland 170					
Total Zinc as Zn	52.0	Arable 200					
		Grassland 200					
Total Nickel as Ni	15.7	Arable 60					
		Grassland 100					
Total Cadmium as Cd	0.11	Arable 3					
		Grassland 3					
Total Lead as Pb	16.2	Arable 300					
		Grassland 300					
Total Chromium as Cr	30.7	Arable 400					
		Grassland 600					
Total Mercury as Hg	<0.2	Arable 1					
		Grassland 1.5					

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 4

DAVID J POWELL PURLON FARM WICK ROAD LLANTWIT MAJOR VALE OF GLAMORGAN CF61 1YU	V741
---	------

Please quote above code for all enquiries

Date Received	12-APR-2018
Date Reported	18-APR-2018

M DAVIES HAFOD FARM FERWIG CARDIGAN SA43 1PU SOIL LATE REQUEST

Laboratory References

Report Number	99009
Sample Number	381756

ANALYTICAL RESULTS *on 'dry matter' basis.*

Potentially Toxic Elements ⁽²⁾

Potentially Toxic Elements ⁽²⁾				% of maximum permissible concentration of PTE in arable/grassland soil				
Determinand	Result mg/kg		Maximum mg/kg	0%	25%	50%	75%	100%
Total Molybdenum as Mo	<1	Arable	4					
		Grassland	4					
Total Selenium as Se	0.25	Arable	3	<div></div>				
		Grassland	5	<div></div>				
Total Arsenic as As	10.3	Arable	50	<div></div>				
		Grassland	50	<div></div>				
Fluoride as Fl	26.7	Arable	500	<div></div>				
		Grassland	500	<div></div>				

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 5

DAVID J POWELL
PURLON FARM
WICK ROAD
LLANTWIT MAJOR
VALE OF GLAMORGAN
CF61 1YU

V741

Please quote above code for all enquiries

M DAVIES
HAFOD FARM
FERWIG
CARDIGAN
SA43 1PU
SOIL LATE REQUEST

Laboratory References

Date Received 12-APR-2018
Date Reported 18-APR-2018

Report Number 99009
Sample Number 381757

ANALYTICAL RESULTS *on 'dry matter' basis.*

pH ⁽¹⁾

Determinand	Result	4	5	6	7	8	9
Soil pH	5.6						

Soil Nutrients ⁽¹⁾

Determinand	Result mg/litre	Soil Index	0	1	2	3	4	5	6
Soil Phosphorus as P	17.8	2							
Soil Potassium as K	61.3	1							
Soil Magnesium as Mg	89.3	2							

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	0%	25%	50%	75%	100%
Total Copper as Cu	8.5	Arable 100 Grassland 170					
Total Zinc as Zn	50.0	Arable 200 Grassland 200					
Total Nickel as Ni	14.4	Arable 60 Grassland 100					
Total Cadmium as Cd	<0.1	Arable 3 Grassland 3					
Total Lead as Pb	14.3	Arable 300 Grassland 300					
Total Chromium as Cr	23.1	Arable 400 Grassland 600					
Total Mercury as Hg	<0.2	Arable 1 Grassland 1.5					

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 5

DAVID J POWELL PURLON FARM WICK ROAD LLANTWIT MAJOR VALE OF GLAMORGAN CF61 1YU	V741
---	------

Please quote above code for all enquiries

M DAVIES HAFOD FARM FERWIG CARDIGAN SA43 1PU SOIL LATE REQUEST

Laboratory References

Date Received	12-APR-2018
Date Reported	18-APR-2018

Report Number	99009
Sample Number	381757

ANALYTICAL RESULTS *on 'dry matter' basis.*

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	% of maximum permissible concentration of PTE in arable/grassland soil				
			0%	25%	50%	75%	100%
Total Molybdenum as Mo	<1	Arable 4					
		Grassland 4					
Total Selenium as Se	0.24	Arable 3	<div></div>				
		Grassland 5	<div></div>				
Total Arsenic as As	8.0	Arable 50	<div></div>				
		Grassland 50	<div></div>				
Fluoride as F	19.1	Arable 500	<div></div>				
		Grassland 500	<div></div>				

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 6

DAVID J POWELL
PURLON FARM
WICK ROAD
LLANTWIT MAJOR
VALE OF GLAMORGAN
CF61 1YU

V741

Please quote above code for all enquiries

M DAVIES
HAFOD FARM
FERWIG
CARDIGAN
SA43 1PU
SOIL LATE REQUEST

Laboratory References

Date Received 12-APR-2018
Date Reported 18-APR-2018

Report Number 99009
Sample Number 381758

ANALYTICAL RESULTS *on 'dry matter' basis.*

pH ⁽¹⁾

Determinand	Result	4	5	6	7	8	9
Soil pH	5.4						

Soil Nutrients ⁽¹⁾

Determinand	Result mg/litre	Soil Index	0	1	2	3	4	5	6
Soil Phosphorus as P	15.8	2							
Soil Potassium as K	58.0	0							
Soil Magnesium as Mg	78.3	2							

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	0%	25%	50%	75%	100%
Total Copper as Cu	10.5	Arable 80 Grassland 138					
Total Zinc as Zn	58.6	Arable 200 Grassland 200					
Total Nickel as Ni	18.9	Arable 50 Grassland 80					
Total Cadmium as Cd	0.16	Arable 3 Grassland 3					
Total Lead as Pb	17.5	Arable 300 Grassland 300					
Total Chromium as Cr	37.6	Arable 400 Grassland 600					
Total Mercury as Hg	<0.2	Arable 1 Grassland 1.5					

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 6

DAVID J POWELL PURLON FARM WICK ROAD LLANTWIT MAJOR VALE OF GLAMORGAN CF61 1YU	V741
---	------

Please quote above code for all enquiries

Date Received	12-APR-2018
Date Reported	18-APR-2018

M DAVIES HAFOD FARM FERWIG CARDIGAN SA43 1PU SOIL LATE REQUEST

Laboratory References

Report Number	99009
Sample Number	381758

ANALYTICAL RESULTS *on 'dry matter' basis.*

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	% of maximum permissible concentration of PTE in arable/grassland soil				
			0%	25%	50%	75%	100%
Total Molybdenum as Mo	<1	Arable 4 Grassland 4					
Total Selenium as Se	0.28	Arable 3 Grassland 5	<div></div>				
Total Arsenic as As	11.1	Arable 50 Grassland 50	<div></div>				
Fluoride as F	29.3	Arable 500 Grassland 500	<div></div>				

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 7

DAVID J POWELL
PURLON FARM
WICK ROAD
LLANTWIT MAJOR
VALE OF GLAMORGAN
CF61 1YU

V741

Please quote above code for all enquiries

M DAVIES
HAFOD FARM
FERWIG
CARDIGAN
SA43 1PU
SOIL LATE REQUEST

Laboratory References

Date Received 12-APR-2018
Date Reported 18-APR-2018

Report Number 99009
Sample Number 381759

ANALYTICAL RESULTS *on 'dry matter' basis.*

pH ⁽¹⁾

Determinand	Result	4	5	6	7	8	9
Soil pH	5.5						

Soil Nutrients ⁽¹⁾

Determinand	Result mg/litre	Soil Index	0	1	2	3	4	5	6
Soil Phosphorus as P	15.8	2							
Soil Potassium as K	69.3	1							
Soil Magnesium as Mg	71.3	2							

Potentially Toxic Elements ⁽²⁾

Determinand	Result mg/kg	Maximum mg/kg	0%	25%	50%	75%	100%
Total Copper as Cu	10.2	Arable 80 Grassland 138					
Total Zinc as Zn	57.9	Arable 200 Grassland 200					
Total Nickel as Ni	17.3	Arable 50 Grassland 80					
Total Cadmium as Cd	0.17	Arable 3 Grassland 3					
Total Lead as Pb	17.5	Arable 300 Grassland 300					
Total Chromium as Cr	37.0	Arable 400 Grassland 600					
Total Mercury as Hg	<0.2	Arable 1 Grassland 1.5					

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



SOIL CHEMICAL ANALYSIS REPORT FOR FIELD - TYRIET 7

DAVID J POWELL PURLON FARM WICK ROAD LLANTWIT MAJOR VALE OF GLAMORGAN CF61 1YU	V741
---	------

Please quote above code for all enquiries

M DAVIES HAFOD FARM FERWIG CARDIGAN SA43 1PU SOIL LATE REQUEST

Laboratory References

Date Received	12-APR-2018
Date Reported	18-APR-2018

Report Number	99009
Sample Number	381759

ANALYTICAL RESULTS *on 'dry matter' basis.*

Potentially Toxic Elements ⁽²⁾

Potentially Toxic Elements ⁽²⁾				% of maximum permissible concentration of PTE in arable/grassland soil				
Determinand	Result mg/kg		Maximum mg/kg	0%	25%	50%	75%	100%
Total Molybdenum as Mo	<1	Arable	4					
		Grassland	4					
Total Selenium as Se	0.28	Arable	3	<div></div>				
		Grassland	5	<div></div>				
Total Arsenic as As	9.9	Arable	50	<div></div>				
		Grassland	50	<div></div>				
Fluoride as Fl	27.7	Arable	500	<div></div>				
		Grassland	500	<div></div>				

(1) Recommendations for liming and fertiliser should be obtained from Defra's Fertiliser Manual (RB209). The analytical methods used are as described in Defra's RB427.

(2) Concentration of Potentially Toxic Elements (PTE, commonly referred to as 'heavy metals') are in mg/kg dry soil. The maximum and the percentage of this maximum permissible concentration of PTE in soil are derived from the values in Defra's Code of Practice for Agricultural Use of Sewage Sludge (England & Wales) 1996. If applying organic manures to this soil it is important to ensure the soil is managed with a pH no less than 5.0, and that the PTE maximum values are not exceeded following the application. For soil where the pH value is less than 5.2, a FACTS Qualified Adviser should be consulted. Further details are provided in the Sludge Code.

Released by *J Doyle*

Date *18/04/18*



Contact : STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH
Tel. : 01239 613 741

V850

Please quote the above code for all enquiries

Client : M DAVIES
HAFOD FARM
FERWIG
CARDIGAN

Sample Matrix : Agricultural Soil

Laboratory Reference

Card Number 73421/20

Date Received 13-May-20

Date Reported 14-May-20

SOIL ANALYSIS REPORT

Laboratory Sample Reference	Field Details		Soil pH	Index			mg/l (Available)		
	No.	Name or O.S. Reference with Cropping Details		P	K	Mg	P	K	Mg
516282/20	1	HAFOD 2675 <i>No cropping details given</i>	6.0	2	2-	3	25.2	156	145

If general fertiliser and lime recommendations have been requested, these are given on the following sheets.

The analytical methods used are as described in DEFRA Reference Book 427

The index values are determined from the AHDB Fertiliser Recommendations RB209 9th Edition.

Released by **Gina Graham**

On behalf of NRM Ltd

Date **14/05/20**

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 **Fax:** +44 (0) 1344 890972 **Email:** enquiries@nrm.uk.com **www.nrm.uk.com**

ANALYTICAL REPORT

Report Number	46852-17	V293	ADAM STONE	Client	HAFOD FARM
Date Received	02-FEB-2017		4R GROUP		FERWIG
Date Reported	07-FEB-2017		12C NEWENT BUS PARK		CARDIGAN
Project	SOIL		GLOUCESTER STREET		SA43 1PU
Reference	HAFOD FARM		NEWENT		
Order Number			GLOUCESTERSHIRE GL18 1DZ		

Laboratory Reference		SOIL331323	SOIL331324	SOIL331325	SOIL331326	SOIL331327	SOIL331328	SOIL331329	SOIL331330	SOIL331331	SOIL331332
Sample Reference											2675
Determinand	Unit										SOIL
Total Copper	mg/kg										14.4
Total Zinc	mg/kg										63.6
Total Lead	mg/kg										16.5
Total Arsenic	mg/kg										12.3
Total Cadmium	mg/kg										0.19
Total Nickel	mg/kg										16.9
Total Chromium	mg/kg										38.0
Total Mercury	mg/kg										<0.2
Total Selenium	mg/kg										0.39
Total Molybdenum	mg/kg										1.4
Fluoride 2:1 ratio	mg/kg										22.1

Notes

Analysis Notes

The sample submitted was of adequate size to complete all analysis requested.
The results as reported relate only to the item(s) submitted for testing.
The results are presented on a dry matter basis unless otherwise stipulated.

Document Control

This test report shall not be reproduced, except in full, without the written approval of the laboratory.

Reported by

Darren Whitbread

Natural Resource Management, a trading division of Cawood Scientific Ltd.
Coopers Bridge, Braziers Lane, Bracknell, Berkshire, RG42 6NS
Tel: 01344 886338
Fax: 01344 890972
email: enquiries@nrm.uk.com



ANALYTICAL REPORT

Report Number	45808-19	V850	STEPSIDE AGRI	Client	MR MORRIS DAVIES
Date Received	28-FEB-2019		STEPSIDE FARM		NANT Y CROI
Date Reported	07-MAR-2019		GWBERT ROAD		FERWIG
Project	SOIL		CARDIGAN		CARDIGAN
Reference	MR MORRIS DAVIES		SA43 1PH		
Order Number					

Laboratory Reference		SOIL425861	SOIL425862	SOIL425863							
Sample Reference			15								
Determinand	Unit		SOIL								
pH water [1:2.5]			5.9								
Available Phosphorus (Index)	mg/l		31.2 (3)								
Available Potassium (Index)	mg/l		112 (1)								
Available Magnesium (Index)	mg/l		91.1 (2)								
Total Copper	mg/kg		14.9								
Total Zinc	mg/kg		67.9								
Total Lead	mg/kg		18.4								
Total Arsenic	mg/kg		13.2								
Total Cadmium	mg/kg		0.15								
Total Nickel	mg/kg		19.8								
Total Chromium	mg/kg		47.2								
Total Mercury	mg/kg		<0.2								
Total Selenium	mg/kg		0.33								
Total Molybdenum	mg/kg		<1								
Fluoride	mg/kg		37.4								

Notes	
Analysis Notes	<p>The sample submitted was of adequate size to complete all analysis requested.</p> <p>The results as reported relate only to the item(s) submitted for testing.</p> <p>The results are presented on a dry matter basis unless otherwise stipulated.</p>
Document Control	<p>This test report shall not be reproduced, except in full, without the written approval of the laboratory.</p>



ANALYTICAL NOTES			
Report Number	45808-19	V850	Client MR MORRIS DAVIES
Date Received	28-FEB-2019	STEPSIDE AGRI	NANT Y CROI
Date Reported	07-MAR-2019	STEPSIDE FARM	FERWIG
Project	SOIL	GWBERT ROAD	CARDIGAN
Reference	MR MORRIS DAVIES	CARDIGAN	
Order Number		SA43 1PH	
Notes			
Reported by	<i>Katie Dunn</i> Natural Resource Management, a trading division of Cawood Scientific Ltd. Coopers Bridge, Braziers Lane, Bracknell, Berkshire, RG42 6NS Tel: 01344 886338 Fax: 01344 890972 email: enquiries@nrm.uk.com		



Contact : STEPSIDE AGRI
STEPSIDE FARM
GWBERT ROAD
CARDIGAN
SA43 1PH
Tel. : 01239 613 741

V850

Please quote the above code for all enquiries

Client : G DAVIES
RHOSYGADAIR
TREFWTIAL FARM
BLAENANNERCH
CARDIGAN

Sample Matrix : Agricultural Soil

Laboratory Reference

Card Number 73419/20

Date Received 13-May-20

Date Reported 14-May-20

SOIL ANALYSIS REPORT

Laboratory Sample Reference	Field Details		Soil pH	Index			mg/l (Available)		
	No.	Name or O.S. Reference with Cropping Details		P	K	Mg	P	K	Mg
516273/20	1	RHOSYGADAIR 3 <i>No cropping details given</i>	5.9	3	1	3	26.6	80	101
516274/20	2	RHOSYGADAIR 4 <i>No cropping details given</i>	5.7	3	2+	2	34.4	205	94
516275/20	3	RHOSYGADAIR 5 <i>No cropping details given</i>	5.7	4	3	3	46.8	320	118
516276/20	4	RHOSYGADAIR 6 <i>No cropping details given</i>	6.0	3	3	3	41.6	279	110
516277/20	5	RHOSYGADAIR 7 <i>No cropping details given</i>	6.2	2	0	2	18.0	54	80

If general fertiliser and lime recommendations have been requested, these are given on the following sheets.

The analytical methods used are as described in DEFRA Reference Book 427

The index values are determined from the AHDB Fertiliser Recommendations RB209 9th Edition.

Released by **Gina Graham**

On behalf of NRM Ltd

Date **14/05/20**

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 **Fax:** +44 (0) 1344 890972 **Email:** enquiries@nrm.uk.com **www:** nrm.uk.com



DATE 14th May 2020
 SAMPLES FROM G DAVIES, RHOSYGADAIR,
 TREFWTIAL FARM

SAMPLED BY

Report reference 73419/20

STEPSIDE AGRI
 STEPSIDE FARM
 GWBERT ROAD
 CARDIGAN
 SA43 1PH

Tel: 01239 613 741
 Fax:

Fertiliser Recommendations

The phosphate and potash recommendations shown below, are those required to replace the offtake and maintain target soil indices. The larger recommended applications for soils below target index will allow the soil to build up to this target index over a number of years. Not applying fertiliser to soils which are above target index will allow the soil to run down over a number of years to the target index.

The recommendation should be increased or decreased where yields are substantially more or less than that specified. The amount to apply can be calculated using the expected yield and values for the offtake of phosphate and potash per tonne of yield given in the RB209 9th edition.

All recommendations are given for the mid-point of each Index.

Where a soil analysis value (as given by the laboratory) is close to the range of an adjacent Index, the recommendation may be reduced or increased slightly taking account of the recommendation given for the adjacent Index. Small adjustments of less than 10 kg/ha are generally not justified.

Efficient use of P and K is most likely to be achieved on soils that are well structured and enable good rooting.

For visual evaluation of soil structure (VESS), a score on 1 or 2 would be considered adequate.

Don't forget to deduct nutrients applied as organic manures.

For Nitrogen recommendations please refer to the RB209 9th edition or seek advice from an FACTS qualified adviser.

Target Indices:

Arable, Forage, Grassland and Potato Crops: P Index 2, K Index 2-

(In rotations where most crops are Autumn-sown, soils are in good condition and P is applied annually, high index 1 can be an adequate target.)

Vegetables and Bulbs: P Index 3, K Index 2+

(If vegetables are only grown occasionally as part of an arable rotation, it would be most economic to target index 2 for arable and forage crops.)

Fruit Vines and Hops: P Index 2, K Index 2, Mg Index 2

(Note: Cider apples respond to K Index 3, Mg Index 3)

A lime recommendation is usually for a 20cm depth of cultivated soil or a 15cm depth of grassland soil. Where soil is acid below 20 cm and soils are ploughed for arable crops, a proportionately larger quantity of lime should be applied. However, if more than 10 t/ha is needed, half should be deeply cultivated into the soil and ploughed down, with the remainder applied to the surface and worked in.

For established grassland or other situations where there is no, or only minimal soil cultivation, no more than 7.5 t/ha of lime should be applied in one application.

In these situations, applications of lime change the pH below the surface very slowly. Consequently, the underlying soil should not be allowed to become too acidic because this will affect the root growth and thus limit nutrient and water uptake, which will adversely affect yield.

Field Name / Ref / Soil Type	Last Crop / Next Crop	P2O5	K2O	MgO	Lime (Arable)	(Grass)
RHOSYGADAIR 3	Not Given / Not Given	Units/Acre			T/Ac	2.3
516273 /		Kg/Ha			Te/Ha	5.6
						1.6
Field Name / Ref / Soil Type	Last Crop / Next Crop	P2O5	K2O	MgO	Lime (Arable)	(Grass)
RHOSYGADAIR 4	Not Given / Not Given	Units/Acre			T/Ac	2.8
516274 /		Kg/Ha			Te/Ha	7.0
						2.6
Field Name / Ref / Soil Type	Last Crop / Next Crop	P2O5	K2O	MgO	Lime (Arable)	(Grass)
RHOSYGADAIR 5	Not Given / Not Given	Units/Acre			T/Ac	2.8
516275 /		Kg/Ha			Te/Ha	7.0
						2.6
Field Name / Ref / Soil Type	Last Crop / Next Crop	P2O5	K2O	MgO	Lime (Arable)	(Grass)
RHOSYGADAIR 6	Not Given / Not Given	Units/Acre			T/Ac	2.0
516276 /		Kg/Ha			Te/Ha	4.9
						0
Field Name / Ref / Soil Type	Last Crop / Next Crop	P2O5	K2O	MgO	Lime (Arable)	(Grass)
RHOSYGADAIR 7	Not Given / Not Given	Units/Acre			T/Ac	1.4
516277 /		Kg/Ha			Te/Ha	3.5
						0

Fertiliser recommendations are based on **AHDB RB209 (Ninth Edition)**. If a nutrient is deficient and no recommendation is given, either no recommendation is given in RB209 or we have insufficient data to give a recommendation. Apply Lime to the nearest half Ton / Tonne.
 NRM is a UKAS accredited laboratory to ISO/IEC 17025

Sample Analysis Report

MR G DAVIES
TREFWTIAL FAR
LAND AT RHOSYGDAIR
BLAENANNERCH
CARDIGAN
SA43 2AG

Sampling Point No - 149289	Location - WD297 - 3 - LAND AT RHOSYGDAIR
Date Sampled - 24/11/2016	Time Taken - 08:50
Originator - ENVIRONMENTAL	Purpose - 7.5 / 15cm FIELD SOIL SAMPLE
Laboratory - GLASLYN	Lab Ref No - E 4024366
Sampler -	Samplers Comments
Type -	No Results - 14

Sample Results

Code	Determinand Name	Units	Result	Limit
48	FLUORIDE (DRY WT)	MG/KG	40	
357	ARSENIC (DRY WT)	MG/KG	12.9	
380	SELENIUM (DRY WT)	MG/KG	LT 1	
384	MOLYBDENUM (DRY WT)	MG/KG	0.9	
4620	pH on soil/sludge	PH UNITS	6	
7772	Extract Phosphorous	MG/L	23	
7773	Extractable Potassiu	MG/L	96	
9271	CADMIUM TOTAL	MG/KG	0.2	
9272	CHROMIUM TOTAL	MG/KG	36.9	
9273	COPPER TOTAL	MG/KG	18.6	
9274	MERCURY TOTAL	MG/KG	LT 0.14	
9275	NICKEL TOTAL	MG/KG	22.1	
9276	LEAD TOTAL	MG/KG	31.4	
9277	ZINC TOTAL	MG/KG	90	

Sample Analysis Report

MR G DAVIES
TREFWTIAL FAR
LAND AT RHOSYGDAIR
BLAENANNERCH
CARDIGAN
SA43 2AG

Sampling Point No - 149290	Location - WD297 - 4 - LAND AT RHOSYGDAIR
Date Sampled - 24/11/2016	Time Taken - 09:00
Originator - ENVIRONMENTAL	Purpose - 7.5 / 15cm FIELD SOIL SAMPLE
Laboratory - GLASLYN	Lab Ref No - E 4024367
Sampler -	Samplers Comments
Type -	No Results - 14

Sample Results

Code	Determinand Name	Units	Result	Limit
48	FLUORIDE (DRY WT)	MG/KG	61	
357	ARSENIC (DRY WT)	MG/KG	15.7	
380	SELENIUM (DRY WT)	MG/KG	1.21	
384	MOLYBDENUM (DRY WT)	MG/KG	1	
4620	pH on soil/sludge	PH UNITS	6.1	
7772	Extract Phosphorous	MG/L	36	
7773	Extractable Potassiu	MG/L	340	
9271	CADMIUM TOTAL	MG/KG	0.3	
9272	CHROMIUM TOTAL	MG/KG	36.6	
9273	COPPER TOTAL	MG/KG	18.9	
9274	MERCURY TOTAL	MG/KG	LT 0.14	
9275	NICKEL TOTAL	MG/KG	21.8	
9276	LEAD TOTAL	MG/KG	27.7	
9277	ZINC TOTAL	MG/KG	93	

Sample Analysis Report

MR G DAVIES
TREFWTIAL FAR
LAND AT RHOSYGDAIR
BLAENANNERCH
CARDIGAN
SA43 2AG

Sampling Point No -	149292	Location -	WD297 - 5 - LAND AT RHOSYGDAIR
Date Sampled -	24/11/2016	Time Taken -	09:20
Originator -	ENVIRONMENTAL	Purpose -	7.5 / 15cm FIELD SOIL SAMPLE
Laboratory -	GLASLYN	Lab Ref No -	E 4024369
Sampler -		Samplers Comments	
Type -		No Results -	14

Sample Results

Code	Determinand Name	Units	Result	Limit
48	FLUORIDE (DRY WT)	MG/KG	57	
357	ARSENIC (DRY WT)	MG/KG	16.2	
380	SELENIUM (DRY WT)	MG/KG	LT 1	
384	MOLYBDENUM (DRY WT)	MG/KG	1	
4620	pH on soil/sludge	PH UNITS	6.3	
7772	Extract Phosphorous	MG/L	37	
7773	Extractable Potassiu	MG/L	340	
9271	CADMIUM TOTAL	MG/KG	0.3	
9272	CHROMIUM TOTAL	MG/KG	39.7	
9273	COPPER TOTAL	MG/KG	20.2	
9274	MERCURY TOTAL	MG/KG	LT 0.14	
9275	NICKEL TOTAL	MG/KG	23.8	
9276	LEAD TOTAL	MG/KG	27.3	
9277	ZINC TOTAL	MG/KG	101	

Sample Analysis Report

MR G DAVIES
TREFWTIAL FAR
LAND AT RHOSYGDAIR
BLAENANNERCH
CARDIGAN
SA43 2AG

Sampling Point No - 149293	Location -	WD297 - 6 - LAND AT RHOSYGDAIR
Date Sampled - 24/11/2016	Time Taken -	09:30
Originator - ENVIRONMENTAL	Purpose -	7.5 / 15cm FIELD SOIL SAMPLE
Laboratory - GLASLYN	Lab Ref No -	E 4024370
Sampler -	Samplers Comments	
Type -	No Results -	14

Sample Results

Code	Determinand Name	Units	Result	Limit
48	FLUORIDE (DRY WT)	MG/KG	55	
357	ARSENIC (DRY WT)	MG/KG	16.3	
380	SELENIUM (DRY WT)	MG/KG	LT 1	
384	MOLYBDENUM (DRY WT)	MG/KG	1	
4620	pH on soil/sludge	PH UNITS	6.4	
7772	Extract Phosphorous	MG/L	38	
7773	Extractable Potassiu	MG/L	350	
9271	CADMIUM TOTAL	MG/KG	0.3	
9272	CHROMIUM TOTAL	MG/KG	40.3	
9273	COPPER TOTAL	MG/KG	20.7	
9274	MERCURY TOTAL	MG/KG	LT 0.14	
9275	NICKEL TOTAL	MG/KG	24.9	
9276	LEAD TOTAL	MG/KG	28.4	
9277	ZINC TOTAL	MG/KG	105	

Sample Analysis Report

MR G DAVIES
TREFWTIAL FAR
LAND AT RHOSYGDAIR
BLAENANNERCH
CARDIGAN
SA43 2AG

Sampling Point No - 149294	Location - WD297 - 7 - LAND AT RHOSYGDAIR
Date Sampled - 24/11/2016	Time Taken - 09:40
Originator - ENVIRONMENTAL	Purpose - 7.5 / 15cm FIELD SOIL SAMPLE
Laboratory - GLASLYN	Lab Ref No - E 4024371
Sampler -	Samplers Comments
Type -	No Results - 14

Sample Results

Code	Determinand Name	Units	Result	Limit
48	FLUORIDE (DRY WT)	MG/KG	45	
357	ARSENIC (DRY WT)	MG/KG	13.3	
380	SELENIUM (DRY WT)	MG/KG	1.17	
384	MOLYBDENUM (DRY WT)	MG/KG	0.6	
4620	pH on soil/sludge	PH UNITS	6.4	
7772	Extract Phosphorous	MG/L	20	
7773	Extractable Potassiu	MG/L	100	
9271	CADMIUM TOTAL	MG/KG	0.2	
9272	CHROMIUM TOTAL	MG/KG	35.8	
9273	COPPER TOTAL	MG/KG	18.5	
9274	MERCURY TOTAL	MG/KG	LT 0.14	
9275	NICKEL TOTAL	MG/KG	22.1	
9276	LEAD TOTAL	MG/KG	30.2	
9277	ZINC TOTAL	MG/KG	83	



ANALYTICAL REPORT

Report Number	46153-19	V850	STEPSIDE AGRI	Client CASTELL MALGWYN FARM
Date Received	04-MAR-2019		STEPSIDE FARM	
Date Reported	07-MAR-2019		GWBERT ROAD	
Project	SOIL		CARDIGAN	
Reference	CASTELL MALGWYN FRM		SA43 1PH	
Order Number				

Laboratory Reference		SOIL426171	SOIL426172	SOIL426173	SOIL426174	SOIL426175	SOIL426176	SOIL426177	SOIL426178	SOIL426179	SOIL426180
Sample Reference		8440	0438	2341	4149	4588	3169	0165	8262	1188	9792
Determinand	Unit	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
pH water [1:2.5]		5.3									
Available Phosphorus (Index)	mg/l	16.2 (2)									
Available Potassium (Index)	mg/l	98.3 (1)									
Available Magnesium (Index)	mg/l	92.5 (2)									
Total Copper	mg/kg	16.8									
Total Zinc	mg/kg	75.1									
Total Lead	mg/kg	26.3									
Total Arsenic	mg/kg	17.5									
Total Cadmium	mg/kg	<0.1									
Total Nickel	mg/kg	22.8									
Total Chromium	mg/kg	48.7									
Total Mercury	mg/kg	<0.2									
Total Selenium	mg/kg	0.51									
Total Molybdenum	mg/kg	<1									
Fluoride	mg/kg	20.7									

Notes	
Analysis Notes	<p>The sample submitted was of adequate size to complete all analysis requested.</p> <p>The results as reported relate only to the item(s) submitted for testing.</p> <p>The results are presented on a dry matter basis unless otherwise stipulated.</p>
Document Control	<p>This test report shall not be reproduced, except in full, without the written approval of the laboratory.</p>



ANALYTICAL NOTES				
Report Number	46153-19	V850	STEPSIDE AGRI	Client CASTELL MALGWYN FARM
Date Received	04-MAR-2019		STEPSIDE FARM	
Date Reported	07-MAR-2019		GWBERT ROAD	
Project	SOIL		CARDIGAN	
Reference	CASTELL MALGWYN FRM		SA43 1PH	
Order Number				
Notes				
Reported by	<p><i>Darren Whitbread</i> Natural Resource Management, a trading division of Cawood Scientific Ltd. Coopers Bridge, Braziers Lane, Bracknell, Berkshire, RG42 6NS Tel: 01344 886338 Fax: 01344 890972 email: enquiries@nrm.uk.com</p>			



ANALYTICAL REPORT

Report Number	46156-19	V850	STEPSIDE AGRI	Client CASTELL MALGWYN FARM
Date Received	04-MAR-2019		STEPSIDE FARM	
Date Reported	07-MAR-2019		GWBERT ROAD	
Project	SOIL		CARDIGAN	
Reference	CASTELL MALGWYN FRM		SA43 1PH	
Order Number				

Laboratory Reference		SOIL426184									
Sample Reference		2301									
Determinand	Unit	SOIL									
pH water [1:2.5]		6.8									
Available Phosphorus (Index)	mg/l	33.2 (3)									
Available Potassium (Index)	mg/l	132 (2-)									
Available Magnesium (Index)	mg/l	105 (3)									
Total Copper	mg/kg	20.5									
Total Zinc	mg/kg	88.0									
Total Lead	mg/kg	25.9									
Total Arsenic	mg/kg	18.6									
Total Cadmium	mg/kg	<0.1									
Total Nickel	mg/kg	20.3									
Total Chromium	mg/kg	32.9									
Total Mercury	mg/kg	<0.2									
Total Selenium	mg/kg	0.57									
Total Molybdenum	mg/kg	<1									
Fluoride	mg/kg	29.4									

Notes	
Analysis Notes	<p>The sample submitted was of adequate size to complete all analysis requested.</p> <p>The results as reported relate only to the item(s) submitted for testing.</p> <p>The results are presented on a dry matter basis unless otherwise stipulated.</p>
Document Control	<p>This test report shall not be reproduced, except in full, without the written approval of the laboratory.</p>



ANALYTICAL NOTES				
Report Number	46156-19	V850	STEPSIDE AGRI	Client CASTELL MALGWYN FARM
Date Received	04-MAR-2019		STEPSIDE FARM	
Date Reported	07-MAR-2019		GWBERT ROAD	
Project	SOIL		CARDIGAN	
Reference	CASTELL MALGWYN FRM		SA43 1PH	
Order Number				
Notes				
Reported by	<p><i>Darren Whitbread</i> Natural Resource Management, a trading division of Cawood Scientific Ltd. Coopers Bridge, Braziers Lane, Bracknell, Berkshire, RG42 6NS Tel: 01344 886338 Fax: 01344 890972 email: enquiries@nrm.uk.com</p>			