

THE TRUST FOR WELSH ARCHAEOLOGY
DYFED

YMDDIRIEDOLAETH ARCHAEOLEGOL CYMRU Heritage
Management
Corner House
6 Carmarthen Street
Llandeilo
Carmarthenshire
SA19 6AE

Rheoli
Treftadaeth
Ty Cornel
6 Stryd Caerfyrddin
Llandeilo
Sir Gaerfyrddin
SA19 6AE

Woodland Creation: Consultation Advice Form				
CRN				
EOI	Pre app ref:24-CJ-255			
Application Name	Maemoi and Glanmeddyg farm			
Parcel No.				
NGR	SN6749941917			
Option Number (if known)				
Woodland category	native broadleaf woodland			
Woodland Planner				
Service Provider	Heneb – Dyfed Archaeology			
Officer	C Enright			
HEF UID				
Advice (If the proposal is considered to be inappropriate at this location please provide an explanation)	As part of the Roman gold mining complex, there are known leats (water management systems) in the area, with some sections being scheduled monuments. However, other sections of these leats remain poorly understood, and it is possible that the proposed woodland creation could disturb previously unrecorded elements of these systems.  Recommendations:			

Cadeirydd / Chair: Dr Carol Bell PSG / CEO: Richard Nicholls Cwmni Cyfyngedig (1198990) ynghyd ag Elusen Gofrestredig (504616) yw'r Ymddiriedolaeth

The Trust is both a Limited Company (1198990) and a Registered Charity (504616) Formerly: Dyfed Archaeological Trust – gynt: Ymddiriedolaeth Archaeolegol Dyfed





THE TRUST FOR WELSH ARCHAEOLOGY DYFED

YMDDIRIEDOLAETH ARCHAEOLEGOL CYMRU Heritage
Management
Corner House
6 Carmarthen Street
Llandeilo
Carmarthenshire
SA19 6AE

Rheoli
Treftadaeth
Ty Cornel
6 Stryd Caerfyrddin
Llandeilo
Sir Gaerfyrddin
SA19 6AE

	leats. Additionally, Cadw may want to advise for a setting assessment of the scheduled Monument.  • A thorough review of available archaeological resources such as LiDAR data, aerial photographs (APs), the Historic Environment Record (HER), and other relevant archaeological assessments carried out in the area.  The DBA should be proportionate, with a focus on understanding the course of water management systems associated with Dolaucothi and the potential for archaeologically sensitive buried deposits.  Additionally, the DBA should:  • Provide sufficient information to enable an informed decision on whether further archaeological investigations are necessary, such as a geophysical survey, to determine the presence of any buried archaeology.  • Be carried out in accordance with a Written Scheme of Investigation (WSI), which should be agreed upon with Heneb Dyfed Heritage Management and must conform to the standards and guidance set by the Chartered Institute for Archaeologists (CIfA).  Please contact Heneb Dyfed Heritage Management for further guidance and to discuss the next steps.			
Further Assessment Required?	Yes			
Map attached?	Yes			
Date received	15-10-24	Date replied	23-10-24	

Cadeirydd / Chair: Dr Carol Bell PSG / CEO: Richard Nicholls Cwmni Cyfyngedig (1198990) ynghyd ag Elusen Gofrestredig (504616) yw'r Ymddiriedolaeth

The Trust is both a Limited Company (1198990) and a Registered Charity (504616) Formerly: Dyfed Archaeological Trust – gynt: Ymddiriedolaeth Archaeolegol Dyfed






THE TRUST FOR WELSH ARCHAEOLOGY

**DYFED** 

YMDDIRIEDOLAETH ARCHAEOLEGOL CYMRU Heritage
Management
Corner House
6 Carmarthen Street
Llandeilo
Carmarthenshire
SA19 6AE

Rheoli
Treftadaeth
Ty Cornel
6 Stryd Caerfyrddin
Llandeilo
Sir Gaerfyrddin
SA19 6AE



Google Satellite image.

The application proposal is indicated by the blue polygons.

The Scheduled Monument (CM200) is shown in red.

The purple curvilinear polygons represent the projected route of Roman leats. Lidar imagery suggests that the exact course of these leats may not be accurately mapped and they are likely to pass through the proposed planting areas.

Cadeirydd / Chair: Dr Carol Bell PSG / CEO: Richard Nicholls Cwmni Cyfyngedig (1198990) ynghyd ag Elusen Gofrestredig (504616) yw'r Ymddiriedolaeth

The Trust is both a Limited Company (1198990) and a Registered Charity (504616) Formerly: Dyfed Archaeological Trust – gynt: Ymddiriedolaeth Archaeolegol Dyfed

